

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Kericho) Snapshot of Indicators Phase 1 (2019) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kericho) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kericho-P1-CS SOIs. 2019.* Kenya and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	874	874
Age Group			
15-19	22.1	193	193
20-24	17.7	155	155
25-29	17.0	149	150
30-34	15.9	139	137
35-39	10.8	94	97
40-44	7.8	68	65
45-49	8.8	77	77
Marital Status			
Married, or in union	52.6	460	464
Unmarried, sexually active	10.8	95	91
Parity			
0-1 children	16.9	147	150
2-3 children	25.6	224	224
4+ children	27.6	241	239
Residence			
Urban	36.6	320	336
Rural	63.4	554	538
Education			
Never	0.4	4	3
Primary	44.5	389	383
Post Primary Vocational	0.8	7	8
Secondary	39.2	343	344
College	11.1	97	104
University	3.9	34	32
Wealth Quintile			
Lowest	22.7	198	181
Lower	20.9	183	183
Middle	18.1	158	163
Higher	18.8	164	168
Highest	19.6	171	179

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	45.8	62.5	42.8	58.6	3.0	3.8
Age Group						
15-19	12.4	--	11.6	--	0.9	--
20-24	53.0	65.2	49.1	61.4	3.9	3.8
25-29	64.5	72.2	60.5	67.6	4.1	4.7
30-34	65.7	69.1	62.9	65.5	2.8	3.5
35-39	59.4	63.9	55.3	61.4	4.1	2.4
40-44	34.3	<i>45.4</i>	34.3	<i>45.4</i>	0.0	<i>0.0</i>
45-49	36.4	44.4	30.5	36.0	5.9	8.4
Marital Status						
Married, or in union	62.5	na	58.6	na	3.8	na
Unmarried, sexually active	67.2	na	63.6	na	3.6	na
Parity						
0-1 children	56.1	63.3	54.1	60.8	2.0	2.5
2-3 children	59.4	65.9	56.6	63.5	2.9	2.4
4+ children	58.2	63.8	54.5	59.3	3.7	4.5
Residence						
Urban	50.7	62.9	45.7	56.2	5.0	6.8
Rural	42.9	62.2	41.1	60.2	1.8	2.0
Education						
Never	--	--	--	--	--	--
Primary	50.8	62.6	48.8	59.4	2.1	3.1
Post Primary Vocational	--	--	--	--	--	--
Secondary	36.9	62.6	34.6	60.4	2.3	2.2
College	51.5	61.5	44.3	54.1	7.2	7.4
University	<i>55.5</i>	--	<i>46.4</i>	--	<i>9.1</i>	--
Wealth Quintile						
Lowest	41.5	59.1	40.0	56.2	1.5	3.0
Lower	39.0	55.1	36.2	52.0	2.7	3.1
Middle	52.7	70.4	48.2	64.7	4.5	5.7
Higher	52.4	73.1	49.9	69.8	2.4	3.3
Highest	45.4	55.9	41.4	51.8	4.1	4.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 397)										Married Users ¹ (N = 285)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	4.9	24.1	4.5	39.6	0.7	5.5	2.2	10.7	1.3	6.5	5.5	28.0	4.9	45.3	1.0	4.3	0.0	3.0	1.8	6.1
Age Group																				
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	19.3	3.1	43.2	0.0	3.4	6.2	14.6	2.8	7.4	<i>0.0</i>	<i>22.7</i>	<i>3.3</i>	<i>61.9</i>	<i>0.0</i>	<i>1.3</i>	<i>0.0</i>	<i>0.0</i>	<i>4.9</i>	<i>5.8</i>
25-29	0.0	30.5	4.6	38.4	1.5	7.1	1.6	10.0	0.0	6.3	0.0	34.0	3.8	40.0	1.9	9.1	0.0	4.8	0.0	6.5
30-34	8.0	34.9	3.1	40.4	0.0	6.3	0.0	3.0	0.0	4.2	8.1	34.8	3.7	43.9	0.0	2.3	0.0	2.1	0.0	5.1
35-39	9.1	20.4	9.1	37.5	2.5	6.5	1.7	4.6	1.7	6.9	<i>8.4</i>	<i>27.1</i>	<i>9.4</i>	<i>37.2</i>	<i>3.4</i>	<i>4.8</i>	<i>0.0</i>	<i>3.7</i>	<i>2.2</i>	<i>3.8</i>
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	<i>19.4</i>	<i>7.6</i>	<i>2.1</i>	<i>47.5</i>	<i>0.0</i>	<i>3.6</i>	<i>0.0</i>	<i>0.0</i>	<i>3.4</i>	<i>16.3</i>	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	5.5	28.0	4.9	45.3	1.0	4.3	0.0	3.0	1.8	6.1	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	3.3	13.2	3.3	29.9	0.0	9.3	3.4	32.3	0.0	5.3	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	18.1	5.1	45.1	0.9	10.8	3.3	12.3	0.8	3.5	<i>0.0</i>	<i>20.4</i>	<i>4.8</i>	<i>56.2</i>	<i>1.5</i>	<i>8.3</i>	<i>0.0</i>	<i>3.4</i>	<i>1.5</i>	<i>4.0</i>
2-3 children	3.7	31.0	3.2	46.2	1.1	3.9	0.7	3.6	1.9	4.8	2.0	33.5	2.9	48.9	1.3	4.3	0.0	0.9	2.4	3.7
4+ children	10.4	27.7	6.2	38.0	0.5	3.5	0.8	5.1	1.4	6.4	10.8	27.2	6.8	38.1	0.6	3.0	0.0	4.8	1.5	7.1
Residence																				
Urban	2.9	24.4	6.3	32.0	0.0	6.7	3.0	13.4	1.4	9.9	3.4	28.9	7.2	38.1	0.0	6.3	0.0	3.3	2.0	10.7
Rural	6.2	23.8	3.2	44.9	1.2	4.7	1.6	8.9	1.2	4.2	6.9	27.3	3.4	49.9	1.6	3.1	0.0	2.8	1.7	3.2
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	7.9	29.6	3.0	44.5	0.7	2.6	0.8	5.1	1.8	4.1	8.0	29.1	3.8	48.2	0.9	0.9	0.0	1.9	2.2	5.0
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Secondary	1.7	20.0	5.5	40.0	1.1	6.7	2.7	15.4	0.8	6.2	2.6	28.1	8.5	45.9	1.7	7.2	0.0	1.2	1.2	3.5
College	3.7	20.6	6.6	25.7	0.0	12.6	5.7	11.1	0.0	14.0	<i>3.2</i>	<i>29.0</i>	<i>2.0</i>	<i>35.3</i>	<i>0.0</i>	<i>13.1</i>	<i>0.0</i>	<i>5.4</i>	<i>0.0</i>	<i>12.0</i>
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	5.8	27.7	3.1	42.3	0.0	3.5	1.1	11.7	1.1	3.6	3.4	34.3	4.3	48.2	0.0	1.4	0.0	1.7	1.6	5.0
Lower	3.0	29.4	5.1	47.9	0.0	0.0	0.0	6.1	1.4	7.0	4.0	33.2	4.8	48.7	0.0	0.0	0.0	1.9	1.8	5.6
Middle	8.0	19.4	3.7	38.6	2.5	5.0	2.1	9.2	2.8	8.6	10.2	17.3	4.8	46.4	3.2	4.0	0.0	2.4	3.6	8.1
Higher	3.4	23.1	5.4	35.9	0.8	8.7	4.0	13.0	1.1	4.6	4.8	26.5	7.6	41.5	1.2	4.9	0.0	7.4	1.5	4.5
Highest	3.9	21.3	5.0	34.5	0.0	9.9	3.4	13.0	0.0	8.9	4.5	30.4	2.5	41.3	0.0	12.5	0.0	1.3	0.0	7.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 874)	Married Women ³ (N = 464)	All Women (N = 874)	Married Women ³ (N = 464)
Total				
All	27.5	34.6	15.3	24.0
Age Group				
15-19	10.6	--	0.9	--
20-24	37.2	44.4	11.9	17.0
25-29	37.8	40.3	22.6	27.3
30-34	32.7	33.3	30.2	32.2
35-39	32.4	32.7	22.9	28.7
40-44	22.4	<i>26.7</i>	11.9	<i>18.7</i>
45-49	19.8	22.6	10.6	13.4
Marital Status				
Married, or in union	34.6	na	24.0	na
Unmarried, sexually active	50.3	na	13.3	na
Parity				
0-1 children	41.1	44.9	13.1	15.9
2-3 children	34.1	38.1	22.5	25.3
4+ children	28.7	30.6	25.8	28.7
Residence				
Urban	28.7	31.3	17.0	24.9
Rural	26.8	36.8	14.3	23.4
Education				
Never	--	--	--	--
Primary	28.2	33.9	20.6	25.6
Post Primary Vocational	--	--	--	--
Secondary	24.6	35.9	10.0	24.6
College	28.4	33.1	15.9	21.0
University	<i>41.2</i>	--	<i>5.2</i>	--
Wealth Quintile				
Lowest	24.8	31.3	15.2	24.9
Lower	21.6	28.9	14.6	23.1
Middle	31.8	42.0	16.4	22.8
Higher	33.2	41.4	16.7	28.5
Highest	27.6	30.8	13.7	20.9

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 874)			Married Women ¹ (N = 464)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	6.2	5.5	11.7	7.7	8.0	15.7
Age Group						
15-19	5.1	0.7	5.8	--	--	--
20-24	6.2	3.4	9.6	8.5	2.9	11.4
25-29	12.7	2.7	15.4	11.5	2.7	14.2
30-34	7.0	3.8	10.8	7.9	4.2	12.2
35-39	5.4	12.8	18.2	6.5	16.4	22.9
40-44	1.4	18.8	20.2	<i>2.3</i>	<i>21.2</i>	<i>23.4</i>
45-49	0.0	9.6	9.6	0.0	13.5	13.5
Marital Status						
Married, or in union	7.7	8.0	15.7	na	na	na
Unmarried, sexually active	18.6	6.5	25.1	na	na	na
Parity						
0-1 children	9.8	0.5	10.3	11.4	1.0	12.4
2-3 children	10.1	6.0	16.1	12.0	6.1	18.1
4+ children	3.1	12.6	15.7	3.7	13.1	16.9
Residence						
Urban	5.1	5.3	10.4	7.1	8.0	15.1
Rural	6.8	5.6	12.4	8.1	8.0	16.1
Education						
Never	--	--	--	--	--	--
Primary	6.1	8.4	14.5	6.8	9.9	16.6
Post Primary Vocational	--	--	--	--	--	--
Secondary	6.8	3.7	10.4	11.2	7.7	18.9
College	7.5	1.2	8.7	7.4	0.0	7.4
University	<i>0.0</i>	<i>4.6</i>	<i>4.6</i>	--	--	--
Wealth Quintile						
Lowest	6.1	9.8	16.0	5.5	11.9	17.4
Lower	7.5	5.4	12.9	12.0	9.9	21.9
Middle	6.5	4.6	11.1	5.5	5.8	11.3
Higher	4.6	2.0	6.6	4.2	3.2	7.4
Highest	6.1	4.8	10.9	11.1	8.3	19.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=874)

Married Women² (N=464)

	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	45.8	42.8	11.7	57.5	74.5	62.5	58.6	15.7	78.2	75.0
Age Group										
15-19	12.4	11.6	5.8	18.2	<i>63.5</i>	--	--	--	--	--
20-24	53.0	49.1	9.6	62.6	78.4	65.2	61.4	11.4	76.6	80.2
25-29	64.5	60.5	15.4	79.9	75.7	72.2	67.6	14.2	86.4	78.2
30-34	65.7	62.9	10.8	76.5	82.3	69.1	65.5	12.2	81.2	80.7
35-39	59.4	55.3	18.2	77.6	71.3	63.9	61.4	22.9	86.7	70.8
40-44	34.3	34.3	20.2	54.5	<i>62.9</i>	<i>45.4</i>	<i>45.4</i>	<i>23.4</i>	<i>68.8</i>	<i>66.0</i>
45-49	36.4	30.5	9.6	46.0	<i>66.3</i>	44.4	36.0	13.5	58.0	<i>62.1</i>
Marital Status										
Married, or in union	62.5	58.6	15.7	78.2	75.0	na	na	na	na	na
Unmarried, sexually active	67.2	63.6	25.1	92.3	68.9	na	na	na	na	na
Parity										
0-1 children	56.1	54.1	10.3	66.4	81.6	63.3	60.8	12.4	75.7	80.3
2-3 children	59.4	56.6	16.1	75.5	74.9	65.9	63.5	18.1	84.0	75.6
4+ children	58.2	54.5	15.7	73.9	73.7	63.8	59.3	16.9	80.7	73.5
Residence										
Urban	50.7	45.7	10.4	61.1	74.8	62.9	56.2	15.1	78.0	72.0
Rural	42.9	41.1	12.4	55.4	74.3	62.2	60.2	16.1	78.3	76.9
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	50.8	48.8	14.5	65.3	74.7	62.6	59.4	16.6	79.2	75.0
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	36.9	34.6	10.4	47.3	73.1	62.6	60.4	18.9	81.5	74.1
College	51.5	44.3	8.7	60.2	73.5	61.5	54.1	7.4	68.9	<i>78.5</i>
University	<i>55.5</i>	<i>46.4</i>	<i>4.6</i>	<i>60.1</i>	--	--	--	--	--	--
Wealth Quintile										
Lowest	41.5	40.0	16.0	57.5	69.6	59.1	56.2	17.4	76.6	73.3
Lower	39.0	36.2	12.9	51.8	69.9	55.1	52.0	21.9	76.9	67.5
Middle	52.7	48.2	11.1	63.8	75.5	70.4	64.7	11.3	81.8	79.2
Higher	52.4	49.9	6.6	58.9	84.7	73.1	69.8	7.4	80.5	86.8
Highest	45.4	41.4	10.9	56.3	73.5	55.9	51.8	19.4	75.3	68.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=342)			Married ¹ Women with 1 or More Births (N=266)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	55.7	29.5	14.8	60.2	24.2	15.5
Age Group						
15-19	--	--	--	--	--	--
20-24	49.1	41.2	9.6	60.3	31.4	8.2
25-29	71.7	19.4	8.9	73.6	18.8	7.6
30-34	52.6	27.6	19.8	52.6	25.6	21.8
35-39	<i>51.6</i>	<i>24.9</i>	<i>23.5</i>	<i>49.4</i>	<i>21.0</i>	<i>29.6</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	60.2	24.2	15.5	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	57.8	35.5	6.7	71.4	23.1	5.5
2-3 children	61.6	31.3	7.1	66.2	28.4	5.4
4+ children	46.9	22.0	31.0	46.6	20.2	33.2
Residence						
Urban	57.7	32.5	9.8	60.3	28.2	11.5
Rural	54.6	27.7	17.7	60.2	21.7	18.1
Education						
Never	--	--	--	--	--	--
Primary	51.1	29.6	19.3	53.9	25.2	20.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	56.0	32.0	12.0	62.2	25.7	12.1
College	<i>71.4</i>	<i>21.3</i>	<i>7.3</i>	<i>78.3</i>	<i>16.8</i>	<i>4.9</i>
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	52.8	23.9	23.3	60.2	18.3	21.5
Lower	53.4	32.4	14.2	55.6	27.4	16.9
Middle	52.1	38.8	9.2	60.9	32.9	6.2
Higher	59.2	22.6	18.2	<i>63.2</i>	<i>14.3</i>	<i>22.5</i>
Highest	63.4	28.8	7.7	62.7	27.1	10.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 364)
Total				
All	56.3	40.1	3.5	
Age Group				
15-19	--	--	--	
20-24	48.8	44.9	6.2	
25-29	56.6	43.4	0.0	
30-34	63.3	32.7	4.0	
35-39	64.2	34.4	1.4	
40-44	--	--	--	
45-49	--	--	--	
Marital Status				
Married, or in union	56.0	42.0	2.0	
Unmarried, sexually active	60.4	30.1	9.5	
Parity				
0-1 children	46.0	47.9	6.0	
2-3 children	65.3	33.7	1.1	
4+ children	61.8	36.0	2.2	
Residence				
Urban	52.5	43.2	4.3	
Rural	58.7	38.2	3.1	
Education				
Never	--	--	--	
Primary	63.5	32.6	3.9	
Post Primary Vocational	--	--	--	
Secondary	46.2	49.4	4.4	
College	<i>63.3</i>	<i>35.2</i>	<i>1.5</i>	
University	--	--	--	
Wealth Quintile				
Lowest	63.5	35.2	1.3	
Lower	66.9	28.1	5.0	
Middle	43.3	50.8	5.9	
Higher	52.2	46.0	1.8	
Highest	56.9	38.9	4.2	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(364)	(265)	(364)	(265)	(206)	(160)	(364)	(265)
All	74.9	80.1	58.2	62.2	88.2	87.1	72.7	78.1
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	61.1	<i>71.9</i>	54.2	<i>57.8</i>	<i>73.2</i>	--	65.7	<i>74.7</i>
25-29	79.2	79.6	52.7	57.9	<i>97.5</i>	<i>97.1</i>	77.3	81.5
30-34	85.4	84.1	60.3	57.6	<i>93.7</i>	<i>92.0</i>	77.7	76.7
35-39	79.6	<i>76.6</i>	72.2	<i>72.1</i>	<i>83.6</i>	<i>82.7</i>	76.2	<i>73.7</i>
40-44	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	80.1	na	62.2	na	87.1	na	78.1	na
Unmarried, sexually active	64.3	na	48.8	na	<i>96.5</i>	na	55.8	na
Parity								
0-1 children	74.6	<i>78.8</i>	59.9	<i>65.2</i>	<i>84.8</i>	<i>79.8</i>	78.2	<i>85.5</i>
2-3 children	79.3	77.8	53.9	51.3	91.1	90.5	76.1	77.6
4+ children	80.4	82.3	66.4	69.7	89.1	88.5	75.4	75.9
Residence								
Urban	75.2	82.9	52.1	59.2	93.4	91.7	66.8	72.3
Rural	74.7	78.5	62.0	64.0	85.4	84.6	76.4	81.5
Education								
Never	--	--	--	--	na	na	--	--
Primary	78.0	80.2	61.6	65.2	88.0	85.9	71.0	74.4
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	70.0	78.1	52.9	58.9	86.5	<i>87.8</i>	73.2	82.8
College	<i>81.0</i>	<i>89.1</i>	<i>66.2</i>	<i>63.9</i>	<i>95.1</i>	--	<i>85.1</i>	<i>88.7</i>
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	72.6	82.0	62.6	73.5	<i>89.5</i>	<i>87.4</i>	71.8	84.1
Lower	76.0	75.0	52.0	48.7	<i>85.9</i>	--	66.3	70.9
Middle	71.3	78.4	58.1	63.0	<i>84.1</i>	<i>81.7</i>	62.9	64.9
Higher	76.0	81.7	56.0	60.9	<i>88.6</i>	<i>85.7</i>	74.4	79.5
Highest	78.9	<i>83.9</i>	61.6	<i>64.3</i>	<i>92.2</i>	<i>94.4</i>	88.3	<i>94.6</i>

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 361)	(N = 361)	(N = 361)
All	95.2	90.5	89.0
Age Group			
15-19	--	--	--
20-24	91.7	82.8	81.2
25-29	94.4	92.0	89.3
30-34	98.2	98.2	98.2
35-39	94.9	84.4	82.4
40-44	--	--	--
45-49	--	--	--
Marital Status			
Married, or in union	95.3	90.7	89.3
Unmarried, sexually active	97.3	89.5	89.5
Parity			
0-1 children	93.0	91.3	88.3
2-3 children	95.5	89.8	88.9
4+ children	94.9	91.7	90.1
Residence			
Urban	90.0	87.3	85.4
Rural	98.5	92.5	91.3
Education			
Never	--	--	--
Primary	97.0	92.8	91.7
Post Primary Vocational	--	--	--
Secondary	94.9	89.4	88.2
College	<i>89.3</i>	<i>89.8</i>	<i>85.0</i>
University	--	--	--
Wealth Quintile			
Lowest	99.1	86.9	86.9
Lower	98.2	96.4	96.4
Middle	88.8	86.9	83.7
Higher	94.4	93.3	90.5
Highest	95.7	89.9	88.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(874)	(464)	(874)	(464)	(874)	(464)
All	8.0	10.1	26.6	34.4	30.8	39.4
Age Group						
15-19	4.1	--	8.3	--	11.1	--
20-24	12.2	15.9	34.1	49.7	39.1	53.9
25-29	7.0	7.8	34.6	36.8	36.8	39.9
30-34	8.1	8.3	35.2	34.9	38.8	39.3
35-39	13.4	14.9	28.9	23.1	39.3	34.6
40-44	4.2	3.5	27.0	30.3	28.3	32.4
45-49	8.4	10.0	23.6	25.5	29.1	31.5
Marital Status						
Married, or in union	10.1	na	34.4	na	39.4	na
Unmarried, sexually active	7.1	na	28.0	na	29.3	na
Parity						
0-1 children	7.0	8.9	32.0	36.0	34.0	38.6
2-3 children	9.1	9.0	36.4	36.0	40.1	39.7
4+ children	10.6	11.3	33.0	32.2	39.6	39.7
Residence						
Urban	9.7	13.5	27.6	34.7	33.4	43.0
Rural	7.1	8.0	26.1	34.3	29.3	37.2
Education						
Never	--	--	--	--	--	--
Primary	8.6	9.4	28.8	29.6	33.1	35.1
Post Primary Vocational	--	--	--	--	--	--
Secondary	6.1	7.3	22.4	38.6	26.5	43.5
College	4.9	6.0	26.0	38.1	28.9	40.2
University	25.8	--	37.7	--	45.1	--
Wealth Quintile						
Lowest	9.2	12.5	25.8	33.9	31.5	43.2
Lower	5.8	5.9	22.3	23.8	25.5	26.8
Middle	7.6	10.9	35.8	41.4	39.0	46.9
Higher	7.8	11.4	25.0	33.3	29.5	39.1
Highest	9.6	10.1	25.5	40.9	29.4	41.7

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	350	525	875
Households Occupied	346	519	865
Households Interviewed	342	517	859
Household Response Rate ¹	98.84%	99.61%	99.31%
Interviews with Women			
Number of Eligible Women ²	340	544	884
Number of Eligible Women Interviewed	336	538	874
Eligible Woman Response Rate ³	98.82%	98.90%	98.87%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.428	0.025	0.378	0.480	0.586	0.028	0.528	0.643
Currently using a traditional method	0.030	0.007	0.019	0.047	0.038	0.010	0.022	0.066
Currently using any contraceptive method	0.458	0.029	0.400	0.517	0.625	0.029	0.562	0.683
Currently using DMPA-IM	0.396	0.033	0.331	0.465	0.453	0.032	0.389	0.519
Currently using DMPA-SC	0.007	0.007	0.001	0.043	0.010	0.010	0.002	0.060
Currently using condoms	0.107	0.030	0.060	0.186	0.030	0.015	0.011	0.079
Currently using implants	0.241	0.035	0.176	0.319	0.280	0.038	0.208	0.365
Chose method by self or jointly in past 12 months	0.965	0.010	0.938	0.980	0.980	0.009	0.952	0.992
Informed by provider about other methods	0.749	0.036	0.668	0.815	0.801	0.031	0.729	0.858
Informed by provider about side effects	0.582	0.048	0.481	0.676	0.622	0.049	0.516	0.718
Satisfied with provider: Would return and refer friend/relative to provider	0.890	0.028	0.818	0.936	0.893	0.031	0.811	0.941
Visited by health worker who talked about family planning in past 12 months	0.080	0.013	0.058	0.111	0.101	0.019	0.069	0.147

¹ Married includes married women and those who are living with a man