



PMA2015/KINSHASA-R3 SOI (EN)

SNAPSHOT OF INDICATORS

Summary of the sample design for PMA2015/Kinshasa, DRC-R3:

PMA2015/Kinshasa Round 3 used a two-stage cluster design to draw a representative urban sample. A sample of 58 enumeration areas (EAs) was drawn (probability proportional to size) from the total of approximately 350 in Kinshasa. For each EA, 30 households were selected, and a random start method was used to systematically select households. All women of reproductive age (15-49) within each selected household were contacted and consented for interviews. Up to six health service delivery points (SDP) were selected in each EA.

The table below provides a summary of key family planning indicators and their breakdown by background characteristics. **To view the breakdown by background characteristics of the respondents (including education level, wealth quintile, region etc.), please click on the respective indicator link.**

PMA2020 Standard Family Planning Indicators

Round 3

All
Women

Married
Women

Utilization Indicators:

[Contraceptive Use \(click to see background characteristics\)](#)

Contraceptive Prevalence Rate (CPR)	34.3	42.3
-------------------------------------	------	------

Modern Contraceptive Prevalence (mCPR)	17.0	20.4
--	------	------

[Contraceptive Method Mix \(by background characteristics\)](#)

[Contraceptive method mix \(pie charts for married and all women\)](#)

Number of modern contraceptive users (count of users in the sample)	937	512
---	-----	-----

Demand Indicators:

Unmet need for family planning (for spacing, limiting, and in total)	20.1	31.3
--	------	------

Total Contraceptive Demand (CPR & Unmet Need)	54.4	73.7
---	------	------

Percent of all/married women with demand satisfied by modern contraception	31.2	27.6
--	------	------

[Percent of recent births unintended \(wanted later/wanted no more\)](#)

Wanted Then	42.3	49.1
-------------	------	------

Wanted Later	45.2	40.5
--------------	------	------

Not At All	12.5	10.4
------------	------	------

Indicators for Access, Equity, Quality & Choice:

Percent of users who chose their current method by themselves or jointly with a partner/provider	87.6	89.5
--	------	------

Percent of users who paid for family planning services	49.0	47.1
--	------	------

[Method Information Index:](#)

Percent of recent/current users who were informed about other methods	36.2	48.1
---	------	------

Percent of recent/current users who were informed about side effects	37.7	45.5
--	------	------

Percent of recent/current users who were told what to do if they experienced side effects	78.0	83.7
<u>Percent of recent/current users who would return and/or refer others to their provider</u>	59.3	65.2
<u>Percent of all/married women receiving family planning information in the past 12 months</u>	6.9	7.7
Fertility Indicators:		
<u>Total Fertility Rate (TFR)</u>	4.4	
Adolescent fertility rate (per 1,000 females age 15-19)	74.2	
Service Delivery Point Indicators		
<u>Percentage of service delivery points that offer different contraceptive methods, by type of contraceptive method</u>		
<u>Percentage of service delivery points stocked out of modern contraceptives in the past 3 months, by method</u>		
<u>Number of family planning visits (new and continuing) in last month, by method</u>		
<u>Percent of service delivery points charging fees for family planning services</u>		
<u>Percent of service delivery points offering 3 or 5 methods of contraception</u>		

Contraceptive choice

Percent distribution of women ages 15 to 49 who used contraception in the past 12 months reporting on who decided on the contraceptive method, by background characteristics

Background characteristics	Self	Jointly with partner or provider	Provider alone/ partner alone/other	Total
N	424	360	112	930
Total	47.4	40.2	12.5	100.0
Age group				
15–19	64.1	20.0	15.9	100.0
20–24	46.3	39.2	14.5	100.0
25–29	50.3	36.7	13.0	100.0
30–34	38.6	47.1	14.2	100.0
35–39	44.4	46.6	9.1	100.0
40–44	43.7	48.5	7.8	100.0
45–49	50.9	45.9	3.2	100.0
Marital status				
Married	40.3	49.2	10.6	100.0
Not married	56.8	28.2	15.0	100.0
Unmarried, sexually active	51.7	28.9	19.4	100.0
Parity				
0–1	52.3	31.5	16.2	100.0
2–3	44.4	45.1	10.6	100.0
4 or more	42.5	49.1	8.4	100.0
Education				
Never attended	17.5	70.6	11.9	100.0
Primary	54.7	31.1	14.2	100.0
Secondary	46.1	41.8	12.1	100.0
University	48.5	39.5	12.1	100.0
Wealth quintile				
Lowest	47.3	38.8	13.9	100.0
Lower	56.3	33.6	10.1	100.0
Middle	46.8	40.8	12.4	100.0
Higher	41.7	43.0	15.3	100.0
Highest	44.8	44.7	10.5	100.0

Current use of contraception by background characteristics

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics

Background characteristic	CPR		Modern CPR		Traditional CPR	
	All women	Married women	All women	Married women	All women	Married women
N	2,665	1,200	2,665	1,200	2,665	1,200
Total	34.3	42.3	17.0	20.4	17.3	22.0
Age group						
15–19	16.1	29.0	7.3	11.1	8.8	17.9
20–24	42.1	42.5	22.1	18.8	20.0	23.7
25–29	41.4	44.4	21.5	23.1	20.0	21.2
30–34	46.9	49.8	26.0	27.7	20.9	22.0
35–39	38.4	44.5	16.5	18.9	22.0	25.6
40–44	35.5	39.5	15.9	18.3	19.7	21.2
45–49	21.7	27.2	8.2	11.4	13.5	15.8
Marital status						
Married or in union	42.3	--	20.4	--	22.0	--
Not married	27.5	--	14.1	--	13.4	--
Unmarried, sexually active	62.2	--	35.0	--	27.2	--
Parity						
0–1	27.6	27.0	13.0	9.7	14.6	17.3
2–3	42.2	47.0	21.3	22.8	20.9	24.2
4 or more	42.8	46.4	22.5	24.0	20.3	22.5
Education						
Never attended	27.1	36.9	14.3	18.7	12.8	18.2
Primary	32.6	40.2	16.7	22.3	15.9	17.9
Secondary	34.2	44.5	16.2	20.4	18.0	24.2
University	38.8	35.3	21.9	17.3	16.9	18.1
Wealth quintile						
Lowest	37.3	44.7	21.1	26.7	16.2	18.0
Lower	33.2	41.8	18.0	22.6	15.3	19.2
Middle	34.7	39.8	15.5	18.2	19.3	21.6
Higher	35.3	48.0	17.1	20.3	18.2	27.6
Highest	31.5	36.8	13.8	13.4	17.7	23.4

Need and demand for family planning

Percentage of women age 15 to 49 with met need for family planning, unmet need, total demand, and percent of demand satisfied, by marital status and background characteristics

Background characteristics N	All women 2,665					Married women 1,200				
	mCPR	Any method	Unmet need	Total demand	Demand satisfied	mCPR	Any method	Unmet need	Total demand	Demand satisfied
Total	17.0	34.3	20.1	54.4	31.2	20.4	42.3	31.3	73.7	27.6
Age group										
15–19	7.3	16.1	10.8	26.9	27.3	11.1	29.0	57.5	86.6	12.8
20–24	22.1	42.1	23.5	65.6	33.7	18.8	42.5	43.7	86.2	21.8
25–29	21.5	41.4	23.6	65.0	33.0	23.1	44.4	35.5	79.9	29.0
30–34	26.0	46.9	23.3	70.3	37.0	27.7	49.8	28.4	78.1	35.5
35–39	16.5	38.4	26.6	65.1	25.3	18.9	44.5	31.7	76.2	24.8
40–44	15.9	35.5	19.3	54.8	29.0	18.3	39.5	21.9	61.4	29.8
45–49	8.2	21.7	15.0	36.7	22.2	11.4	27.2	20.2	47.5	24.0
Marital status										
Married/in union	20.4	42.3	31.3	73.7	27.6	--	--	--	--	--
Not married	14.1	27.5	10.5	38.0	37.1	--	--	--	--	--
Unmarried, sexually active	35.0	62.2	30.4	92.6	37.8	--	--	--	--	--
Parity										
0–1	13.0	27.6	13.6	41.2	31.5	9.7	27.0	31.5	58.6	16.5
2–3	21.3	42.2	26.3	68.5	31.1	22.8	47.0	29.1	76.1	29.9
4 or more	22.5	42.8	29.8	72.6	31.0	24.0	46.4	33.2	79.6	30.1
Education										
Never attended	14.3	27.1	27.3	54.4	26.3	18.7	36.9	30.9	67.9	27.6
Primary	16.7	32.6	26.0	58.6	28.5	22.3	40.2	36.7	76.9	29.0
Secondary	16.2	34.2	19.3	53.5	30.3	20.4	44.5	30.6	75.2	27.1
University	21.9	38.8	14.5	53.4	41.1	17.3	35.3	26.0	61.4	28.2
Wealth quintile										
Lowest	21.1	37.3	23.7	61.0	34.6	26.7	44.7	34.0	78.8	33.9
Lower	18.0	33.2	24.6	57.9	31.0	22.6	41.8	35.1	76.9	29.4
Middle	15.5	34.7	21.5	56.2	27.5	18.2	39.8	34.3	74.1	24.6
Higher	17.1	35.3	17.0	52.2	32.7	20.3	48.0	27.3	75.2	27.0
Highest	13.8	31.5	14.2	45.7	30.2	13.4	36.8	25.6	62.4	21.4

Fertility**Age-specific and total fertility rates among women ages 15 to 49, by residence: DRC DHS 2013-14 and PMA2015/Kinshasa**

Age group ASFR	DRC DHS 2013-14	PMA2015/Kinshasa-R3
	Total	Total
15–19	66.6	79.5
20–24	142	168.2
25–29	233.1	249.3
30–34	184.9	239.0
35–39	139.3	162.7
40–44	68.2	80.4
45–49	0	7.0
TFR	4.17	4.9

Knowledge of family planning

Percentage of women ages 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics

Background characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All women N	Married women	All women	Married women	All women	Married women
	2,665	1,200	2,665	1,200	2,665	1,200
Total	6.9	7.7	13.5	21.8	18.7	26.8
Age group						
15–19	5.2	4.1	4.9	26.5	9.9	28.0
20–24	6.7	8.8	13.0	28.1	18.5	35.7
25–29	9.2	8.4	18.7	24.5	25.4	30.6
30–34	6.2	6.6	22.4	27.7	26.0	30.8
35–39	7.0	7.3	16.4	18.8	21.6	23.7
40–44	9.5	11.0	14.1	16.1	19.3	21.7
45–49	4.3	3.8	8.3	11.1	12.6	14.9
Marital status						
Married or in union	7.7	--	21.8	--	26.8	--
Not married	6.2	--	6.4	--	11.8	--
Unmarried, sexually active	7.6	--	9.9	--	16.0	--
Parity						
0–1	6.6	7.3	8.0	18.9	13.7	25.6
2–3	7.3	8.0	23.3	27.6	27.8	31.9
4 or more	7.1	7.6	17.1	18.1	21.7	22.9
Education						
Never attended	1.9	3.3	16.1	21.4	18.0	24.7
Primary	6.0	8.1	18.0	27.3	21.6	31.6
Secondary	6.9	7.8	12.1	19.7	17.5	25.0
University	8.9	7.8	13.8	24.1	21.1	29.5
Wealth quintile						
Lowest	6.8	6.6	18.4	26.0	22.4	28.8
Lower	6.4	6.6	14.8	23.9	20.4	29.4
Middle	8.9	9.2	14.3	21.4	21.3	26.9
Higher	5.9	7.8	9.6	15.6	14.4	22.1
Highest	6.5	8.5	11.2	22.1	15.8	26.9

Method information index

Percentage of recent/current users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics in the past 12 months


Background characteristics	Informed about other methods		Informed about side effects		Told what to do if experienced side effects	
	All users	Married users	All users	Married users	All users	Married users
N	937	512	508	264	189	121
Total	36.2	48.1	37.7	45.5	78.0	83.7
Age group						
15–19	23.2	13.5	20.0	41.2	55.4	75.8
20–24	28.5	35.5	30.9	43.3	73.3	94.1
25–29	31.1	34.6	28.0	29.7	70.5	67.6
30–34	45.0	47.0	49.7	48.2	80.4	78.9
35–39	46.0	48.4	47.9	47.4	88.2	90.4
40–44	46.8	49.0	60.1	59.8	85.6	88.8
45–49	47.7	50.4	64.8	64.8	90.5	90.5
Marital status						
Married or in union	43.3	--	45.5	--	83.7	--
Not married	26.9	--	28.6	--	67.5	--
Unmarried, sexually active	25.5	--	35.0	--	64.9	--
Parity						
0–1	26.3	22.8	24.1	32.4	61.3	78.4
2–3	33.6	37.0	43.6	42.8	83.1	78.1
4 or more	54.9	55.5	54.6	52.0	86.3	89.0
Education						
Never attended	55.2	64.0	47.8	39.8	100.0	100.0
Primary	39.6	44.6	48.8	49.2	81.9	83.6
Secondary	35.8	42.3	36.3	43.2	76.6	82.0
University	31.5	42.4	29.6	55.0	73.8	91.4
Wealth quintile						
Lowest	37.0	47.2	41.9	48.9	74.5	81.5
Lower	40.7	40.4	44.1	47.9	82.3	89.0
Middle	30.7	40.6	34.4	39.6	88.5	94.6
Higher	38.8	44.6	39.2	53.3	72.2	76.6
Highest	33.3	43.2	25.3	30.7	70.0	72.6

Contraceptive method mix**Percent distribution of current contraceptive users ages 15 to 49, by method type and background characteristics**


Background characteristics	All users N = 937									
	Sterilization	Implants	IUD	Injectables	Pill	Emergency contraception	Condom	Other modern	Other traditional	Total
Total	0.9	7.1	1.1	6.0	6.1	1.6	24.3	2.4	50.5	100.0
Age group										
15–19	0.0	2.2	0.0	0.5	1.7	3.0	36.1	2.0	54.4	100.0
20–24	0.0	7.6	0.0	2.8	5.4	0.8	34.0	1.9	47.5	100.0
25–29	0.0	4.1	0.8	4.9	7.7	1.7	31.0	1.5	48.2	100.0
30–34	1.1	10.7	3.4	10.1	6.7	2.5	17.8	3.3	44.6	100.0
35–39	2.0	9.7	0.9	4.1	6.2	1.1	13.5	5.4	57.2	100.0
40–44	4.3	5.8	2.2	14.8	7.2	1.1	8.2	1.0	55.3	100.0
45–49	1.5	9.7	0.0	15.0	8.0	0.9	2.5	0.0	62.4	100.0
Marital status										
Married or in union	1.7	9.1	1.8	7.7	6.5	0.9	17.1	3.3	51.9	100.0
Not married	0.0	4.4	0.2	3.9	5.4	2.5	33.8	1.2	48.7	100.0
Unmarried, sexually active	0.0	6.8	0.1	5.6	7.4	0.9	34.2	1.2	43.7	100.0
Parity										
0–1	0.0	2.1	0.0	1.7	3.9	1.4	36.4	1.4	53.1	100.0
2–3	0.5	10.8	1.5	6.5	7.7	2.6	19.0	1.8	49.5	100.0
4 or more	2.9	11.1	2.4	12.6	7.9	0.7	10.3	4.6	47.5	100.0
Education										
Never attended	2.2	18.4	7.4	36.0	15.5	7.2	6.3	1.3	5.7	100.0
Primary	6.0	25.8	4.1	47.5	7.3	1.5	3.9	0.3	3.7	100.0
Secondary	0.9	6.6	0.9	5.9	6.0	2.0	22.8	2.2	52.6	100.0
University	0.0	3.8	1.0	4.0	4.2	1.3	38.3	3.8	43.6	100.0
Wealth quintile										
Lowest	0.9	11.0	1.5	8.1	9.2	1.7	21.4	2.8	43.4	100.0
Lower	1.5	10.2	0.7	8.9	8.7	0.3	20.5	3.2	46.0	100.0
Middle	0.0	6.4	0.6	4.1	5.5	0.9	26.3	0.7	55.5	100.0
Higher	0.9	2.9	2.2	7.4	5.1	2.9	23.4	3.7	51.6	100.0
Highest	1.4	5.1	0.3	1.4	1.8	2.1	30.3	1.3	56.2	100.0

Background characteristics	Married users N = 512									
	Sterilization	Implants	IUD	Injectables	Pill	Emergency contraception	Condom	Other modern	Other traditional	Total
Total	1.7	9.1	1.8	7.7	6.5	0.9	17.1	3.3	51.9	100.0
Age group										
15–19	0.0	0.0	0.0	0.0	0.0	11.1	27.1	0.0	61.8	100.0
20–24	0.0	11.8	0.0	4.2	5.2	1.3	17.9	3.8	55.7	100.0
25–29	0.0	6.4	1.1	4.5	7.1	1.1	29.1	2.8	47.9	100.0
30–34	1.4	10.9	4.4	8.4	6.4	0.6	20.0	3.7	44.3	100.0
35–39	2.2	10.4	1.0	4.6	6.8	0.0	11.5	5.9	57.6	100.0
40–44	4.8	6.4	2.1	15.4	6.7	0.6	9.2	1.1	53.6	100.0
45–49	1.7	10.8	0.0	16.7	8.9	1.0	2.8	0.0	58.1	100.0
Marital status										
Married or in union	--	--	--	--	--	--	--	--	--	--
Not married	--	--	--	--	--	--	--	--	--	--
Unmarried sexually active	--	--	--	--	--	--	--	--	--	--
Parity										
0–1	0.0	1.9	0.0	0.4	0.4	3.2	27.5	2.4	64.2	100.0
2–3	0.6	9.6	1.7	5.7	7.4	0.7	20.4	2.2	51.5	100.0
4 or more	3.1	10.9	2.4	11.8	7.7	0.3	10.7	4.6	48.4	100.0
Education										
Never attended	0.0	1.5	0.0	5.8	26.1	0.0	11.6	5.8	49.2	100.0
Primary	3.0	15.3	2.2	7.2	5.1	0.3	20.1	2.2	44.6	100.0
Secondary	1.5	8.2	1.6	7.5	6.9	1.0	16.2	2.8	54.2	100.0
University	0.0	5.1	2.8	10.9	1.2	1.4	18.3	9.2	51.1	100.0
Wealth quintile										
Lowest	1.4	13.8	2.1	7.7	10.9	1.2	18.8	3.9	40.3	100.0
Lower	2.6	12.6	1.2	9.7	11.0	0.0	12.7	4.2	46.0	100.0
Middle	0.0	7.9	0.9	6.6	3.1	0.5	25.3	1.4	54.3	100.0
Higher	1.4	3.1	3.5	10.2	4.7	0.9	13.3	5.1	57.6	100.0
Highest	1.4	5.1	0.3	1.4	1.8	2.1	30.3	1.3	56.2	100.0

Current Method Mix Among All Contraceptive Users (Ages 15-49)



Current Method Mix Among Married Contraceptive Users (Ages 15-49)



Payment for family planning

Percentage of women ages 15 to 49 who used a modern contraceptive method in the past 12 months and paid fees for services, by marital status and background characteristics

Background characteristics	All women who used in past 12 months	All married women who used in past 12 month
N	937	512
Total	34.3	33.2
Age group		
15–19	37.2	52.4
20–24	35.5	32.9
25–29	39.7	41.7
30–34	39.6	38.9
35–39	23.8	24.7
40–44	27.5	27.6
45–49	21.5	24.0
Marital status		
Married or in union	33.2	--
Not married	35.7	--
Unmarried, sexually active	38.8	--
Parity		
0–1	33.1	30.0
2–3	37.3	35.8
4 or more	33.1	32.0
Education		
Never attended	30.3	27.9
Primary	35.8	36.6
Secondary	34.9	32.9
University	30.2	30.1
Wealth quintile		
Lowest	44.3	46.6
Lower	37.1	33.3
Middle	32.0	32.2
Higher	31.7	28.6
Highest	26.6	24.0

Pregnancy intentions

Percent distribution of women ages 15 to 49 with one or more births reporting that the last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics

Background characteristics N	All women with 1 or more births 1,132				Married women with 1 or more births 821			
	Wanted then	Wanted later	Not at all	Total	Wanted then	Wanted later	Not at all	Total
Total	42.3	45.2	12.5	100.0	49.1	40.5	10.4	100.0
Age group								
15–19	15.5	69.4	15.1	100.0	32.6	55.5	11.9	100.0
20–24	27.5	56.3	16.2	100.0	38.2	53.3	8.4	100.0
25–29	50.7	44.3	5.0	100.0	56.9	39.4	3.7	100.0
30–34	49.3	37.7	13.0	100.0	51.4	36.9	11.6	100.0
35–39	47.3	43.7	9.0	100.0	48.5	42.4	9.1	100.0
40–44	54.0	23.7	22.3	100.0	50.4	25.4	24.2	100.0
45–49	43.1	28.2	28.7	100.0	43.3	28.9	27.8	100.0
Marital status								
Married or in union	49.1	40.5	10.4	100.0	--	--	--	--
Not married	23.6	58.4	18.0	100.0	--	--	--	--
Unmarried, sexually active	25.0	54.2	20.9	100.0	--	--	--	--
Parity								
0–1	36.9	51.5	11.6	100.0	58.5	37.6	3.9	100.0
2–3	46.8	45.4	7.9	100.0	52.1	41.7	6.1	100.0
4 or more	41.8	39.4	18.8	100.0	41.6	40.5	17.9	100.0
Education								
Never attended	43.2	52.7	4.1	100.0	44.4	49.7	5.9	100.0
Primary	39.7	44.4	15.9	100.0	46.1	40.4	13.5	100.0
Secondary	40.6	46.6	12.8	100.0	47.8	41.4	10.9	100.0
University	59.5	35.5	5.0	100.0	63.9	32.9	3.2	100.0
Wealth quintile								
Lowest	35.1	53.0	12.0	100.0	34.7	55.2	10.1	100.0
Lower	39.9	48.3	11.8	100.0	49.2	39.5	11.3	100.0
Middle	43.8	41.7	14.5	100.0	52.6	37.0	10.4	100.0
Higher	44.3	42.4	13.2	100.0	50.7	37.2	12.1	100.0
Highest	53.0	36.9	10.1	100.0	62.8	29.8	7.4	100.0

Unmet need for family planning

Percentage of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics

Background characteristics N	All women 2,665			Married women 1,200		
	For spacing	For limiting	Total	For spacing	For limiting	Total
Total	14.8	5.3	20.1	20.9	10.4	31.3
Age group						
15–19	9.5	1.3	10.8	49.3	8.2	57.5
20–24	21.4	2.1	23.5	39.3	4.4	43.7
25–29	21.0	2.6	23.6	30.5	5.0	35.5
30–34	17.0	6.3	23.3	20.1	8.3	28.4
35–39	13.8	12.8	26.6	15.5	16.2	31.7
40–44	7.6	11.7	19.3	7.6	14.3	21.9
45–49	4.5	10.5	15.0	6.3	13.9	20.2
Marital status						
Married or in union	20.9	10.4	31.3	--	--	--
Not married	9.6	0.9	10.5	--	--	--
Unmarried, sexually active	29.3	1.0	30.4	--	--	--
Parity						
0–1	12.8	0.8	13.6	30.1	1.4	31.5
2–3	21.7	4.6	26.3	23.6	5.5	29.1
4 or more	12.5	17.2	29.8	13.6	19.6	33.2
Education						
Never attended	22.2	5.0	27.3	22.0	8.9	30.9
Primary	18.5	7.5	26.0	24.0	12.7	36.7
Secondary	13.7	5.6	19.3	19.3	11.3	30.6
University	14.0	0.6	14.5	24.6	1.4	26.0
Wealth quintile						
Lowest	17.0	6.7	23.7	22.2	11.9	34.0
Lower	19.1	5.6	24.6	24.0	11.1	35.1
Middle	16.0	5.5	21.5	23.5	10.8	34.3
Higher	11.8	5.1	17.0	17.4	9.9	27.3
Highest	10.5	3.7	14.2	17.4	8.2	25.6

Service Delivery Points (SDPs) offering at least 3 or 5 modern contraceptive methods

Percentage of public SDPs sampled that offer three/five modern contraceptive methods (pills, injectables, implants, IUDs, and condoms), and have qualified staff to administer methods to clients

Facility characteristic	3 or more methods		5 or more methods	
	Public	Private	Public	Private
N	30	218	30	218
Total	60.0	30.3	46.7	12.8
Facility type				
Hospital	72.7	69.2	63.6	46.2
Health Center	60.0	24.3	40.0	16.8
Health Clinic/Post	--	33.3	--	16.7
Pharmacy	--	31.8	--	1.2
Other	25.0	28.6	25.0	28.6
Number of beds				
0-50	52.2	28.9	34.8	11.8
51-100	100.0	75.0	100.0	50.0
101 or more	75.0	100.0	75.0	50.0

Offers different types of contraceptive methods

Percentage of public service delivery points (SDPs) offering different types of contraceptive methods, by sector and method, among all facilities

Public facilities							
Facility characteristic	Contraceptive method						
	Pill	Injectables	IUD	Implants	Male condom	Female sterilization	Emergency contraception
N = 30							
Total	53.3	70.0	63.3	76.7	60.0	16.7	26.7
Facility type							
Hospital	63.6	81.8	72.7	81.8	81.8	36.4	27.3
Health center	53.3	73.3	60.0	80.0	53.3	6.7	33.3
Health clinic/post	--	--	--	--	--	--	--
Pharmacy	--	--	--	--	--	--	--
Other	25.0	25.0	50.0	50.0	25.0	0.0	0.0
Number of beds							
0-50	43.5	60.9	56.5	69.6	47.8	4.3	26.1
51-100	100.0	100.0	100.0	100.0	100.0	66.7	66.7
101 or more	75.0	100.0	75.0	100.0	100.0	50.0	0.0

--Less than five facilities

Private facilities							
Facility characteristic	Contraceptive method						
	Pill	Injectables	IUD	Implants	Male condom	Female sterilization	Emergency contraception
N = 218							
Total	42.7	29.8	13.3	20.2	52.3	5.5	16.5
Facility type							
Hospital	76.9	76.9	46.2	53.8	69.2	38.5	23.1
Health center	29.9	28.0	19.6	29.0	31.8	5.6	8.4
Health clinic/post	33.3	16.7	16.7	16.7	33.3	16.7	33.3
Pharmacy	55.3	25.9	0.0	3.5	78.8	0.0	25.9
Other	28.6	28.6	14.3	28.6	28.6	0.0	0.0
Number of beds							
0-50	41.7	28.4	12.3	18.5	51.2	4.7	16.6
51-100	75.0	75.0	25.0	75.0	100.0	25.0	0.0
101 or more	100.0	100.0	100.0	100.0	100.0	50.0	50.0

Payment for family planning services**Percentage of public service delivery points (SDPs) that charge fees for family planning services**

Facility characteristic	Facility	
	Public	Private
N	25	143
Total	84.0	79.7
Facility type		
Hospital	90.0	80.0
Health Center	91.7	72.9
Health Clinic/Post	--	66.7
Pharmacy	--	84.6
Other	33.3	75.0
Number of beds		
0-50	77.8	80.3
51-100	100.0	75.0
101 or more	100.0	50.0

-- Less than five facilities

Family planning visits in the past month

Number of client visits and number of new clients for contraceptive services, by method type and facility characteristics, among advanced facilities that provide a given method*

Contraceptive Methods														
	Sterilization		Injectables		IUDs		Implants		Male condom		Pills		Emergency Contraception	
	Total women	Total men	Total	New	Total	New	Total	New	Total	New	Total	New	Total	New
Sample size	17	3	61		45		60		61		58		20	
Total	15	0	457	207	141	71	677	424	2,567	2,100	199	123	35	29
Facility characteristic														
Sector														
Public	3	0	152	82	93	42	215	159	1038	990	68	41	19	10
Private	12	0	305	125	48	29	462	265	1,529	1,110	131	82	16	0
Facility type														
Hospital	13	0	157	72	76	48	199	102	1,454	1,410	55	33	11	10
Health center	2	0	298	133	65	23	435	279	1,107	684	141	87	24	19
Health clinic	0	0	2	2	0	0	43	43	6	6	3	3	0	0
Number of beds														
0-50	6	0	325	153	44	23	499	343	1,098	695	169	107	35	29
51-100	1	0	46	17	45	33	138	53	866	806	3	0	0	0
101 or more	8	0	86	37	52	15	40	28	603	599	27	16	0	0

*Advanced facilities in DRC include Hospitals, Health Centers, and Health Clinics

Experienced contraceptive stockouts in the past 3 months

Percentage of public service delivery points (SDPs) reporting stockout of a modern contraceptive method in the three months preceding the survey, by sector and method

Public facilities						
Facility characteristic	Contraceptive method					
	Pill	Injectables	IUD	Implants	Male condom	Emergency contraception
N	16	21	19	23	18	8
Total	50.0	33.3	15.8	26.1	6.3	75.0
Facility type						
Hospital	71.4	33.3	25.0	33.3	11.1	66.7
Health center	37.5	36.4	11.1	25.0	25.0	80.0
Health clinic/post	--	--	--	--	--	--
Pharmacy	--	--	--	--	--	--
Other	0.0	0.0	0.0	0.0	0.0	0.0
Number of beds						
0-50	40.0	35.7	7.7	31.3	27.3	66.7
51-100	66.7	0.0	33.3	0.0	0.0	100.0
101 or more	66.7	50.0	33.3	25.0	0.0	0.0

--Less than five facilities

Private facilities						
Facility characteristic	Contraceptive method					
	Pill	Injectables	IUD	Implants	Male condom	Emergency contraception
N	93	65	29	44	114	36
Total	36.6	23.1	24.1	29.5	12.2	55.6
Facility type						
Hospital	40.0	30.0	33.3	28.6	11.1	100.0
Health center	31.3	23.3	23.8	25.8	35.3	44.4
Health clinic/post	50.0	0.0	0.0	0.0	0.0	50.0
Pharmacy	40.4	22.7	0.0	100.0	22.4	54.5
Other	0.0	0.0	0.0	0.0	0.0	0.0
Number of beds						
0-50	37.5	21.7	19.2	30.8	25.0	54.3
51-100	0.0	33.3	0.0	0.0	25.0	0.0
101 or more	50.0	50.0	100.0	50.0	0.0	100.0

List of indicators for sampling errors, PMA2015/Kinshasa Round 3

Variable	Estimation	Base population
Age-specific fertility rates for women ages 15–19 years	Rate	All adolescents ages 15–19
Currently using a modern method	Proportion	All women ages 15–49 Married women ages 15–49
Currently using a traditional method	Proportion	All women ages 15–49 Married women ages 15–49
Currently using any contraceptive method	Proportion	All women ages 15–49 Married women ages 15–49
Currently using injectables	Proportion	All women ages 15–49 Married women ages 15–49
Currently using condoms	Proportion	All women ages 15–49 Married women ages 15–49
Currently using implants	Proportion	All women ages 15–49 Married women ages 15–49
Chose method by self or jointly in past 12 months	Proportion	All women ages 15–49 Married women ages 15–49
Paid fees for family planning services in past 12 months	Proportion	All women ages 15–49 Married women ages 15–49
Informed by provider about other methods	Proportion	All women ages 15–49 Married women ages 15–49
Informed by provider about side effects	Proportion	All women ages 15–49 Married women ages 15–49
Satisfied with provider: Would return and refer friend/relative to provider	Proportion	All women ages 15–49 Married women ages 15–49
Visited by health worker who talked about family planning information in past 12 months	Proportion	All women ages 15–49 Married women ages 15–49