

Measuring Performance, Informing Policy, Empowering Communities.



## **Uganda Round 3: Snapshot of Indicators (SOIs)**

**Suggested citation:** Makerere University, School of Public Health at the College of Health Sciences and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 3, PMA2015/Uganda-R3 Snapshot of Indicators*. 2015. Uganda and Baltimore, Maryland, USA.

www.pma2020.org

facebook.com/GATES.PMA2020

Twitter: @PMA2020JHU



# **Background Characteristics of Respondents**

Distribution of women age 15 to 49 by background characteristics.

Background	Percentage	Weighted	Unweighted
Characteristics	of Sample	Number	Number
Total			
All	100.0	3672	3690
Age Group			
15-19	20.5	752	745
20-24	22.9	841	845
25-29	18.8	690	714
30-34	12.8	471	491
35-39	10.4	382	374
40-44	8.7	319	312
45-49	5.9	216	209
Marital Status			
Married, or in union	65.6	2408	2369
Unmarried, sexually active	6.8	252	276
Parity			
0-1 children	39.5	1449	1497
2-3 children	24.5	898	929
4+ children	35.8	1316	1254
Residence			
Urban	20.6	758	996
Rural	79.4	2914	2694
Education			
	0.6	254	400
Never	9.6	354	408 2088
Primary Secondary	59.8 25.5	2194 936	2088 973
Technical & vocational	23.3	103	104
University	2.0	74	104
Wealth Quintile			
	10.7	COF	704
Lowest Lower	18.7	685	704 633
Middle	18.6 20.1	681 737	699
High	21.0	737 770	715
Highest	21.8	770 799	939
	21.0	,33	333
Region	a= a		
Central	25.8	946	1035
Eastern	28.3	1038	881
Northern Western	21.4 24.6	785 902	914 860
MESTELLI	24.0	902	000



## **Current Use of Contraception**

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any M	lethod	Modern	Method <sup>1</sup>	Traditiona	Traditional Method		
Background Characteristics	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women		
Total								
All	28.7	34.3	25.6	30.0	3.1	4.3		
Age Group								
15-19	11.2	22.3	10.2	19.1	0.9	3.3		
20-24	28.9	28.0	26.1	24.9	2.8	3.1		
25-29	37.8	38.6	33.4	33.7	4.4	4.9		
30-34	32.0	32.6	29.4	29.6	2.6	3.1		
35-39	37.9	41.4	33.9	36.4	4.1	5.0		
40-44	36.0	42.7	31.5	36.6	4.5	6.1		
45-49	25.4	32.1	20.3	25.3	5.1	6.8		
Marital Status								
Married, or in union	34.3	na	30.0	na	4.3	na		
Unmarried, sexually active	47.5	na	44.8	na	2.7	na		
Parity								
0-1 children	18.2	23.5	16.5	20.3	1.7	3.2		
2-3 children	37.8	39.6	33.3	34.2	4.5	5.3		
4+ children	34.2	36.5	30.5	32.3	3.7	4.2		
Residence								
Urban	35.3	42.7	32.1	37.9	3.3	4.9		
Rural	27.0	32.6	23.9	28.4	3.1	4.2		
Education	-			-	-			
	16.6	10.1	15.7	17.0	0.0	1.2		
Never	16.6 27.0	19.1 31.5	15.7 24.7	17.9 28.5	0.9 2.3	1.2 3.1		
Primary Secondary	33.7	45.2	29.1	37.6	4.5	7.6		
Technical & vocational	52.1	65.4	42.9	53.5	9.3	11.9		
University	42.8	54.5	31.9	35.8	10.9	18.6		
Wealth Quintile								
	16 F	20.1	14.0	10.0	1.6	2.1		
Lowest Lower	16.5 22.2	20.1 25.9	14.9 20.7	18.0 23.9	1.6 1.5	2.1 2.1		
Middle	22.2 27.7	32.3	20.7 24.4	23.9 27.9	1.5 3.4	2.1 4.5		
High	33.7	41.7	30.3	36.2	3.4	4.5 5.4		
Highest	40.7	52.9	35.5	45.2	5.2	7.7		
-			33.3		5.2			
Region	20.6	47.0	24.4	40.1	F 2	7.0		
Central Eastern	39.6	47.9 30.6	34.4	40.1 28.3	5.2 1.7	7.8		
Northern	25.8 17.0	20.4	24.1 16.0	28.3 19.3	1.7 1.0	2.3 1.1		
Western	30.8	38.1	26.4	32.0	4.4	6.2		
· · · · · · · · · · · · · · · · · · ·	30.0	30.1	20.7	32.0	7.7	0.2		

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Contraception Method Mix**

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

**Background Characteristics** 

All Users (N = 1053)

Married Users<sup>1</sup> (N = 827)

Citaracteristics							,			ı					`			
Si	terilization	ımnlant	IUD	Injectable	Pill	FC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Iniectable	Pill	FC	Condom	Other Modern	Other Tradition
Total	CIMZGGGI	mipiane	100	mjectable		LC	condom	Wiodeiii	Traditional	Stermzation	mplant	100	mjeetable	•		condom	Modern	Tradition
All	5.6	14.3	1.2	45.9	7.5	1.0	12.5	1.2	10.8	5.4	14.3	1.0	48.9	6.9	0.8	8.6	1.6	12.5
Age Group	0.0	4.5	0.5	36.6	3.1	1.9	45.2	0.0	8.2	0.0	7.1	0.0	47.1	0.0	0.0	31.2	0.0	14.6
15-19 20-24	0.0	16.4	0.5	48.5	9.0	0.3	13.6	1.9	9.7	0.0	13.3	0.0	58.7	6.2	0.0	8.0	2.8	11.1
25-29	0.9	16.5	1.8	51.0	8.8	2.4	5.8	1.2	11.5	1.1	16.5	1.6	51.7	8.0	2.1	4.8	1.4	12.8
30-34	2.8	15.2	0.5	55.6	8.3	0.2	7.8	1.5	8.2	1.0	15.8	0.6	57.4	8.9	0.2	5.0	1.7	9.4
35-39	10.7	15.9	1.6	40.9	6.1	1.3	12.7	0.2	10.7	11.3	15.5	0.9	40.4	6.6	0.9	12.1	0.3	12.0
40-44	17.3	11.9	1.2	43.6	3.7	0.0	8.2	1.6	12.5	12.8	12.7	1.4	44.3	4.2	0.0	8.6	1.8	14.2
45-49	30.0	8.2	2.5	15.5	10.5	0.0	11.8	1.4	20.0	29.2	9.9	3.1	12.3	11.0	0.0	11.6	1.7	21.3
Marital Status	F 4	14.2	1.0	49.0	6.0	0.0	0.6	1.6	12.5									
Married, or in union	5.4 ve 2.0	14.3 10.2	1.0 2.1	48.9 42.7	6.9 12.7	0.8 3.1	8.6 21.6	1.6 0.0	12.5 5.7	na na	na na	na na	na na	na na	na na	na na	na na	na na
Unmarried, sexually acti	7e 2.0	10.2	2.1	72.7	12.7	3.1	21.0	0.0	5.7	110	IIG	Hu	nu	IIG	IIG	IId	Ha	IIG
Parity																		
0-1 children	0.9	13.1	1.0	34.8	9.4	3.3	26.5	1.6	9.4	0.9	13.6	0.0	45.5	5.3	3.9	14.2	3.2	13.5
2-3 children	1.6	13.7	1.4	52.9	8.9	0.2	8.3	1.2	11.9	1.5	12.1	1.4	53.2	9.4	0.0	7.6	1.4	13.5
4+ children	11.2	15.5	1.1	47.1	5.3	0.3	7.5	1.1	10.8	9.7	16.2	1.1	46.9	5.6	0.3	7.5	1.2	11.5
Residence																		
Urban	3.6	13.0	1.6	38.9	12.7	2.2	18.0	0.9	9.2	4.2	14.2	1.2	44.1	12.2	1.4	9.9	1.3	11.4
Rural	6.2	14.8	1.1	48.3	5.7	0.6	10.7	1.4	11.3	5.7	14.4	1.0	50.2	5.4	0.6	8.2	1.6	12.8
Education																		
Never	15.0	12.1	0.0	57.9	0.0	0.0	9.4	0.0	5.6	10.7	14.0	0.0	58.0	0.0	0.0	10.8	0.0	6.5
Primary	6.7	14.5	1.3	50.6	5.9	0.4	11.1	1.1	8.5	6.5	14.6	0.9	54.1	5.2	0.2	7.4	1.4	9.7
Secondary	2.2	13.1	1.4	42.9	9.8	1.5	15.0	0.6	13.4	2.1	12.6	1.4	45.7	9.5	1.1	9.9	0.9	16.8
Technical & vocational	5.4	23.0	1.3	21.3	15.4	0.0	15.1	0.6	17.8	6.8	19.8	1.6	23.1	16.4	0.0	13.3	0.8	18.2
University	0.0	11.5	0.0	12.3	9.1	11.8	16.7	13.1	25.5									
Wealth Quintile																		
Lowest	6.5	19.6	2.0	40.9	4.6	0.0	13.1	3.6	9.8	6.9	20.5	2.3	39.5	5.4	0.0	11.0	4.2	10.2
Lower	4.6	15.5	2.4	52.7	3.7	0.8	13.2	0.5	6.7	4.4	15.5	1.2	53.8	3.8	0.9	11.8	0.6	7.9
Middle	5.4	14.3	0.4	51.9	7.0	0.0	8.5	0.3	12.2	5.8	13.0	0.5	56.5	4.9	0.0	5.0	0.4	13.8
High	7.3	12.4	0.7	49.0	6.8	0.4	11.8	1.4	10.2	5.3	12.2	0.9	52.4	6.8	0.0	7.4	1.9	13.1
Highest	4.4	13.5	1.3	38.2	11.0	2.6	15.1	1.2	12.7	5.1	13.9	0.9	42.2	10.5	2.1	9.3	1.6	14.6
Region																		
Central	4.3	12.0	1.4	42.3	10.5	1.2	14.8	0.3	13.2	3.8	10.5	1.1	47.1	9.4	0.1	11.3	0.4	16.3
Eastern	9.9	10.8	0.8	50.5	5.3	2.2	12.4	1.5	6.4	10.6	11.7	1.0	52.1	5.1	2.7	7.2	1.9	7.6
Northern	6.0	28.4	3.2	34.5	2.9	0.0	15.0	4.2	5.8	5.4	30.9	2.0	36.0	3.6	0.0	11.5	5.1	5.3
Western	2.8	14.1	0.3	51.8	7.7	0.0	8.4	0.8	14.1	2.3	13.5	0.4	54.3	7.1	0.0	5.2	1.0	16.2
										1								

 $<sup>{\</sup>it 1} \quad {\it Married includes married women and those who are living with a man}$ 

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Unmet Need for Family Planning**

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

**Background** 

Married Women (N = 2408) All Women (N = 3672) **Characteristics** For Spacing For Limiting For Spacing For Limiting Total Total **Total** ΑII 8.7 24.5 15.8 20.3 11.4 31.7 Age Group 15-19 13.1 2.1 15.1 30.8 3.8 34.6 20-24 21.8 3.0 24.9 26.6 3.2 29.9 25-29 22.3 7.7 29.9 25.1 8.9 34.0 30-34 16.5 15.7 32.3 19.4 17.1 36.4 35-39 10.5 21.6 32.1 35.1 11.4 23.7 15.1 21.6 26.8 40-44 6.5 8.4 18.3 45-49 2.6 9.1 11.7 3.9 11.1 15.0 **Marital Status** Married, or in union 20.3 11.4 31.7 na na na Unmarried, sexually active 26.4 12.3 38.7 na na na **Parity** 0-1 children 1.8 16.3 14.5 24.2 1.9 26.1 2-3 children 30.7 22.1 5.4 27.5 25.1 5.6 4+ children 12.9 18.6 31.5 15.1 20.3 35.3 Residence Urban 10.2 7.9 18.2 14.5 12.9 27.4 Rural 17.2 8.9 26.1 21.5 11.2 32.6 **Education** Never 16.8 13.7 30.5 22.1 15.7 37.8 Primary 17.4 9.9 27.3 21.2 12.4 33.6 Secondary 12.9 4.6 17.5 18.4 6.9 25.4 Technical & vocational 5.9 13.1 6.8 9.2 16.0 7.2 University 11.1 3.5 14.6 15.6 6.0 21.5 Wealth Quintile Lowest 21.8 11.5 33.3 27.9 14.2 42.1 Lower 18.3 9.5 27.8 22.9 11.8 34.8 Middle 18.8 9.2 27.9 23.2 34.3 11.1 10.9 8.7 19.6 14.1 11.7 25.8 High 21.0 Highest 10.4 5.2 15.6 12.6 8.4 Region Central 10.8 5.7 16.5 14.4 7.9 22.4 Eastern 17.5 12.0 29.4 20.5 15.4 35.9

Northern

Western

22.2

13.6

8.4

8.3

30.6

21.8

29.7

17.2

10.6

11.0

40.3 28.2

<sup>1</sup> Married includes married women and those who are living with a man

Not applicable

Less than 25 unweighted observations

Italics indicate estimate was generated from 25 to 49 unweighted observations



# Background

#### **Need and Demand for Family Planning**

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

•		
Characteristics	All Women (N=3672)	Married Women (N=2408)

	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	28.7	25.6	24.5	53.2	48.1	34.3	30.0	31.7	66.1	45.5
Age Group										
15-19	11.2	10.2	15.1	26.3	38.9	22.3	19.1	34.6	56.9	33.5
20-24	28.9	26.1	24.9	53.8	48.5	28.0	24.9	29.9	57.9	43.0
25-29	37.8	33.4	29.9	67.7	49.4	38.6	33.7	34.0	72.6	46.4
30-34	32.0	29.4	32.3	64.3	45.7	32.6	29.6	36.4	69.1	42.8
35-39	37.9	33.9	32.1	70.1	48.3	41.4	36.4	35.1	76.5	47.6
40-44	36.0	31.5	21.6	57.6	54.7	42.7	36.6	26.8	69.4	52.7
45-49	25.4	20.3	11.7	37.1	54.8	32.1	25.3	15.0	47.1	53.7
Marital Status										
Married, or in union	34.3	30.0	31.7	66.1	45.5	na	na	na	na	na
Unmarried, sexually active	47.5	44.8	38.7	86.3	52.0	na	na	na	na	na
Parity										
0-1 children	18.2	16.5	16.3	34.5	47.8	23.5	20.3	26.1	49.6	41.0
2-3 children	37.8	33.3	27.5	65.3	51.0	39.6	34.2	30.7	70.2	48.7
4+ children	34.2	30.5	31.5	65.7	46.4	36.5	32.3	35.3	71.8	44.9
Residence										
Urban	35.3	32.1	18.2	53.5	59.9	42.7	37.9	27.4	70.1	54.0
Rural	27.0	23.9	26.1	53.1	45.0	32.6	28.4	32.6	65.2	43.6
Education										
Never	16.6	15.7	30.5	47.1	33.3	19.1	17.9	37.8	56.9	31.4
Primary	27.0	24.7	27.3	54.2	45.5	31.5	28.5	33.6	65.2	43.7
Secondary	33.7	29.1	17.5	51.2	57.0	45.2	37.6	25.4	70.5	53.3
Technical & vocational	52.1	42.9	13.1	65.2	65.7	65.4	53.5	16.0	81.4	65.7
University	42.8	31.9	14.6	57.4	55.6	54.5	35.8	21.5	76.0	47.2
Wealth Quintile										
Lowest	16.5	14.9	33.3	49.8	29.9	20.1	18.0	42.1	62.1	29.0
Lower	22.2	20.7	27.8	50.0	41.4	25.9	23.9	34.8	60.7	39.3
Middle	27.7	24.4	27.9	55.7	43.8	32.3	27.9	34.3	66.6	41.9
High	33.7	30.3	19.6	53.3	56.9	41.7	36.2	25.8	67.5	53.7
Highest	40.7	35.5	15.6	56.3	63.1	52.9	45.2	21.0	73.9	61.2
Region										
Central	39.6	34.4	16.5	56.1	61.3	47.9	40.1	22.4	70.3	57.1
Eastern	25.8	24.1	29.4	55.2	43.7	30.6	28.3	35.9	66.5	42.5
Northern	17.0	16.0	30.6	47.7	33.7	20.4	19.3	40.3	60.7	31.8
Western	30.8	26.4	21.8	52.6	50.3	38.1	32.0	28.2	66.3	48.2

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



**Pregnancy Intentions**Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married <sup>1</sup> Wo	men with 1 o	r More Births
Characteristics		(N=2136)			(N=1829)	
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	58.7	28.9	12.4	61.1	27.6	11.3
Age Group						
15-19	48.9	38.3	12.8	60.5	32.7	6.8
20-24	63.4	31.0	5.6	67.7	27.9	4.4
25-29	65.4	27.2	7.5	65.3	26.9	7.7
30-34	57.4	26.5	16.1	57.3	26.7	15.9
35-39	48.3	27.8	23.9	51.0	26.7	22.3
40-44	44.7	24.1	31.1	43.4	27.5	29.1
45-49	51.0	22.5	26.5			
Marital Status						
Married, or in union	61.1	27.6	11.3	na	na	na
Unmarried, sexually active	53.1	32.2	14.7	na	na	na
Parity						
0-1 children	63.1	29.3	7.6	73.5	21.6	4.9
2-3 children	65.8	29.6	4.7	66.3	29.5	4.2
4+ children	50.1	28.1	21.8	50.5	29.1	20.4
Residence						
	62.1	22.4	42.5	CC 4	20.2	42.2
Urban Rural	63.1 57.7	23.4 30.0	13.5 12.2	66.4 60.0	20.3 29.0	13.3 10.9
	57.7	50.0	12.2	60.0	29.0	10.9
Education						
Never	52.9	27.8	19.3	52.5	30.4	17.0
Primary	57.0	30.1	12.9	59.2	28.6	12.2
Secondary	63.3	28.1	8.7	67.1	25.4	7.5
Technical & vocational	66.5	19.5	14.0	73.0	19.3	7.7
University	85.8	14.2	0.0	86.7	13.3	0.0
Wealth Quintile						
Lowest	51.0	33.0	16.0	52.7	32.4	14.8
Lower	57.5	32.2	10.3	57.4	32.5	10.1
Middle	57.0	31.5	11.6	59.5	30.3	10.2
High	60.3	26.7	13.0	64.9	24.0	11.1
Highest	68.9	19.9	11.2	73.2	16.7	10.1
Region						
Central	62.6	25.7	11.7	64.8	25.2	10.1
Eastern	54.3	31.3	14.4	57.9	28.7	13.5
Northern	56.9	28.9	14.2	58.6	29.2	12.2
Western	61.5	29.1	9.4	63.8	27.1	9.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Contraceptive Choice**

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 940)
Total				
All	53.1	40.6	6.3	
Age Group				
15-19	48.9	39.5	11.7	
20-24	53.3	39.0	7.7	
25-29	55.7	40.8	3.5	
30-34	61.3	34.7	4.0	
35-39	48.9	47.2	3.9	
40-44	53.6	36.9	9.5	
45-49	31.0	57.7	11.3	
Marital Status				
Married, or in union	47.7	46.2	6.1	
Unmarried, sexually active	71.8	21.4	6.8	
Parity				
0-1 children	58.1	34.3	7.6	
2-3 children	52.1	41.4	6.5	
4+ children	50.8	43.8	5.3	
Residence				
Urban	58.1	35.1	6.8	
Rural	51.3	42.5	6.1	
Education				
Never	69.3	25.5	5.2	
Primary	51.5	41.7	6.8	
Secondary	53.6	40.0	6.4	
Technical & vocational	42.6	55.3	2.1	
University	63.3	33.2	3.6	
Wealth Quintile				
Lowest	48.3	45.1	6.5	
Lower	50.1	40.8	9.1	
Middle	49.0	47.5	3.4	
High	58.4	35.7	5.9	
Highest	54.5	38.6	6.9	
Region				
Central	57.1	36.9	6.0	
Eastern	47.6	48.2	4.2	
Northern	40.2	51.1	8.7	
Western	60.1	32.3	7.6	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i>Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Payment for Family Planning**

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics

Characteristics	All Modern Contraceptive Users	Married <sup>2</sup> Modern Contraceptive Users
	(N = 940)	(N = 723)
Total		
All	43.1	43.1
Age Group		
15-19	50.9	58.5
20-24	47.8	47.9
25-29	47.9	47.9
30-34	42.1	44.7
35-39	38.7	37.9
40-44	29.8	28.9
45-49	26.6	30.6
Marital Status		
Married, or in union	43.1	na
Unmarried, sexually active	46.9	na
Parity		
0-1 children	48.8	51.4
2-3 children	46.9	47.9
4+ children	36.8	37.1
Residence		
Urban	48.9	50.4
Rural	41.1	41.2
Education		
Never	31.8	35.0
Primary	39.9	41.2
Secondary	50.8	49.8
Technical & vocational	42.3	40.3
University	52.3	<u></u>
Wealth Quintile		
Lowest	36.4	38.3
Lower	29.9	29.0
Middle	40.6	42.4
High	43.1	41.3
Highest	53.5	55.2
Region		
Central	50.8	53.2
Eastern	43.3	44.0
Northern	22.5	25.1
Western	43.1	39.5

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Method Information Index Components**

Percentage of current modern contraceptive <sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

	Told what experienced	ut side effects <sup>2</sup>	Informed abo	t other methods <sup>2</sup>	Informed about	Background Characteristics
Married <sup>3</sup>	All	Married <sup>3</sup>	All	Married <sup>3</sup>	All	
Users	Users	Users	Users	Users	Users	
(455)	(572)	(723)	(939)	(723)	(940)	Total
88.4	87.0	64.1	61.2	65.5	63.2	All
						Age Group
	70.0	47.4	34.2	52.8	42.2	15-19
86.1	86.3	57.0	54.9	56.5	56.4	20-24
88.0	87.9	67.8	68.2	66.3	67.2	25-29
89.7	87.5	57.7	58.7	63.1	63.3	30-34
86.5	88.1	73.4	72.8	74.6	73.6	35-39
89.5	88.9	65.3	64.8	74.6	69.4	40-44
94.6	91.2	74.6	67.6	72.5	68.4	45-49
34.0	31.2	7 4.0	07.0	72.0	00.4	
	00.4		64.4		CF F	Marital Status
na	88.4	na	64.1	na	65.5	Married, or in union
na	74.7	na	52.8	na	57.0	Unmarried, sexually active
						Parity
82.2	79.2	57.3	51.7	56.8	53.2	0-1 children
90.3	89.6	64.4	62.3	64.9	64.0	2-3 children
88.8	88.8	65.9	65.9	68.7	68.6	4+ children
						Residence
88.1	83.9	63.0	57.6	62.5	57.6	Urban
88.5	88.0	64.3	62.4	66.3	65.2	Rural
00.5	00.0	01.3	02.1	00.5	03.2	
						Education
	90.0	47.5	47.4	48.2	50.4	Never
89.1	87.3	65.1	62.8	69.4	67.3	Primary
83.3	84.9	66.1	60.6	61.0	57.7	Secondary
	96.3	67.6	67.3	67.8	67.5	Technical & vocational
			56.3		62.8	University
						Wealth Quintile
93.7	90.4	78.5	75.4	74.0	72.5	Lowest
91.7	91.4	69.9	67.4	73.2	72.9	Lower
88.4	86.7	60.4	59.2	65.8	65.5	Middle
86.8	86.2	60.0	57.3	63.9	61.6	High
84.7	83.7	60.5	57.4	58.6	55.0	Highest
						Region
81.6	82.6	55.8	53 1	58 5	56.5	~
90.1						
90.7						
90.7						
	83.7 82.6 88.9 88.8 89.0	55.8 65.5 81.5 63.3	57.4 53.1 61.2 78.8 62.9	58.6 58.5 65.3 82.1 65.2	55.0 56.5 63.2 79.8 63.7	Region Central Eastern Northern Western

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Asked of all current/recent modern contraceptive users

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# **Quality of Care**

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background	Percent who would	Percent who would refer	Percent who would return
Characteristics	return to provider	relative/friend	and refer friend/relative
Total	(N = 928)	(N = 928)	(N = 928)
All	89.5	90.7	86.7
Age Group			
15-19	76.7	86.4	74.7
20-24	87.1	86.9	83.8
25-29	92.5	92.2	90.3
30-34	91.6	90.4	86.2
35-39	96.2	97.6	95.7
40-44	89.0	90.2	85.7
45-49	80.9	89.2	79.2
Marital Status			
Married, or in union	91.3	92.2	88.6
Unmarried, sexually active	84.9	83.7	81.9
Parity			
0-1 children	87.4	88.9	84.4
2-3 children	88.4	88.4	84.5
4+ children	91.5	93.4	89.7
Residence			
Urban	87.6	88.8	85.0
Rural	90.1	91.3	87.3
Education			
Never	87.6	83.8	80.4
Primary	90.0	92.1	88.0
Secondary	89.6	89.9	85.9
Technical & vocational	92.9	90.1	90.1
University	73.6	81.2	73.6
Wealth Quintile			
Lowest	88.3	90.5	86.6
Lower	89.7	96.2	88.0
Middle	93.9	92.7	91.2
High	89.1	87.2	85.2
Highest	87.4	89.5	84.5
Region			
Central	84.8	87.5	81.9
Eastern	91.1	92.6	88.9
Northern	91.5	90.5	88.1
Western	93.1	93.0	90.2

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i>Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Knowledge of Family Planning**

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who  Visited facility and provider  discussed family planning  discussed family planning		-	Either visited b or visited t discussed fa		
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
Total	(3672)	(2408)	(3672)	(2408)	(3672)	(2408)
All	16.4	18.9	32.3	38.9	39.0	45.7
Age Group						
15-19	9.3	13.8	13.9	34.0	20.7	41.8
20-24	16.9	18.2	36.9	39.3	43.8	46.8
25-29	19.2	19.0	40.5	41.7	47.4	47.9
30-34	17.4	19.3	36.0	38.4	42.8	45.8
35-39	20.2	20.4	40.5	40.8	45.5	45.7
40-44	20.3	20.7	37.3	40.8	43.7	46.4
45-49	15.3	19.4	21.6	24.6	31.1	36.0
Marital Status						
Married, or in union	18.9	na	38.9	na	45.7	na
Unmarried, sexually active	16.4	na	25.1	na	36.0	
	10.4	IId	23.1	Ha	30.0	na
Parity						
0-1 children	10.8	13.1	22.1	35.1	28.1	41.0
2-3 children	20.2	20.4	42.8	43.7	49.8	50.0
4+ children	20.1	20.8	36.3	37.5	43.9	45.4
Residence						
Urban	12.7	13.9	31.9	42.1	36.7	46.9
Rural	17.4	19.9	32.3	38.2	39.6	45.5
Education						
Never	17.4	17.7	31.7	33.2	37.1	38.4
Primary	16.8	18.8	32.5	37.8	39.7	45.3
Secondary	14.9	19.5	32.1	45.8	38.4	52.3
Technical & vocational	19.3	21.9	33.0	35.6	40.7	43.0
University	15.3	17.8	30.3	37.3	34.6	41.1
Wealth Quintile						
Lowest	22.3	26.4	40.0	45.7	47.3	54.0
Lower	17.7	18.9	29.3	45.7 34.7	37.1	42.4
Middle	12.7	14.0	29.5 29.5	34.7 34.5	35.6	40.2
High	12.7 17.9	21.0	32.3	34.5 39.9	39.8	40.2 46.9
підп Highest	17.9	14.1	30.6	39.9 39.8	35.9	46.9 45.6
-	12.1		30.0	33.3	33.3	.5.0
Region	12.5	12.6	20.2	25.2	25.4	40.0
Central	12.5	12.6	29.3	35.3	35.4	40.9
Eastern	15.3	18.8	35.1	43.4	40.1	49.3
Northern	19.8	23.4	34.9	39.7	40.6	45.9
Western	18.8	21.1	29.8	36.1	40.3	46.3

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Response Rates**

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1362	3476	4838
Households Occupied	1308	3363	4671
Households Interviewed	1163	3249	4412
Household Response Rate <sup>1</sup>	88.91%	96.61%	94.46%
Interviews with Women			
Number of Eligible Women <sup>2</sup>	1077	2779	3856
Number of Eligible Women Interviewed	996	2694	3690
Eligible Woman Response Rate <sup>3</sup>	92.48%	96.94%	95.70%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



	All Women					Married Women <sup>1</sup>			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean		CI Lower	CI Upper	
Currently using a modern method	0.256	0.014	0.230	0.284	0.300	0.017	0.268	0.335	
Currently using a traditional method	0.031	0.005	0.023	0.042	0.043	0.007	0.031	0.059	
Currently using any contraceptive method	0.287	0.014	0.260	0.315	0.343	0.018	0.309	0.380	
Currently using DMPA-IM	0.132	0.010	0.113	0.152	0.168	0.014	0.142	0.198	
Currently using DMPA-SC									
Currently using condoms	0.125	0.016	0.097	0.160	0.086	0.016	0.059	0.124	
Currenlty using implants	0.143	0.016	0.113	0.178	0.143	0.019	0.109	0.185	
Chose method by self or jointly in past 12 months	0.937	0.012	0.909	0.957	0.939	0.013	0.907	0.961	
Paid fees for family planning services in past 12 months	0.398	0.029	0.342	0.457	0.395	0.030	0.338	0.456	
Informed by provider about other methods	0.612	0.033	0.544	0.675	0.632	0.033	0.563	0.695	
Informed by provider about side effects	0.606	0.035	0.535	0.673	0.632	0.036	0.559	0.700	
Satisfied with provider: Would return and refer friend/relative to provider	0.866	0.020	0.821	0.901	0.885	0.018	0.843	0.917	
Visited by health worker who talked about family planning in past 12 months	0.164	0.021	0.127	0.209	0.189	0.024	0.146	0.240	

<sup>1</sup> Married includes married women and those who are living with a man