



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Uganda Round 6: Snapshot of Indicators (SOIs)

Suggested citation: Makerere University, School of Public Health at the College of Health Sciences and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 6, PMA2018/Uganda-R6 Snapshot of Indicators*. 2018. Uganda and Baltimore, Maryland, USA.

www.pma2020.org

facebook.com/GATES.PMA2020

Twitter: [@PMA2020JHU](https://twitter.com/PMA2020JHU)



Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	4227	4227
Age Group			
15-19	21.6	915	919
20-24	21.6	911	895
25-29	17.7	749	747
30-34	13.8	582	578
35-39	11.7	497	485
40-44	7.4	315	322
45-49	6.1	258	281
Marital Status			
Married, or in union	63.8	2698	2675
Unmarried, sexually active	8.3	353	308
Parity			
0-1 children	40.3	1703	1700
2-3 children	23.8	1007	1016
4+ children	35.8	1514	1508
Residence			
Urban	22.4	946	1143
Rural	77.6	3281	3084
Education			
Never	9.5	401	515
Primary	80.9	3421	3312
Secondary	6.4	271	265
Technical & vocational	3.1	133	133
Wealth Quintile			
Lowest	20.3	858	1022
Lower	19.1	807	764
Middle	19.8	836	767
High	19.1	807	721
Highest	21.7	919	953
Region			
Central	27.1	1147	1179
Eastern	26.1	1105	1029
Northern	17.2	725	1050
Western	29.6	1249	969

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	34.7	41.8	30.3	36.3	4.5	5.5
Age Group						
15-19	14.1	24.9	11.7	22.6	2.4	2.4
20-24	36.3	37.0	31.9	32.0	4.4	5.0
25-29	45.2	47.2	40.3	42.2	4.8	5.1
30-34	43.3	45.5	38.5	40.5	4.7	5.0
35-39	46.8	50.0	40.7	43.1	6.1	6.9
40-44	35.4	41.3	29.1	32.7	6.4	8.6
45-49	28.6	33.4	23.8	26.6	4.8	6.7
Marital Status						
Married, or in union	41.8	na	36.3	na	5.5	na
Unmarried, sexually active	50.9	na	43.6	na	7.4	na
Parity						
0-1 children	23.2	29.8	20.0	26.7	3.3	3.2
2-3 children	42.8	45.3	37.7	39.2	5.0	6.0
4+ children	42.4	45.3	37.0	39.1	5.4	6.3
Residence						
Urban	38.1	45.6	32.6	39.7	5.6	5.8
Rural	33.8	40.9	29.6	35.5	4.1	5.4
Education						
Never	26.9	30.1	23.8	26.2	3.1	3.9
Primary	34.6	42.2	30.3	36.7	4.3	5.5
Secondary	40.4	53.6	33.2	44.4	7.2	9.2
Technical & vocational	51.8	62.4	44.3	56.1	7.4	6.3
Wealth Quintile						
Lowest	26.6	30.4	22.0	24.5	4.6	6.0
Lower	29.3	34.8	25.7	30.8	3.5	4.0
Middle	37.3	47.2	33.6	42.3	3.7	4.9
High	38.6	47.4	34.4	41.3	4.2	6.1
Highest	41.4	52.6	35.4	45.9	6.0	6.6
Region						
Central	39.2	49.9	33.7	42.6	5.4	7.3
Eastern	33.9	40.2	28.8	33.6	5.2	6.6
Northern	25.8	31.5	23.7	28.6	2.1	2.9
Western	36.5	42.9	32.3	38.4	4.2	4.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 1468)											Married Users ¹ (N = 1127)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	
Total																					
All	6.4	20.1	2.9	29.9	8.8	5.3	1.8	10.0	2.0	12.8	7.0	23.2	3.3	30.5	9.4	4.7	0.3	6.3	2.2	13.1	
Age Group																					
15-19	0.0	11.8	0.4	31.1	2.7	3.8	3.3	28.8	1.2	16.9	0.0	24.6	1.0	40.1	4.2	0.4	0.0	20.1	0.0	9.6	
20-24	0.0	26.4	0.6	33.5	9.1	3.3	4.2	10.3	0.4	12.1	0.0	32.2	0.7	35.8	8.8	2.9	0.4	5.5	0.1	13.5	
25-29	0.5	23.2	4.7	26.8	12.5	8.3	0.8	9.5	2.9	10.7	0.6	25.9	5.2	26.4	13.3	7.7	0.2	6.9	3.0	10.7	
30-34	5.7	21.5	4.4	33.4	8.7	5.9	2.0	6.5	0.9	11.0	5.4	23.5	4.3	34.5	9.8	4.8	0.2	5.5	1.0	11.0	
35-39	13.1	15.9	2.3	31.8	8.2	2.6	0.4	8.9	3.7	13.0	13.4	17.9	2.2	30.3	8.3	2.6	0.5	6.5	4.4	13.7	
40-44	20.9	17.5	1.6	22.6	6.5	9.1	0.0	1.6	2.1	18.0	23.0	15.8	1.8	21.2	6.5	6.6	0.0	1.9	2.4	20.8	
45-49	32.5	4.5	8.1	18.8	5.8	3.4	0.0	6.5	3.9	16.6	29.8	3.0	8.8	21.6	5.2	4.4	0.0	2.2	4.9	20.2	
Marital Status																					
Married, or in union	7.0	23.2	3.3	30.5	9.4	4.7	0.3	6.3	2.2	13.1	na	na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	2.8	7.1	1.3	25.1	5.6	13.2	8.0	21.7	0.7	14.5	na	na	na	na	na	na	na	na	na	na	
Parity																					
0-1 children	0.0	11.3	2.0	28.1	8.7	6.7	5.6	22.1	1.4	14.0	0.0	19.0	3.7	35.5	11.8	3.4	0.8	14.4	0.9	10.6	
2-3 children	1.1	24.4	2.2	36.2	10.3	4.3	0.8	7.1	1.9	11.8	1.2	24.9	2.4	34.6	11.3	5.0	0.0	5.0	2.2	13.3	
4+ children	13.9	22.7	3.9	26.8	7.7	5.1	0.2	4.5	2.4	12.8	12.8	23.5	3.7	26.4	7.5	4.9	0.3	4.5	2.6	13.8	
Residence																					
Urban	2.7	13.0	3.9	24.5	9.7	10.4	6.8	12.1	2.3	14.6	3.5	17.5	5.0	28.2	12.7	9.1	0.6	8.1	2.5	12.8	
Rural	7.6	22.4	2.6	31.6	8.5	3.6	0.2	9.3	1.9	12.2	7.9	24.7	2.8	31.1	8.6	3.5	0.2	5.8	2.1	13.2	
Education																					
Never	15.6	27.1	3.6	23.3	8.3	1.2	0.0	5.8	3.6	11.6	17.2	28.7	3.3	18.0	9.2	1.3	0.0	5.1	4.0	12.9	
Primary	6.0	20.5	2.0	33.5	9.0	5.2	1.0	9.1	1.3	12.4	6.2	23.0	2.2	34.2	9.2	4.6	0.2	6.0	1.4	13.0	
Secondary	3.3	12.8	7.1	14.5	8.9	10.5	5.0	14.7	5.5	17.7	3.8	17.4	10.4	17.2	13.0	10.6	0.7	3.4	6.5	17.1	
Technical & vocational	3.9	14.3	10.2	2.5	4.9	4.4	15.1	24.9	5.5	14.3	<i>6.9</i>	<i>24.9</i>	<i>14.4</i>	<i>0.0</i>	<i>8.6</i>	<i>2.6</i>	<i>1.1</i>	<i>21.8</i>	<i>9.5</i>	<i>10.2</i>	
Wealth Quintile																					
Lowest	5.6	24.9	2.3	22.4	11.4	3.5	0.4	8.0	4.3	17.3	4.8	27.1	2.1	19.7	10.6	4.1	0.5	7.2	4.2	19.6	
Lower	7.6	25.0	3.0	29.7	9.7	5.4	0.2	6.5	0.9	12.1	7.1	27.9	3.7	28.4	11.9	4.7	0.2	3.6	1.1	11.4	
Middle	9.0	22.4	2.4	36.7	7.5	2.3	0.0	9.4	0.3	9.9	9.7	23.5	2.4	36.4	7.3	2.0	0.0	8.0	0.4	10.3	
High	5.5	16.2	1.2	34.6	11.5	6.1	1.6	10.9	1.4	11.0	6.4	18.2	1.6	36.3	12.5	5.7	0.0	4.5	1.9	12.8	
Highest	4.7	15.6	5.0	25.1	5.4	8.1	5.4	13.1	3.1	14.5	6.5	20.9	6.2	29.4	6.3	6.7	0.5	7.4	3.5	12.6	
Region																					
Central	4.7	14.6	3.6	27.5	11.1	7.6	2.9	12.4	1.7	13.9	5.4	16.8	4.0	28.7	13.3	7.9	0.4	6.6	2.2	14.6	
Eastern	12.6	21.5	0.7	29.0	5.7	2.2	0.1	10.2	2.7	15.3	13.3	23.5	0.9	27.6	5.6	2.2	0.2	7.5	2.9	16.4	
Northern	2.6	33.2	5.3	22.1	14.7	3.3	0.5	8.2	1.8	8.3	2.8	34.2	4.9	20.2	16.1	3.2	0.6	6.7	2.0	9.2	
Western	4.5	19.0	3.0	36.3	6.5	6.4	2.8	8.2	1.7	11.6	5.1	24.3	3.9	40.4	5.5	4.3	0.0	4.5	1.6	10.5	

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 4227)			Married Women ¹ (N = 2698)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	13.1	7.4	20.5	16.6	9.4	26.0
Age Group						
15-19	10.1	2.8	12.9	20.6	4.2	24.7
20-24	16.7	3.4	20.0	20.5	3.4	23.9
25-29	17.6	4.5	22.1	20.0	4.2	24.2
30-34	16.9	9.4	26.3	19.6	9.6	29.2
35-39	10.6	12.7	23.3	11.9	14.9	26.8
40-44	5.9	21.0	26.9	5.5	27.0	32.5
45-49	2.7	15.3	18.0	3.9	17.7	21.6
Marital Status						
Married, or in union	16.6	9.4	26.0	na	na	na
Unmarried, sexually active	22.3	12.1	34.4	na	na	na
Parity						
0-1 children	9.8	1.9	11.7	15.0	2.5	17.5
2-3 children	17.5	5.8	23.3	19.8	4.9	24.7
4+ children	13.8	14.7	28.6	15.3	15.4	30.7
Residence						
Urban	10.3	6.8	17.1	13.0	9.1	22.0
Rural	13.9	7.6	21.5	17.5	9.4	26.9
Education						
Never	13.6	15.7	29.3	15.6	17.9	33.5
Primary	13.8	7.0	20.8	17.5	8.7	26.1
Secondary	6.3	2.8	9.1	9.4	4.5	13.9
Technical & vocational	6.9	1.8	8.6	8.9	0.9	9.9
Wealth Quintile						
Lowest	18.5	9.4	27.9	23.0	11.2	34.1
Lower	18.7	9.2	28.0	23.0	10.7	33.8
Middle	11.6	7.3	18.9	13.9	10.7	24.5
High	9.7	6.0	15.7	11.6	6.7	18.3
Highest	7.4	5.2	12.7	9.2	6.8	16.0
Region						
Central	9.6	6.3	15.9	11.8	7.9	19.7
Eastern	14.6	8.3	23.0	18.4	9.9	28.3
Northern	16.7	9.3	26.0	21.5	11.7	33.1
Western	12.8	6.5	19.3	15.9	8.6	24.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=4227)					Married Women ² (N=2698)				
	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	34.7	30.3	20.5	55.2	54.8	41.8	36.3	26.0	67.8	53.6
Age Group										
15-19	14.1	11.7	12.9	27.0	43.4	24.9	22.6	24.7	49.6	45.4
20-24	36.3	31.9	20.0	56.4	56.7	37.0	32.0	23.9	60.8	52.6
25-29	45.2	40.3	22.1	67.3	59.9	47.2	42.2	24.2	71.4	59.0
30-34	43.3	38.5	26.3	69.6	55.3	45.5	40.5	29.2	74.7	54.2
35-39	46.8	40.7	23.3	70.2	58.1	50.0	43.1	26.8	76.8	56.2
40-44	35.4	29.1	26.9	62.3	46.6	41.3	32.7	32.5	73.8	44.3
45-49	28.6	23.8	18.0	46.6	51.2	33.4	26.6	21.6	55.0	48.4
Marital Status										
Married, or in union	41.8	36.3	26.0	67.8	53.6	na	na	na	na	na
Unmarried, sexually active	50.9	43.6	34.4	85.4	51.0	na	na	na	na	na
Parity										
0-1 children	23.2	20.0	11.7	34.9	57.2	29.8	26.7	17.5	47.3	56.3
2-3 children	42.8	37.7	23.3	66.0	57.1	45.3	39.2	24.7	70.0	56.1
4+ children	42.4	37.0	28.6	71.0	52.1	45.3	39.1	30.7	76.1	51.4
Residence										
Urban	38.1	32.6	17.1	55.2	59.0	45.6	39.7	22.0	67.6	58.8
Rural	33.8	29.6	21.5	55.2	53.6	40.9	35.5	26.9	67.8	52.3
Education										
Never	26.9	23.8	29.3	56.2	42.3	30.1	26.2	33.5	63.5	41.2
Primary	34.6	30.3	20.8	55.4	54.7	42.2	36.7	26.1	68.3	53.7
Secondary	40.4	33.2	9.1	49.5	67.1	53.6	44.4	13.9	67.5	65.8
Technical & vocational	51.8	44.3	8.6	60.4	73.4	62.4	56.1	9.9	72.3	77.6
Wealth Quintile										
Lowest	26.6	22.0	27.9	54.6	40.3	30.4	24.5	34.1	64.5	37.9
Lower	29.3	25.7	28.0	57.2	45.0	34.8	30.8	33.8	68.6	45.0
Middle	37.3	33.6	18.9	56.1	59.8	47.2	42.3	24.5	71.7	59.0
High	38.6	34.4	15.7	54.3	63.3	47.4	41.3	18.3	65.7	62.9
Highest	41.4	35.4	12.7	54.0	65.5	52.6	45.9	16.0	68.6	67.0
Region										
Central	39.2	33.7	15.9	55.1	61.2	49.9	42.6	19.7	69.6	61.2
Eastern	33.9	28.8	23.0	56.9	50.5	40.2	33.6	28.3	68.5	49.0
Northern	25.8	23.7	26.0	51.8	45.8	31.5	28.6	33.1	64.7	44.3
Western	36.5	32.3	19.3	55.8	57.8	42.9	38.4	24.5	67.4	57.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2445)			Married ¹ Women with 1 or More Births (N=2063)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	53.8	30.9	15.3	55.5	30.4	14.2
Age Group						
15-19	52.0	30.9	17.1	61.2	27.6	11.1
20-24	59.6	32.0	8.4	62.5	30.3	7.1
25-29	59.6	30.4	10.0	61.2	29.8	9.0
30-34	53.7	31.8	14.5	53.6	32.5	13.9
35-39	44.1	31.1	24.8	42.5	32.7	24.8
40-44	35.9	24.1	39.9	34.2	23.5	42.3
45-49	<i>26.5</i>	<i>34.7</i>	<i>38.8</i>	<i>26.6</i>	<i>34.0</i>	<i>39.4</i>
Marital Status						
Married, or in union	55.5	30.4	14.2	na	na	na
Unmarried, sexually active	44.5	31.3	24.2	na	na	na
Parity						
0-1 children	64.9	23.6	11.5	74.2	17.3	8.4
2-3 children	59.9	32.8	7.3	60.9	33.2	5.9
4+ children	42.3	33.9	23.7	42.4	34.7	22.9
Residence						
Urban	64.6	24.2	11.3	69.6	21.8	8.7
Rural	51.4	32.4	16.1	52.5	32.2	15.3
Education						
Never	52.0	27.0	20.9	51.0	27.5	21.5
Primary	52.3	32.5	15.2	54.3	31.8	13.9
Secondary	73.3	19.9	6.7	73.3	20.1	6.6
Technical & vocational	<i>74.9</i>	<i>17.5</i>	<i>7.5</i>	<i>82.3</i>	<i>14.3</i>	<i>3.4</i>
Wealth Quintile						
Lowest	44.1	36.2	19.6	46.3	35.5	18.2
Lower	45.6	40.0	14.5	47.0	39.2	13.8
Middle	55.9	27.2	16.9	54.9	28.5	16.7
High	59.6	27.4	13.0	61.5	26.5	12.0
Highest	69.7	19.7	10.6	74.7	17.5	7.9
Region						
Central	63.3	22.9	13.8	65.5	22.1	12.4
Eastern	46.3	33.0	20.7	47.7	33.1	19.2
Northern	46.2	36.7	17.1	48.4	36.2	15.4
Western	58.1	32.1	9.8	59.7	30.8	9.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 1277)
Total				
All	55.0	37.3	7.8	
Age Group				
15-19	35.7	45.5	18.8	
20-24	54.3	40.1	5.6	
25-29	61.3	31.9	6.8	
30-34	59.1	35.1	5.8	
35-39	53.4	38.0	8.6	
40-44	56.0	39.2	4.8	
45-49	49.3	37.8	12.9	
Marital Status				
Married, or in union	53.6	39.7	6.7	
Unmarried, sexually active	67.7	21.4	10.9	
Parity				
0-1 children	50.1	39.6	10.3	
2-3 children	58.0	34.7	7.3	
4+ children	55.9	37.5	6.6	
Residence				
Urban	52.8	39.4	7.8	
Rural	55.6	36.6	7.8	
Education				
Never	53.7	42.6	3.7	
Primary	56.6	35.2	8.2	
Secondary	50.0	43.6	6.5	
Technical & vocational	36.2	54.8	9.0	
Wealth Quintile				
Lowest	48.2	42.7	9.2	
Lower	53.0	40.0	7.1	
Middle	55.4	37.7	6.9	
High	60.7	28.7	10.6	
Highest	54.9	39.3	5.8	
Region				
Central	61.1	31.8	7.1	
Eastern	56.1	33.2	10.7	
Northern	44.2	46.1	9.7	
Western	52.7	41.9	5.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method¹ who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 1277)	Married ² Modern Contraceptive Users (N = 976)
Total		
All	61.3	59.4
Age Group		
15-19	63.0	<i>46.8</i>
20-24	68.1	67.5
25-29	61.0	58.6
30-34	60.3	58.2
35-39	58.1	57.3
40-44	55.3	59.4
45-49	50.1	<i>54.7</i>
Marital Status		
Married, or in union	59.4	na
Unmarried, sexually active	72.4	na
Parity		
0-1 children	73.4	70.3
2-3 children	57.9	59.6
4+ children	56.2	55.7
Residence		
Urban	77.8	71.5
Rural	56.0	56.2
Education		
Never	48.0	51.7
Primary	61.6	59.7
Secondary	63.5	62.9
Technical & vocational	<i>72.5</i>	<i>63.6</i>
Wealth Quintile		
Lowest	48.6	47.8
Lower	55.8	53.9
Middle	53.3	51.2
High	64.0	65.2
Highest	76.9	74.1
Region		
Central	74.9	72.4
Eastern	56.6	55.0
Northern	47.9	48.2
Western	57.7	55.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1277)	(976)	(1277)	(976)	(600)	(480)
All	57.5	61.2	49.3	51.7	84.7	85.9
Age Group						
15-19	36.4	<i>51.7</i>	35.5	<i>48.9</i>	<i>84.8</i>	--
20-24	56.6	61.8	46.2	50.5	86.1	85.4
25-29	55.0	57.2	48.3	48.3	82.5	87.9
30-34	60.9	63.9	47.2	50.1	82.8	81.7
35-39	65.8	65.7	61.7	59.1	82.4	81.7
40-44	61.5	59.0	47.8	49.8	<i>92.0</i>	<i>92.1</i>
45-49	64.3	<i>66.9</i>	62.0	<i>60.7</i>	<i>93.0</i>	<i>94.8</i>
Marital Status						
Married, or in union	61.2	na	51.7	na	85.9	na
Unmarried, sexually active	39.1	na	34.9	na	79.3	na
Parity						
0-1 children	43.8	56.2	40.0	48.0	80.3	85.8
2-3 children	59.7	59.4	49.5	49.1	82.5	82.8
4+ children	64.3	64.0	54.8	54.5	88.0	87.6
Residence						
Urban	47.4	55.7	45.1	50.8	78.5	82.7
Rural	60.7	62.7	50.6	51.9	86.5	86.7
Education						
Never	62.9	60.9	57.5	55.3	88.6	91.4
Primary	57.9	60.9	48.9	51.1	85.4	86.4
Secondary	60.6	74.4	53.2	62.3	<i>86.9</i>	<i>83.7</i>
Technical & vocational	<i>36.1</i>	<i>46.5</i>	<i>36.7</i>	<i>38.7</i>	--	--
Wealth Quintile						
Lowest	64.4	65.0	53.9	51.3	91.3	92.4
Lower	55.4	57.1	52.3	52.6	88.1	88.1
Middle	66.5	68.4	54.4	57.9	82.8	82.0
High	52.5	56.0	46.0	48.4	81.9	85.7
Highest	51.2	59.1	43.0	48.0	81.9	84.3
Region						
Central	52.2	56.9	40.9	44.2	77.0	76.8
Eastern	55.0	60.9	48.2	50.8	86.2	86.3
Northern	70.0	68.0	63.4	60.4	95.4	94.4
Western	59.1	62.4	52.2	55.6	83.9	88.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1257)	(N = 1257)	(N = 1257)
All	88.5	88.0	84.2
Age Group			
15-19	72.9	66.4	66.1
20-24	91.7	92.3	89.6
25-29	90.1	88.5	83.9
30-34	89.7	88.6	84.8
35-39	89.6	90.7	87.1
40-44	91.7	85.8	84.4
45-49	79.3	95.2	79.3
Marital Status			
Married, or in union	90.2	90.1	85.9
Unmarried, sexually active	84.5	84.6	82.9
Parity			
0-1 children	80.7	81.8	76.8
2-3 children	92.4	90.2	87.7
4+ children	90.7	90.4	86.4
Residence			
Urban	85.4	89.0	81.9
Rural	89.5	87.7	84.9
Education			
Never	91.0	89.1	85.7
Primary	89.0	88.3	84.7
Secondary	78.7	83.8	76.4
Technical & vocational	<i>91.5</i>	<i>89.3</i>	<i>85.4</i>
Wealth Quintile			
Lowest	90.9	90.8	86.7
Lower	88.9	85.4	81.5
Middle	94.6	93.6	91.9
High	82.7	84.5	79.4
Highest	86.4	86.3	81.9
Region			
Central	86.6	84.8	80.2
Eastern	86.3	87.3	83.2
Northern	92.9	90.3	86.4
Western	90.1	90.7	88.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(4227)	(2698)	(4227)	(2698)	(4227)	(2698)
All	18.3	20.7	34.6	42.5	43.1	50.3
Age Group						
15-19	13.3	19.9	16.2	33.2	25.4	43.0
20-24	18.2	19.6	38.0	43.1	45.8	50.9
25-29	17.7	18.7	43.1	46.1	49.4	52.1
30-34	20.7	22.7	47.6	49.6	55.8	58.2
35-39	23.1	23.2	37.9	40.0	48.0	48.5
40-44	25.9	25.8	34.2	38.3	45.6	47.9
45-49	14.5	14.5	28.1	31.8	35.8	37.1
Marital Status						
Married, or in union	20.7	na	42.5	na	50.3	na
Unmarried, sexually active	14.4	na	24.5	na	35.3	na
Parity						
0-1 children	14.5	17.6	22.4	34.6	31.1	42.7
2-3 children	17.0	17.5	43.1	45.1	49.3	51.5
4+ children	23.5	24.2	42.7	44.6	52.3	53.2
Residence						
Urban	12.0	14.5	31.8	42.2	37.5	47.1
Rural	20.1	22.1	35.4	42.6	44.7	51.1
Education						
Never	25.0	27.3	39.0	44.3	49.0	53.6
Primary	18.1	20.4	34.6	42.5	42.9	50.1
Secondary	16.9	17.8	28.7	39.9	38.5	51.6
Technical & vocational	7.2	4.2	33.6	38.5	38.9	39.8
Wealth Quintile						
Lowest	17.6	20.4	44.3	49.4	49.0	54.5
Lower	21.4	24.1	39.1	45.2	48.2	53.3
Middle	19.9	21.3	27.6	34.0	39.3	44.1
High	20.5	21.5	35.9	45.3	46.1	54.5
Highest	12.9	16.0	26.9	37.1	33.8	44.5
Region						
Central	14.1	16.8	30.4	39.3	36.6	45.6
Eastern	18.1	20.2	33.3	38.2	42.2	47.1
Northern	20.7	23.6	51.9	59.2	56.5	63.9
Western	21.0	22.8	29.6	38.1	41.9	48.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1364	3476	4840
Households Occupied	1313	3394	4707
Households Interviewed	1237	3322	4559
Household Response Rate ¹	94.21%	97.88%	96.86%
Interviews with Women			
Number of Eligible Women ²	1209	3155	4364
Number of Eligible Women Interviewed	1143	3084	4227
Eligible Woman Response Rate ³	94.54%	97.75%	96.86%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.303	0.015	0.273	0.334	0.363	0.021	0.322	0.406
Currently using a traditional method	0.045	0.006	0.034	0.059	0.055	0.008	0.041	0.074
Currently using any contraceptive method	0.347	0.018	0.313	0.383	0.418	0.023	0.372	0.465
Currently using DMPA-IM	0.104	0.010	0.085	0.126	0.127	0.013	0.103	0.156
Currently using DMPA-SC	0.030	0.007	0.019	0.049	0.039	0.011	0.022	0.068
Currently using condoms	0.100	0.013	0.078	0.128	0.063	0.011	0.044	0.089
Currently using implants	0.070	0.006	0.059	0.082	0.097	0.008	0.082	0.114
Chose method by self or jointly in past 12 months	0.922	0.011	0.898	0.941	0.933	0.011	0.908	0.952
Paid fees for family planning services in past 12 months	0.613	0.041	0.530	0.690	0.594	0.037	0.518	0.665
Informed by provider about other methods	0.575	0.026	0.522	0.626	0.612	0.028	0.556	0.666
Informed by provider about side effects	0.493	0.023	0.448	0.538	0.517	0.025	0.467	0.567
Satisfied with provider: Would return and refer friend/relative to provider	0.842	0.021	0.796	0.880	0.859	0.019	0.817	0.892
Visited by health worker who talked about family planning in past 12 months	0.183	0.024	0.140	0.236	0.207	0.026	0.160	0.263

¹ Married includes married women and those who are living with a man