

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for  
POPULATION and REPRODUCTIVE HEALTH

## Kenya (Kericho) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kericho) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kericho-P3-CS SOIs. 2021.* Kenya and Baltimore, Maryland, USA.

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	846	846
<b>Age Group</b>			
15-19	21.2	180	177
20-24	19.5	165	163
25-29	16.3	138	140
30-34	16.2	137	134
35-39	12.4	105	107
40-44	6.5	55	56
45-49	7.8	66	69
<b>Marital Status</b>			
Married, or in union	51.7	437	442
Unmarried, sexually active	20.4	173	170
<b>Parity</b>			
0-1 children	19.2	162	159
2-3 children	26.6	225	226
4+ children	25.6	217	222
<b>Residence</b>			
Urban	37.9	321	321
Rural	62.1	525	525
<b>Education</b>			
Never	0.1	1	1
Primary	38.8	328	328
Post Primary Vocational	1.0	9	9
Secondary	40.5	343	341
College	13.2	112	116
University	6.4	54	51
<b>Wealth Quintile</b>			
Lowest	19.3	163	153
Lower	20.0	169	169
Middle	18.6	157	159
Higher	20.2	171	181
Highest	22.0	186	184

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	58.7	72.0	54.4	68.0	4.3	4.0
<b>Age Group</b>						
15-19	20.4	--	17.7	--	2.7	--
20-24	70.6	76.7	64.8	72.7	5.8	4.0
25-29	65.2	69.1	61.9	66.9	3.4	2.3
30-34	76.5	79.2	72.2	74.6	4.3	4.6
35-39	80.2	83.8	74.1	77.4	6.1	6.4
40-44	71.1	<i>75.2</i>	67.2	<i>72.4</i>	3.9	<i>2.8</i>
45-49	37.7	<i>38.5</i>	33.6	<i>34.8</i>	4.1	<i>3.7</i>
<b>Marital Status</b>						
Married, or in union	72.0	na	68.0	na	4.0	na
Unmarried, sexually active	76.6	na	70.0	na	6.6	na
<b>Parity</b>						
0-1 children	65.5	71.0	59.5	67.7	6.0	3.3
2-3 children	74.8	77.6	72.0	75.2	2.9	2.3
4+ children	68.8	70.5	63.3	64.9	5.4	5.6
<b>Residence</b>						
Urban	60.4	71.1	56.0	68.6	4.4	2.5
Rural	57.6	72.6	53.4	67.7	4.2	4.9
<b>Education</b>						
Never	--	--	--	--	--	--
Primary	60.9	69.4	57.9	65.1	3.0	4.4
Post Primary Vocational	--	--	--	--	--	--
Secondary	51.3	74.3	48.3	72.8	2.9	1.5
College	73.0	86.9	62.4	78.1	10.5	8.8
University	63.6	--	55.2	--	8.4	--
<b>Wealth Quintile</b>						
Lowest	61.2	80.6	54.4	72.5	6.8	8.1
Lower	57.7	70.0	55.2	66.7	2.5	3.3
Middle	58.3	71.1	54.6	69.6	3.7	1.4
Higher	56.1	67.3	53.8	65.1	2.3	2.2
Highest	60.0	71.4	54.0	66.9	6.0	4.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

### Background Characteristics

All Users (N = 489)

Married Users<sup>1</sup> (N = 315)

	All Users (N = 489)										Married Users <sup>1</sup> (N = 315)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		
<b>Total</b>																				
All	4.6	24.9	1.2	38.7	6.7	2.6	12.4	1.6	7.3	5.9	29.0	1.7	46.3	6.4	0.7	2.3	2.1	5.6		
<b>Age Group</b>																				
15-19	<i>0.0</i>	<i>13.9</i>	<i>0.0</i>	<i>16.0</i>	<i>11.8</i>	<i>3.5</i>	<i>41.3</i>	<i>0.0</i>	<i>13.4</i>	--	--	--	--	--	--	--	--	--		
20-24	0.0	18.4	0.0	39.5	5.1	5.6	21.4	1.7	8.2	0.0	23.1	0.0	60.8	3.8	0.0	3.7	3.4	5.2		
25-29	0.0	25.6	1.3	47.7	7.7	1.9	8.6	1.9	5.2	0.0	31.8	1.9	50.3	6.7	1.6	3.3	1.2	3.3		
30-34	2.2	37.0	0.5	40.7	7.0	1.1	3.6	2.2	5.6	2.1	35.5	0.7	41.5	8.0	1.5	1.8	3.0	5.8		
35-39	10.5	32.1	2.2	32.1	6.6	2.8	5.4	0.9	7.6	9.3	34.5	1.5	36.8	8.2	0.0	1.0	1.1	7.6		
40-44	<i>10.2</i>	<i>18.3</i>	<i>5.1</i>	<i>49.8</i>	<i>5.2</i>	<i>0.0</i>	<i>6.0</i>	<i>0.0</i>	<i>5.4</i>	<i>10.4</i>	<i>17.5</i>	<i>7.1</i>	<i>50.4</i>	<i>7.1</i>	<i>0.0</i>	<i>3.7</i>	<i>0.0</i>	<i>3.7</i>		
45-49	<i>30.7</i>	<i>4.0</i>	<i>2.2</i>	<i>32.6</i>	<i>4.0</i>	<i>0.0</i>	<i>11.8</i>	<i>3.9</i>	<i>10.9</i>	--	--	--	--	--	--	--	--	--		
<b>Marital Status</b>																				
Married, or in union	5.9	29.0	1.7	46.3	6.4	0.7	2.3	2.1	5.6	na	na	na	na	na	na	na	na	na		
Unmarried, sexually active	1.3	17.3	0.7	27.5	8.2	4.8	30.8	0.8	8.7	na	na	na	na	na	na	na	na	na		
<b>Parity</b>																				
0-1 children	0.0	30.4	1.1	36.6	7.4	1.1	11.7	2.5	9.2	0.0	26.4	1.9	45.2	8.9	1.9	6.8	4.3	4.7		
2-3 children	2.4	30.2	0.0	46.8	6.2	1.3	7.9	1.4	3.8	1.9	34.2	0.0	48.3	7.5	0.8	2.5	1.8	3.0		
4+ children	12.6	25.8	3.4	43.5	3.4	0.8	1.5	1.1	7.9	13.1	25.7	3.3	44.5	4.1	0.0	0.0	1.4	7.9		
<b>Residence</b>																				
Urban	3.8	24.5	1.6	32.3	8.3	6.3	14.2	1.6	7.3	5.6	31.8	2.7	39.5	8.1	1.9	4.9	1.9	3.5		
Rural	5.1	25.1	1.0	42.8	5.7	0.3	11.2	1.5	7.3	6.1	27.4	1.1	50.2	5.4	0.0	0.9	2.2	6.7		
<b>Education</b>																				
Never	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na		
Primary	8.0	29.4	1.5	50.3	1.2	0.0	4.3	0.3	4.9	7.6	29.1	1.3	53.0	1.6	0.0	0.7	0.4	6.3		
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
Secondary	2.1	24.2	1.5	36.9	8.3	0.7	18.6	2.0	5.7	3.8	30.2	2.8	43.8	10.5	0.0	3.1	3.7	2.0		
College	3.8	20.9	0.7	27.2	10.5	7.7	11.4	3.3	14.4	6.3	28.7	1.1	37.3	6.8	2.4	3.9	3.4	10.1		
University	<i>0.0</i>	<i>9.6</i>	<i>0.0</i>	<i>8.2</i>	<i>18.2</i>	<i>16.4</i>	<i>32.2</i>	<i>2.1</i>	<i>13.2</i>	--	--	--	--	--	--	--	--	--		
<b>Wealth Quintile</b>																				
Lowest	4.5	20.6	0.0	55.0	0.7	0.0	6.9	1.2	11.1	4.2	20.8	0.0	60.6	1.1	0.0	1.5	1.8	10.0		
Lower	4.0	34.4	2.1	38.7	3.0	0.0	12.4	1.0	4.3	4.4	39.2	3.0	44.4	2.9	0.0	0.0	1.4	4.7		
Middle	2.4	29.6	1.0	30.0	6.5	6.0	17.3	0.8	6.4	<i>2.4</i>	<i>38.3</i>	<i>0.0</i>	<i>46.8</i>	<i>6.2</i>	<i>0.0</i>	<i>2.8</i>	<i>1.5</i>	<i>2.0</i>		
Higher	8.1	24.7	2.2	36.1	9.0	3.4	10.0	2.4	4.0	12.2	26.9	3.6	38.7	6.3	0.0	4.9	4.0	3.3		
Highest	3.9	16.7	1.1	33.5	13.4	3.8	15.5	2.2	10.0	6.2	22.3	1.7	40.1	15.3	3.1	2.9	2.1	6.3		

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 846)	Married Women <sup>3</sup> (N = 442)	All Women (N = 846)	Married Women <sup>3</sup> (N = 442)
<b>Total</b>				
All	36.4	41.7	18.0	26.4
<b>Age Group</b>				
15-19	14.8	--	2.8	--
20-24	51.8	55.0	13.0	17.7
25-29	44.3	43.6	17.6	23.3
30-34	41.8	44.2	30.4	30.4
35-39	38.2	39.5	35.9	37.9
40-44	43.3	<i>46.0</i>	23.9	<i>26.3</i>
45-49	19.7	<i>15.3</i>	13.9	<i>19.5</i>
<b>Marital Status</b>				
Married, or in union	41.7	na	26.4	na
Unmarried, sexually active	55.2	na	14.8	na
<b>Parity</b>				
0-1 children	38.9	47.6	20.6	20.1
2-3 children	47.6	47.2	24.4	28.0
4+ children	34.6	35.2	28.7	29.7
<b>Residence</b>				
Urban	37.9	40.1	18.1	28.5
Rural	35.4	42.6	18.0	25.1
<b>Education</b>				
Never	--	--	--	--
Primary	34.2	38.7	23.7	26.4
Post Primary Vocational	--	--	--	--
Secondary	34.1	45.4	14.3	27.4
College	43.9	46.7	18.6	31.4
University	49.1	--	6.1	--
<b>Wealth Quintile</b>				
Lowest	39.0	52.3	15.4	20.2
Lower	31.8	34.0	23.4	32.6
Middle	35.4	40.7	19.2	29.0
Higher	34.2	36.3	19.6	28.8
Highest	41.0	45.3	13.0	21.6

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 846)			Married Women <sup>1</sup> (N = 442)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	7.1	3.5	10.6	6.9	5.6	12.5
<b>Age Group</b>						
15-19	10.6	0.0	10.6	--	--	--
20-24	10.5	1.2	11.7	11.1	2.6	13.7
25-29	10.3	2.2	12.5	12.4	2.3	14.7
30-34	3.1	4.2	7.3	2.8	4.8	7.6
35-39	2.8	7.0	9.8	3.7	8.2	11.8
40-44	3.5	11.6	15.0	<i>5.1</i>	<i>12.2</i>	<i>17.3</i>
45-49	0.0	8.5	8.5	<i>0.0</i>	<i>9.8</i>	<i>9.8</i>
<b>Marital Status</b>						
Married, or in union	6.9	5.6	12.5	na	na	na
Unmarried, sexually active	14.6	3.2	17.8	na	na	na
<b>Parity</b>						
0-1 children	10.3	1.8	12.0	9.9	2.4	12.4
2-3 children	7.1	2.5	9.6	9.2	1.5	10.8
4+ children	2.3	10.0	12.3	2.4	11.4	13.8
<b>Residence</b>						
Urban	5.0	3.6	8.6	6.6	6.7	13.3
Rural	8.3	3.5	11.8	7.1	5.0	12.1
<b>Education</b>						
Never	--	--	--	--	--	--
Primary	6.3	5.7	12.0	6.4	7.1	13.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	8.1	2.4	10.5	8.4	4.4	12.8
College	5.7	0.5	6.2	1.7	1.0	2.7
University	7.4	4.2	11.6	--	--	--
<b>Wealth Quintile</b>						
Lowest	5.2	2.9	8.1	5.0	3.3	8.2
Lower	11.9	3.3	15.2	12.5	3.8	16.3
Middle	7.8	4.4	12.2	7.6	10.0	17.5
Higher	4.4	4.8	9.2	5.1	8.3	13.4
Highest	6.1	2.5	8.6	4.3	4.0	8.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=846)					Married Women <sup>2</sup> (N=442)				
	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	58.7	54.4	10.6	69.3	78.5	72.0	68.0	12.5	84.6	80.4
<b>Age Group</b>										
15-19	20.4	17.7	10.6	31.1	56.9	--	--	--	--	--
20-24	70.6	64.8	11.7	82.2	78.8	76.7	72.7	13.7	90.4	80.4
25-29	65.2	61.9	12.5	77.7	79.6	69.1	66.9	14.7	83.9	79.7
30-34	76.5	72.2	7.3	83.8	86.2	79.2	74.6	7.6	86.8	85.9
35-39	80.2	74.1	9.8	90.0	82.4	83.8	77.4	11.8	95.7	80.9
40-44	71.1	67.2	15.0	86.1	78.1	75.2	72.4	17.3	92.5	78.3
45-49	37.7	33.6	8.5	46.2	72.8	38.5	34.8	9.8	48.4	--
<b>Marital Status</b>										
Married, or in union	72.0	68.0	12.5	84.6	80.4	na	na	na	na	na
Unmarried, sexually active	76.6	70.0	17.8	94.4	74.2	na	na	na	na	na
<b>Parity</b>										
0-1 children	65.5	59.5	12.0	77.6	76.7	71.0	67.7	12.4	83.4	81.2
2-3 children	74.8	72.0	9.6	84.4	85.3	77.6	75.2	10.8	88.3	85.2
4+ children	68.8	63.3	12.3	81.0	78.1	70.5	64.9	13.8	84.3	77.0
<b>Residence</b>										
Urban	60.4	56.0	8.6	69.0	81.1	71.1	68.6	13.3	84.3	81.3
Rural	57.6	53.4	11.8	69.4	76.9	72.6	67.7	12.1	84.7	79.9
<b>Education</b>										
Never	--	--	--	--	--	--	--	--	--	--
Primary	60.9	57.9	12.0	72.9	79.4	69.4	65.1	13.5	83.0	78.4
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	51.3	48.3	10.5	61.8	78.2	74.3	72.8	12.8	87.2	83.5
College	73.0	62.4	6.2	79.2	78.8	86.9	78.1	2.7	89.5	87.2
University	63.6	55.2	11.6	75.2	73.4	--	--	--	--	--
<b>Wealth Quintile</b>										
Lowest	61.2	54.4	8.1	69.3	78.5	80.6	72.5	8.2	88.9	81.6
Lower	57.7	55.2	15.2	72.9	75.7	70.0	66.7	16.3	86.3	77.3
Middle	58.3	54.6	12.2	70.5	77.4	71.1	69.6	17.5	88.6	78.6
Higher	56.1	53.8	9.2	65.2	82.5	67.3	65.1	13.4	80.7	80.6
Highest	60.0	54.0	8.6	68.6	78.7	71.4	66.9	8.2	79.6	84.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=326)			Married <sup>1</sup> Women with 1 or More Births (N=249)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	52.3	37.5	10.2	58.8	32.2	9.1
<b>Age Group</b>						
15-19	<i>19.3</i>	<i>75.9</i>	<i>4.8</i>	--	--	--
20-24	50.5	41.3	8.2	61.4	30.8	7.8
25-29	73.5	22.3	4.2	78.5	20.0	1.5
30-34	52.7	40.3	7.0	53.2	38.9	7.9
35-39	<i>40.8</i>	<i>30.6</i>	<i>28.6</i>	<i>40.9</i>	<i>36.9</i>	<i>22.2</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	58.8	32.2	9.1	na	na	na
Unmarried, sexually active	<i>32.1</i>	<i>54.7</i>	<i>13.2</i>	na	na	na
<b>Parity</b>						
0-1 children	50.2	43.5	6.3	68.9	27.6	3.5
2-3 children	63.5	32.7	3.7	67.0	29.5	3.5
4+ children	37.4	37.8	24.9	38.2	40.0	21.9
<b>Residence</b>						
Urban	51.9	33.8	14.2	58.9	31.7	9.4
Rural	52.4	39.6	8.0	58.7	32.4	8.9
<b>Education</b>						
Never	--	--	--	--	--	--
Primary	47.4	36.7	15.9	48.6	36.1	15.3
Post Primary Vocational	--	--	--	--	--	--
Secondary	49.8	43.6	6.7	59.5	36.6	3.9
College	<i>70.2</i>	<i>24.7</i>	<i>5.2</i>	<i>79.4</i>	<i>17.2</i>	<i>3.4</i>
University	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	46.8	38.3	14.9	52.2	31.7	16.1
Lower	57.0	35.4	7.6	59.8	33.4	6.8
Middle	44.7	43.8	11.5	<i>53.1</i>	<i>35.2</i>	<i>11.7</i>
Higher	48.4	40.0	11.6	<i>59.9</i>	<i>30.1</i>	<i>10.0</i>
Highest	63.9	31.3	4.8	67.4	30.8	1.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 450)
<b>Total</b>				
All	65.0	31.1	3.9	
<b>Age Group</b>				
15-19	<i>50.2</i>	<i>28.2</i>	<i>21.6</i>	
20-24	57.0	39.0	4.0	
25-29	64.3	32.2	3.5	
30-34	74.2	23.9	1.9	
35-39	64.7	33.0	2.3	
40-44	<i>70.5</i>	<i>29.5</i>	<i>0.0</i>	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	65.0	32.7	2.3	
Unmarried, sexually active	68.8	24.8	6.3	
<b>Parity</b>				
0-1 children	65.7	32.0	2.3	
2-3 children	66.2	30.0	3.8	
4+ children	69.0	29.7	1.3	
<b>Residence</b>				
Urban	71.9	21.4	6.8	
Rural	60.7	37.2	2.1	
<b>Education</b>				
Never	na	na	na	
Primary	68.7	28.5	2.8	
Post Primary Vocational	--	--	--	
Secondary	61.3	32.4	6.3	
College	71.5	25.6	2.9	
University	<i>40.3</i>	<i>59.7</i>	<i>0.0</i>	
<b>Wealth Quintile</b>				
Lowest	66.3	33.7	0.0	
Lower	58.9	33.5	7.6	
Middle	65.3	32.0	2.7	
Higher	70.4	26.3	3.3	
Highest	64.5	30.1	5.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(450)</b>	<b>(295)</b>	<b>(450)</b>	<b>(295)</b>	<b>(287)</b>	<b>(206)</b>	<b>(450)</b>	<b>(295)</b>
All	68.9	74.8	64.4	70.5	92.0	92.9	72.7	79.1
<b>Age Group</b>								
15-19	<i>36.6</i>	--	<i>41.6</i>	--	--	--	<i>40.1</i>	--
20-24	56.5	64.5	56.9	65.4	87.7	<i>87.7</i>	64.3	75.2
25-29	75.8	81.5	67.0	72.5	94.8	<i>96.4</i>	79.8	83.3
30-34	72.5	68.6	68.0	64.1	91.5	<i>93.8</i>	83.5	80.9
35-39	77.4	79.7	75.8	80.7	92.4	91.2	73.7	77.0
40-44	<i>84.2</i>	<i>82.3</i>	<i>70.6</i>	<i>72.4</i>	<i>96.3</i>	--	<i>83.8</i>	<i>81.8</i>
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	74.8	na	70.5	na	92.9	na	79.1	na
Unmarried, sexually active	55.9	na	49.9	na	89.6	na	62.8	na
<b>Parity</b>								
0-1 children	69.5	69.7	71.0	72.8	94.2	<i>96.2</i>	77.2	81.4
2-3 children	73.2	75.0	61.5	63.9	90.8	91.9	76.2	80.2
4+ children	76.7	76.9	73.1	75.9	94.0	93.1	75.9	76.4
<b>Residence</b>								
Urban	62.0	66.4	56.3	60.5	90.4	91.4	71.0	75.7
Rural	73.3	79.7	69.6	76.3	92.8	93.5	73.7	81.0
<b>Education</b>								
Never	na	na	na	na	na	na	na	na
Primary	72.8	72.9	68.9	72.6	93.0	92.2	74.7	77.8
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	67.4	76.0	63.0	70.3	91.2	94.3	71.0	80.0
College	71.2	<i>81.0</i>	60.5	<i>64.2</i>	<i>95.0</i>	<i>95.8</i>	74.1	<i>80.5</i>
University	<i>44.1</i>	--	<i>52.3</i>	--	--	--	<i>60.7</i>	--
<b>Wealth Quintile</b>								
Lowest	64.1	63.4	68.6	72.3	93.5	<i>91.2</i>	71.8	76.0
Lower	76.1	81.9	68.9	78.9	92.3	94.6	74.0	81.8
Middle	63.2	<i>76.5</i>	54.8	<i>62.3</i>	<i>84.2</i>	<i>90.0</i>	65.1	<i>79.3</i>
Higher	70.7	72.5	67.0	65.6	96.1	<i>96.2</i>	74.7	74.4
Highest	69.8	79.3	62.3	70.4	92.1	<i>91.9</i>	76.8	83.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 448)</b>	<b>(N = 448)</b>	<b>(N = 448)</b>
All	96.3	88.9	87.7
<b>Age Group</b>			
15-19	<i>90.0</i>	<i>72.3</i>	<i>72.3</i>
20-24	91.8	82.8	80.5
25-29	98.6	91.1	91.1
30-34	100.0	94.1	94.1
35-39	99.0	94.4	93.4
40-44	<i>100.0</i>	<i>88.8</i>	<i>88.8</i>
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	96.4	92.9	91.1
Unmarried, sexually active	97.4	85.5	85.5
<b>Parity</b>			
0-1 children	93.6	82.7	81.5
2-3 children	98.0	92.2	90.9
4+ children	98.0	93.1	91.8
<b>Residence</b>			
Urban	96.4	87.3	86.2
Rural	96.3	89.9	88.8
<b>Education</b>			
Never	na	na	na
Primary	97.9	89.7	88.7
Post Primary Vocational	--	--	--
Secondary	95.3	86.5	85.1
College	94.4	91.9	90.5
University	<i>95.3</i>	<i>88.0</i>	<i>88.0</i>
<b>Wealth Quintile</b>			
Lowest	96.4	86.3	85.0
Lower	95.9	89.2	87.1
Middle	97.6	89.8	89.8
Higher	97.6	86.8	86.8
Highest	94.4	92.0	90.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(846)</b>	<b>(442)</b>	<b>(846)</b>	<b>(442)</b>	<b>(846)</b>	<b>(442)</b>
All	9.7	11.2	28.8	40.0	32.6	43.2
<b>Age Group</b>						
15-19	4.4	--	9.0	--	12.4	--
20-24	13.2	15.2	36.9	55.6	41.4	57.8
25-29	13.4	11.9	39.7	50.4	45.2	53.6
30-34	9.6	9.8	34.1	37.1	37.3	40.1
35-39	8.9	9.6	31.0	31.3	34.0	35.2
40-44	7.6	<i>6.6</i>	29.9	<i>32.5</i>	31.2	<i>32.5</i>
45-49	10.4	<i>14.6</i>	23.6	<i>23.3</i>	28.4	<i>30.1</i>
<b>Marital Status</b>						
Married, or in union	11.2	na	40.0	na	43.2	na
Unmarried, sexually active	10.3	na	20.6	na	26.4	na
<b>Parity</b>						
0-1 children	13.3	17.6	45.0	59.6	48.1	63.1
2-3 children	9.2	9.6	35.5	37.2	38.0	40.0
4+ children	9.0	9.4	34.5	35.0	37.7	37.8
<b>Residence</b>						
Urban	9.2	9.4	21.8	31.0	26.7	35.3
Rural	9.9	12.2	33.0	45.2	36.2	47.8
<b>Education</b>						
Never	--	--	--	--	--	--
Primary	7.5	8.9	33.4	37.0	35.5	39.0
Post Primary Vocational	--	--	--	--	--	--
Secondary	8.9	15.0	24.4	47.8	28.4	53.6
College	15.0	11.4	29.9	35.5	34.9	36.8
University	16.1	--	24.8	--	34.0	--
<b>Wealth Quintile</b>						
Lowest	1.9	1.4	30.9	39.5	30.9	39.5
Lower	7.4	9.5	29.3	39.9	31.2	42.0
Middle	8.5	9.5	28.5	44.3	32.7	46.6
Higher	12.7	14.0	29.0	40.3	35.8	46.0
Highest	16.7	20.2	26.3	37.3	32.2	42.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	350	529	879
Households Occupied	318	496	814
Households Interviewed	304	486	790
Household Response Rate <sup>1</sup>	95.60%	97.98%	97.05%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	323	531	854
Number of Eligible Women Interviewed	321	525	846
Eligible Woman Response Rate <sup>3</sup>	99.38%	98.87%	99.06%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.544	0.021	0.499	0.588	0.680	0.028	0.621	0.735
Currently using a traditional method	0.043	0.009	0.027	0.067	0.040	0.013	0.021	0.075
Currently using any contraceptive method	0.587	0.022	0.540	0.632	0.720	0.026	0.663	0.771
Currently using DMPA-IM	0.387	0.028	0.331	0.446	0.463	0.038	0.386	0.542
Currently using DMPA-SC								
Currently using condoms	0.124	0.019	0.089	0.170	0.023	0.010	0.010	0.054
Currently using implants	0.249	0.029	0.194	0.313	0.290	0.033	0.228	0.362
Chose method by self or jointly in past 12 months	0.961	0.013	0.922	0.981	0.977	0.011	0.937	0.992
Informed by provider about other methods	0.689	0.036	0.611	0.758	0.748	0.039	0.658	0.821
Informed by provider about side effects	0.644	0.037	0.564	0.717	0.705	0.040	0.616	0.780
Satisfied with provider: Would return and refer friend/relative to provider	0.877	0.032	0.795	0.930	0.911	0.032	0.819	0.959
Visited by health worker who talked about family planning in past 12 months	0.097	0.022	0.060	0.151	0.112	0.031	0.062	0.193

<sup>1</sup> Married includes married women and those who are living with a man