

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Characteristics of Sample Number Number
Total
All 100.0 3017 3020
Age Group
15-19 21.5 650 679
20-24 19.7 594 553
25-29 18.2 549 523
30-34 13.1 396 413
35-39 12.2 368 385
40-44 10.2 308 297
45-49 5.0 152 170
Marital Status
Married, or in union 82.5 2488 2161
Unmarried, sexually active 0.9 26 40
Parity
0-1 children 30.0 904 1172
2-3 children 24.4 736 667
4+ children 45.6 1377 1181
Residence
Urban 20.9 631 1948
Rural 79.1 2386 1072
Education
Never 65.7 1982 1398
Primary 17.5 529 638
Secondary 14.8 446 837
Tertiary 1.9 57 145
Wealth Quintile
Lowest 31.4 949 442
Middle 32.3 975 565
Highest 36.2 1093 2013
Region
Niamey 9.6 290 1269
Other urban 11.3 341 679
Rural areas 79.1 2386 1072



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any M	ethod	Modern I	Method ¹	Traditiona	Traditional Method		
		Married ²		Married ²		Married ²		
	All Women	Women	All Women	Women	All Women	Women		
Total								
All	15.9	18.9	15.2	18.1	0.7	0.8		
Age Group								
15-19	5.9	11.5	5.9	11.5	0.0	0.0		
20-24	20.8	23.0	19.5	21.8	1.3	1.1		
25-29	19.9	20.5	18.8	19.4	1.1	1.1		
30-34	17.7	18.4	17.6	18.3	0.1	0.1		
35-39	21.0	22.1	20.6	21.6	0.4	0.5		
40-44	13.2	14.3	11.9	12.9	1.3	1.4		
45-49	14.3	16.7	12.8	15.0	1.4	1.7		
Marital Status								
Married, or in union	18.9	na	18.1	na	0.8	na		
Unmarried, sexually active	18.9	na	12.5	na	6.4	na		
Parity								
0-1 children	7.2	13.2	7.0	13.0	0.3	0.2		
2-3 children	20.6	21.0	20.1	20.5	0.5	0.5		
4+ children	19.1	19.7	18.0	18.5	1.1	1.2		
Residence								
Urban	22.6	33.0	21.6	31.6	1.0	1.5		
Rural	14.2	16.0	13.5	15.4	0.7	0.7		
Education								
Never	14.9	16.2	14.1	15.3	0.9	0.9		
Primary	17.1	20.6	16.4	20.2	0.7	0.5		
Secondary	17.9	34.3	17.6	33.7	0.3	0.6		
Tertiary	24.9	43.8	24.9	43.8	0.0	0.0		
Wealth Quintile								
Lowest	8.2	9.4	7.6	8.7	0.5	0.6		
Middle	15.9	18.4	14.9	17.3	1.0	1.1		
Highest	22.7	29.0	22.0	28.4	0.6	0.6		
Region								
Niamey	21.9	34.1	20.6	32.1	1.2	2.0		
Other urban	23.2	32.2	22.4	31.2	0.7	1.1		
Rural areas	14.2	16.0	13.5	15.4	0.7	0.7		

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 480)

Married Users¹ (N = 470)

	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	FC	Condom	Other	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	FC	Condom	Other	Othe
Total	, cermization	implant	100	1141	36		LC	Condom	Wiodeiii	Tradem	Stermen	Implant	100	***	30		LC	condom	Wiodein	Trade
All	0.5	16.7	1.0	32.1	5.7	38.5	0.1	0.5	0.2	4.5	0.6	16.3	1.0	32.8	5.8	38.7	0.1	0.1	0.3	4.3
Age Group																				
15-19	0.0	11.4	0.0	33.3	9.6	41.4	0.0	4.4	0.0	0.0	0.0	12.1	0.0	35.2	10.1	42.6	0.0	0.0	0.0	0.0
20-24	0.0	14.2	0.2	33.1	7.1	38.7	0.3	0.4	0.0	6.0	0.0	13.1	0.2	34.6	7.5	39.4	0.3	0.0	0.0	4.9
25-29	1.6	20.9	0.3	28.1	5.5	37.5	0.0	0.3	0.2	5.5	1.7	20.0	0.3	28.6	5.6	37.7	0.0	0.3	0.2	5.6
30-34	0.3	21.4	3.5	23.6	0.0	49.7	0.0	0.0	1.1	0.5	0.3	21.7	3.5	23.5	0.0	49.4	0.0	0.0	1.1	0.5
35-39	0.4	21.8	1.2	34.5	4.3	35.4	0.3	0.2	0.0	2.1	0.4	21.8	1.2	34.6	4.3	35.2	0.3	0.2	0.0	2.1
40-44	0.0	9.2	1.6	23.3	13.9	41.3	0.0	0.0	0.6	10.1	0.0	9.2	1.6	23.3	13.9	41.3	0.0	0.0	0.6	10.
45-49																				
Marital Status																				
Married, or in union	0.6	16.3	1.0	32.8	5.8	38.7	0.1	0.1	0.3	4.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually ac	tive										na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	19.2	0.9	21.8	4.9	45.5	0.5	3.5	0.0	3.7	0.0	20.9	1.0	23.7	5.3	47.0	0.6	0.3	0.0	1.2
2-3 children	1.6	14.7	0.2	33.0	4.1	43.6	0.0	0.1	0.3	2.4	1.6	14.1	0.2	33.5	4.2	43.6	0.0	0.1	0.3	2.5
4+ children	0.1	17.2	1.4	34.2	6.8	33.9	0.1	0.1	0.3	6.0	0.1	16.6	1.4	34.5	6.9	34.1	0.1	0.1	0.3	6.0
Residence																				
Urban	0.6	20.5	2.3	17.7	1.5	51.3	0.4	0.6	0.8	4.3	0.6	20.2	2.4	18.1	1.6	51.0	0.4	0.3	0.9	4.4
Rural	0.5	15.1	0.4	38.2	7.5	33.1	0.0	0.5	0.0	4.6	0.5	14.7	0.4	38.8	7.6	33.7	0.0	0.0	0.0	4.2
Education																				
Never	0.1	15.3	0.8	36.1	9.1	32.8	0.0	0.0	0.2	5.7	0.1	15.1	0.8	36.2	9.1	32.8	0.0	0.0	0.2	5.7
Primary	0.0	19.6	0.0	32.4	0.2	41.3	0.2	2.0	0.3	4.0	0.0	20.1	0.0	34.2	0.2	42.5	0.2	0.2	0.3	2.3
Secondary	2.7	19.3	2.2	19.2	0.3	53.0	0.4	1.0	0.5	1.6	2.8	17.5	2.3	20.1	0.3	54.0	0.5	0.4	0.5	1.7
Tertiary	2.0	13.5	4.1	20.0	1.6	58.8	0.0	0.0	0.0	0.0	2.1	14.0	4.2	20.7	1.6	57.5	0.0	0.0	0.0	0.0
Wealth Quintil	е																			
Lowest	0.0	23.2	0.0	30.7	7.4	32.0	0.0	0.0	0.0	6.6	0.0	23.2	0.0	30.7	7.4	32.0	0.0	0.0	0.0	6.6
Middle	0.0	14.7	0.9	40.5	10.2	27.1	0.0	0.0	0.3	6.2	0.0	14.7	0.9	40.5	10.2	27.1	0.0	0.0	0.3	6.2
Highest	1.1	15.9	1.3	27.3	2.4	47.7	0.2	1.0	0.3	2.8	1.1	15.1	1.4	28.4	2.5	48.6	0.2	0.2	0.3	2.2
Region																				
Niamey	1.4	23.4	3.3	16.2	1.3	47.1	0.3	0.7	0.6	5.6	1.4	24.5	3.4	16.4	1.4	45.3	0.3	0.8	0.7	5.8
Other urban	0.0	18.1	1.5	18.9	1.6	54.7	0.4	0.5	1.0	3.2	0.0	16.9	1.6	19.5	1.7	55.6	0.5	0.0	1.0	3.3
Rural areas	0.5	15.1	0.4	38.2	7.5	33.1	0.0	0.5	0.0	4.6	0.5	14.7	0.4	38.8	7.6	33.7	0.0	0.0	0.0	4.2

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background

Married Women (N = 2488) **All Women (N = 3017)** Characteristics

Characteristics	All VV	romen (N = 3017) Iviaineu women (N = 2			Ulliell (N - 240	2400)	
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total	
Total							
All	15.5	2.1	17.6	18.6	2.4	21.0	
Age Group							
15-19	11.2	0.6	11.8	22.4	0.4	22.7	
20-24	18.0	0.2	18.1	20.7	0.2	20.9	
25-29	18.4	0.5	18.9	19.2	0.5	19.7	
30-34	20.2	3.6	23.7	21.1	3.8	24.9	
35-39	13.5	3.5	17.0	14.2	3.6	17.8	
40-44	13.6	7.3	20.8	14.7	7.9	22.6	
45-49	10.6	3.5	14.2	12.4	4.1	16.6	
Marital Status							
Married, or in union	18.6	2.4	21.0	na	na	na	
Unmarried, sexually active	15.1	1.1	16.1	na	na	na	
Parity							
0-1 children	9.5	0.6	10.1	18.0	0.5	18.5	
2-3 children	19.2	1.0	20.2	19.9	1.0	20.9	
4+ children	17.5	3.6	21.2	18.2	3.7	21.9	
Residence							
Urban	10.2	2.3	12.5	14.8	3.5	18.3	
Rural	16.9	2.0	18.9	19.4	2.2	21.6	
Education							
Never	18.5	2.1	20.6	20.1	2.3	22.3	
Primary	13.9	2.8	16.7	17.1	3.6	20.6	
Secondary	6.2	1.2	7.4	12.4	1.1	13.5	
Tertiary	1.8	1.4	3.2	2.5	2.5	5.0	
Wealth Quintile							
Lowest	19.1	2.2	21.3	21.6	2.5	24.2	
Middle	18.3	2.4	20.7	21.1	2.7	23.9	
Highest	10.0	1.6	11.6	13.0	1.9	14.9	
Region							
Niamey	8.6	3.4	11.9	13.4	5.4	18.7	
Other urban	11.6	1.4	13.0	15.9	2.1	18.0	
Rural areas	16.9	2.0	18.9	19.4	2.2	21.6	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women (N=2488)

Background Characteristics

		/ 111 00	0111011 (1	1-3017			Widifica	•••	(= 100	<i>'</i>
	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	15.9	15.2	17.6	33.5	45.4	18.9	18.1	21.0	39.9	45.3
Age Group										
15-19	5.9	5.9	11.8	17.7	33.1	11.5	11.5	22.7	34.2	33.6
20-24	20.8	19.5	18.1	38.9	50.2	23.0	21.8	20.9	43.9	49.7
25-29	19.9	18.8	18.9	38.8	48.5	20.5	19.4	19.7	40.2	48.2
30-34	17.7	17.6	23.7	41.4	42.5	18.4	18.3	24.9	43.3	42.3
35-39	21.0	20.6	17.0	38.0	54.1	22.1	21.6	17.8	39.9	54.2
40-44	13.2	11.9	20.8	34.1	34.9	14.3	12.9	22.6	36.9	34.9
45-49	14.3	12.8	14.2	28.4	45.1	16.7	15.0	16.6	33.3	45.1
Marital Status										
Married, or in union	18.9	18.1	21.0	39.9	45.3	na	na	na	na	na
Unmarried, sexually active	18.9	12.5	16.1	35.1		na	na	na	na	na
Parity										
0-1 children	7.2	7.0	10.1	17.3	40.3	13.2	13.0	18.5	31.7	41.1
2-3 children	20.6	20.1	20.2	40.7	49.3	21.0	20.5	20.9	41.9	48.9
4+ children	19.1	18.0	21.2	40.3	44.7	19.7	18.5	21.9	41.6	44.5
Residence										
Urban	22.6	21.6	12.5	35.1	61.6	33.0	31.6	18.3	51.3	61.5
Rural	14.2	13.5	18.9	33.1	40.8	16.0	15.4	21.6	37.6	40.9
Education										
Never	14.9	14.1	20.6	35.5	39.7	16.2	15.3	22.3	38.5	39.6
Primary	17.1	16.4	16.7	33.8	48.6	20.6	20.2	20.6	41.2	48.9
Secondary	17.9	17.6	7.4	25.4	69.5	34.3	33.7	13.5	47.8	70.6
Tertiary	24.9	24.9	3.2	28.1	88.7	43.8	43.8	5.0	48.8	89.8
Wealth Quintile										
Lowest	8.2	7.6	21.3	29.5	25.9	9.4	8.7	24.2	33.5	26.1
Middle	15.9	14.9	20.7	36.6	40.8	18.4	17.3	23.9	42.3	40.8
Highest	22.7	22.0	11.6	34.3	64.2	29.0	28.4	14.9	43.9	64.6
Region										
Niamey	21.9	20.6	11.9	33.8	61.0	34.1	32.1	18.7	52.8	60.8
Other urban	23.2	22.4	13.0	36.2	62.0	32.2	31.2	18.0	50.2	62.0
Rural areas	14.2	13.5	18.9	33.1	40.8	16.0	15.4	21.6	37.6	40.9

All Women (N=3017)

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions
Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wome	en with 1 or Mo	ore Births	Married Women with 1 or More Births				
Characteristics		(N=2029)		(N=1963)				
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	88.9	9.8	1.2	89.1	9.8	1.1		
Age Group								
15-19	85.4	12.4	2.1	87.3	11.9	0.8		
20-24	89.7	9.7	0.7	89.7	9.6	0.7		
25-29	90.6	9.1	0.3	90.6	9.1	0.3		
30-34	88.5	11.2	0.3	88.4	11.2	0.3		
35-39	92.2	6.2	1.6	92.0	6.3	1.6		
40-44	88.7	7.8	3.5	88.5	7.9	3.6		
45-49	64.5	26.5	9.0	64.3	26.7	9.0		
Marital Status								
Married, or in union	89.1	9.8	1.1	na	na	na		
Unmarried, sexually active				na	na	na		
Parity								
0-1 children	91.5	6.6	1.9	93.3	5.7	1.0		
2-3 children	89.3	10.3	0.4	89.4	10.1	0.4		
4+ children	87.9	10.5	1.5	87.8	10.7	1.6		
Residence	07.3	10.3	1.3	07.0	10.7	1.0		
	a= .			07.0				
Urban	87.1	11.2	1.7	87.6	10.6	1.8		
Rural	89.3	9.6	1.1	89.4	9.6	1.0		
Education								
Never	89.7	9.5	0.8	89.7	9.5	0.8		
Primary	86.8	10.9	2.3	87.3	10.4	2.4		
Secondary	86.6	11.0	2.3	87.7	11.4	1.0		
Tertiary	88.6	8.1	3.3	89.9	6.7	3.4		
Wealth Quintile								
Lowest	87.6	12.2	0.3	87.3	12.4	0.3		
Middle	88.5	10.1	1.4	88.7	9.9	1.4		
Highest	90.6	7.4	2.0	91.3	7.1	1.6		
Region								
Niamey	82.5	15.4	2.2	83.6	14.3	2.1		
Other urban	90.2	8.4	1.5	90.3	8.1	1.5		
Rural areas	89.3	9.6	1.1	89.4	9.6	1.0		

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background		Jointly with	Provider	(1) 450)
Characteristics	Self	Partner	Alone/Partner	(N = 458)
Total				
All	64.4	30.9	4.7	
Age Group				
15-19	54.3	40.5	5.2	
20-24	58.9	34.6	6.5	
25-29	68.9	21.4	9.7	
30-34	67.0	31.2	1.9	
35-39	71.1	27.9	1.1	
40-44	63.2	36.8	0.0	
45-49				
Marital Status				
Married, or in union	64.8	30.7	4.4	
Unmarried, sexually active				
Parity				
0-1 children	57.4	27.5	15.1	
2-3 children	59.4	37.5	3.1	
4+ children	69.2	27.8	3.0	
Residence				
Urban	68.3	27.8	3.8	
Rural	62.8	32.2	5.1	
Education				
Never	65.2	30.7	4.1	
Primary	63.4	28.8	7.8	
Secondary	65.4	31.1	3.6	
Tertiary	49.7	46.3	4.0	
Wealth Quintile				
Lowest	71.8	16.4	11.8	
Middle	64.4	33.4	2.2	
Highest	62.2	33.7	4.1	
Region				
Niamey	63.0	32.7	4.3	
Other urban	72.6	24.0	3.5	
Rural areas	62.8	32.2	5.1	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Payment for Family Planning

All Modern Contraceptive Users

Percentage of women age 15 to 49 currently using a modern contraceptive method 1 who paid fees for services, by marital status and background characteristics.

Married² Modern Contraceptive Users

Background Characteristics

Characteristics	All Modern Contraceptive Osers	Married Modern Contraceptive Osers
	(N = 459)	(N = 450)
Total		
All	11.2	10.7
Age Group		
15-19	17.1	13.5
20-24	7.1	6.6
25-29	12.3	12.1
30-34	10.6	10.3
35-39	9.9	9.6
40-44	11.4	11.4
45-49		
Marital Status		
Married, or in union	10.7	na
Unmarried, sexually active		na
Parity		
0-1 children	14.1	10.2
2-3 children	12.1	11.8
4+ children	10.0	10.1
Residence		
Urban	18.0	17.3
Rural	8.4	8.0
Education		
Never	9.6	9.6
Primary	12.2	9.6
Secondary	15.5	15.1
Tertiary	14.0	14.4
Wealth Quintile		
Lowest	2.6	2.6
Middle	12.9	12.9
Highest	12.8	11.8
Region		
Niamey	19.9	18.3
Other urban	16.5	16.4
Rural areas	8.4	8.0

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about	other methods ²	Informed abou	ut side effects ²	Told what experienced	_
Characteristics		Married ³		Married ³	ехрепенсей	Married ³
	All Users	Users	All Users	Users	All Users	Users
Total	(459)	(450)	(458)	(449)	(289)	(287)
All	72.9	73.7	48.9	49.6	78.1	78.2
Age Group						
15-19	48.0	49.6	32.4	33.1		
20-24	79.1	81.0	49.9	51.2	78.6	79.2
25-29	70.3	70.3	50.2	51.1	81.1	81.1
30-34	81.5	82.3	45.1	45.7	63.3	63.3
35-39	74.7	74.9	56.7	56.9	89.8	89.8
40-44	59.1	59.1	62.2	62.2		
45-49						
Marital Status						
Married, or in union	73.7	na	49.6	na	78.2	na
Unmarried, sexually active		na		na		na
Parity						
0-1 children	60.1	62.3	44.1	45.4	51.2	51.2
2-3 children	71.2	71.4	46.2	47.1	82.0	82.0
4+ children	77.2	77.9	51.7	52.1	81.8	81.8
Residence						
Urban	77.2	78.0	47.3	48.6	74.0	74.4
Rural	71.1	72.0	49.5	50.1	79.7	79.7
Education	, =	. =.0	.5.5	30.2		7517
Never	68.8	68.7	40.0	50.1	79.1	79.1
	80.6	83.1	49.9 46.1	47.8	79.1 81.7	79.1 81.5
Primary Secondary	76.7	79.7	45.3	47.8 47.5	71.8	81.5 71.8
Tertiary	86.2	85.8	63.8	62.7	71.0	71.0
·	80.2	03.0	03.8	02.7		
Wealth Quintile	66.7	66.7	55.0	55.0	55.0	55.0
Lowest	66.7	66.7	55.9	55.9	55.8	55.8
Middle	68.6	68.6	40.0	40.0	82.8	82.8
Highest	77.4	79.1	52.1	53.7	83.1	83.3
Region						
Niamey	72.4	74.3	58.1	60.1	81.5	82.6
Other urban	81.0	81.0	38.8	39.6	65.2	64.6
Rural areas	71.1	72.0	49.5	50.1	79.7	79.7

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

² Asked of all current/recent modern contraceptive users

³ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 455)	(N = 455)	(N = 455)
All	88.4	80.4	75.2
Age Group			
15-19	87.5	69.4	67.2
20-24	91.5	87.1	84.3
25-29	86.8	82.4	74.6
30-34	81.4	74.0	67.2
35-39	92.9	84.5	79.3
40-44	90.0	73.4	66.1
45-49			
Marital Status			
Married, or in union	88.5	80.5	75.2
Unmarried, sexually active			
Parity			
0-1 children	85.9	78.4	76.0
2-3 children	90.9	84.9	78.9
4+ children	87.5	78.3	72.8
Residence	07.5	70.0	, 2.0
	05.3	77.2	70.4
Urban	85.3	77.2	70.4
Rural	89.7	81.8	77.2
Education			
Never	88.3	80.6	75.8
Primary	87.0	75.4	69.9
Secondary	89.7	83.7	77.1
Tertiary	92.1	88.9	84.3
Wealth Quintile			
Lowest	89.2	81.3	79.0
Middle	87.9	74.3	71.2
Highest	88.5	83.8	76.4
Region			
Niamey	83.4	78.7	71.2
Other urban	86.7	76.0	69.8
Rural areas	89.7	81.8	77.2
	**		

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by healt discussed fam		Visited facility of discussed fam		Either visited by health worke or visited facility and discussed family planning		
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women	
Total	(3017)	(2488)	(3017)	(2488)	(3017)	(2488)	
All	6.4	7.2	20.4	23.8	23.3	27.0	
Age Group							
15-19	3.5	5.4	8.5	14.2	10.4	17.1	
20-24	8.9	9.4	25.8	29.0	29.7	33.0	
25-29	4.7	4.9	24.4	25.4	26.1	27.1	
30-34	9.1	9.4	26.9	27.9	31.6	32.7	
35-39	8.4	8.7	28.9	30.2	31.4	32.7	
40-44	4.8	5.1	13.5	14.4	16.6	17.6	
45-49	6.9	6.1	12.2	11.6	15.7	15.6	
Marital Status							
Married, or in union	7.2	na	23.8	na	27.0	na	
Unmarried, sexually active	0.0	na	8.9	na	8.9	na	
Parity							
0-1 children	4.6	7.1	8.9	14.5	11.8	18.8	
2-3 children	7.9	7.1	28.2	28.9	31.4	32.2	
4+ children	6.8	6.8	23.8	24.3	26.5	27.0	
Residence	0.0	0.0	23.0	2 1.3	20.3	27.0	
	2.2	2.4	19.0	26.6	20.7	28.4	
Urban Rural	2.2 7.5	8.1	20.8	23.2	20.7 24.0	28.4 26.7	
	7.5	0.1	20.8	23.2	24.0	20.7	
Education							
Never	7.3	7.9	19.9	21.3	23.5	25.1	
Primary	5.9	5.9	25.6	31.1	27.4	32.3	
Secondary	4.0	4.8	17.3	30.9	18.8	32.9	
Tertiary	0.7	0.0	14.9	26.3	15.2	26.3	
Wealth Quintile							
Lowest	8.3	9.0	18.9	21.2	23.0	25.7	
Middle	6.5	7.2	21.3	24.1	23.7	26.7	
Highest	4.7	5.3	21.0	26.0	23.2	28.6	
Region							
Niamey	2.7	2.8	19.1	29.4	21.3	31.6	
Other urban	1.8	2.1	18.9	24.4	20.2	26.0	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1750	1154	2904
Households Occupied	1694	1142	2836
Households Interviewed	1653	1131	2784
Household Response Rate ¹	97.58%	99.04%	98.17%
Interviews with Women			
Number of Eligible Women ²	2012	1103	3115
Number of Eligible Women Interviewed	1948	1072	3020
Eligible Woman Response Rate ³	96.82%	97.19%	96.95%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.152	0.017	0.122	0.189	0.181	0.021	0.143	0.226	
Currently using a traditional method	0.007	0.002	0.004	0.014	0.008	0.003	0.004	0.016	
Currently using any contraceptive method	0.159	0.017	0.128	0.196	0.189	0.021	0.150	0.234	
Currently using DMPA-IM	0.051	0.009	0.037	0.071	0.062	0.010	0.045	0.085	
Currently using DMPA-SC	0.009	0.003	0.005	0.017	0.011	0.004	0.006	0.021	
Currently using condoms	0.005	0.004	0.001	0.020	0.001	0.001	0.000	0.003	
Currenlty using implants	0.027	0.004	0.020	0.036	0.031	0.005	0.022	0.042	
Chose method by self or jointly in past 12 months	0.953	0.012	0.922	0.972	0.956	0.012	0.924	0.974	
Paid fees for family planning services in past 12 months	0.128	0.023	0.089	0.181	0.124	0.023	0.085	0.177	
Informed by provider about other methods	0.731	0.028	0.671	0.784	0.739	0.029	0.677	0.792	
Informed by provider about side effects	0.477	0.041	0.396	0.559	0.484	0.042	0.402	0.568	
Satisfied with provider: Would return and refer friend/relative to provider	0.747	0.031	0.680	0.804	0.747	0.031	0.680	0.804	
Visited by health worker who talked about family planning in past 12 months	0.064	0.012	0.044	0.094	0.072	0.015	0.048	0.107	

¹ Married includes married women and those who are living with a man