

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Burkina Faso (Centre) Snapshot of Indicators Phase 1 (2020) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso (Centre) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-Centre-P1-CS SOIs. 2020.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	746	1698
Age Group			
15-19	22.8	170	386
20-24	20.1	150	338
25-29	15.1	113	259
30-34	13.8	103	240
35-39	12.1	90	210
40-44	9.8	73	162
45-49	6.3	47	103
Marital Status			
Married, or in union	53.9	402	901
Unmarried, sexually active	11.0	82	188
Parity			
0-1 children	15.3	114	262
2-3 children	24.5	183	424
4+ children	19.0	142	310
Residence			
Urban	84.3	630	1557
Rural	15.7	117	141
Education			
Never	26.0	194	415
Primary	21.3	159	359
Secondary 1 Cycle	30.1	225	520
Secondary 2 Cycles	13.1	98	230
Tertiary	9.4	70	173
Wealth Quintile			
Lowest	1.4	11	17
Middle	4.0	30	48
Highest	94.6	706	1633

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	34.7	42.2	30.5	36.6	4.2	5.6
Age Group						
15-19	15.4	<i>13.4</i>	15.0	<i>11.3</i>	0.4	<i>2.1</i>
20-24	35.1	34.3	30.0	29.6	5.1	4.7
25-29	46.6	48.9	41.9	44.9	4.7	3.9
30-34	48.3	48.8	42.4	42.5	5.9	6.2
35-39	40.2	43.4	34.9	36.9	5.2	6.5
40-44	37.6	43.2	30.4	34.7	7.2	8.5
45-49	29.8	36.3	25.7	31.4	4.0	4.9
Marital Status						
Married, or in union	42.2	na	36.6	na	5.6	na
Unmarried, sexually active	68.1	na	61.9	na	6.2	na
Parity						
0-1 children	45.1	42.9	38.4	34.5	6.7	8.4
2-3 children	49.4	50.6	43.6	44.2	5.9	6.4
4+ children	41.1	43.7	36.4	38.8	4.6	4.9
Residence						
Urban	35.2	43.1	30.9	37.4	4.3	5.7
Rural	32.2	37.6	28.3	32.2	3.9	5.4
Education						
Never	28.6	33.9	26.1	30.7	2.5	3.2
Primary	34.6	41.3	30.2	34.8	4.4	6.5
Secondary 1 Cycle	36.3	47.7	31.9	41.6	4.4	6.0
Secondary 2 Cycles	35.4	45.5	29.1	37.7	6.3	7.9
Tertiary	45.7	61.0	40.2	50.5	5.5	10.5
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	<i>24.0</i>	<i>22.6</i>	<i>20.3</i>	<i>22.6</i>	<i>3.6</i>	<i>0.0</i>
Highest	35.3	43.4	31.0	37.4	4.3	6.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 597)										Married Users ¹ (N = 388)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.2	26.0	5.7	9.4	3.5	12.3	1.1	28.9	0.8	12.2	0.3	32.7	7.7	11.1	4.4	17.1	0.5	11.8	1.2	13.3
Age Group																				
15-19	0.0	20.4	0.0	1.9	0.0	6.7	3.8	64.5	0.0	2.8	--	--	--	--	--	--	--	--	--	--
20-24	0.0	22.2	0.0	9.6	1.4	5.9	0.0	46.4	0.0	14.5	<i>0.0</i>	<i>41.2</i>	<i>0.0</i>	<i>11.2</i>	<i>1.7</i>	<i>15.4</i>	<i>0.0</i>	<i>16.7</i>	<i>0.0</i>	<i>13.7</i>
25-29	0.0	24.8	7.6	15.5	6.2	10.2	2.7	22.1	0.8	10.1	0.0	31.5	9.9	19.6	7.9	12.2	1.0	8.9	1.1	8.1
30-34	0.0	26.8	6.7	9.7	5.2	16.5	0.0	23.0	0.0	12.2	0.0	30.5	5.8	9.1	5.5	20.9	0.0	15.4	0.0	12.8
35-39	0.0	26.3	7.1	10.6	4.0	20.1	1.1	16.5	1.2	13.0	0.0	27.9	7.2	9.7	4.6	22.0	1.3	11.1	1.4	14.9
40-44	0.0	31.4	11.5	7.3	1.5	15.2	0.0	12.3	1.5	19.2	0.0	29.5	12.9	8.2	0.0	17.1	0.0	10.9	1.7	19.6
45-49	<i>3.9</i>	<i>40.7</i>	<i>11.3</i>	<i>0.0</i>	<i>3.3</i>	<i>14.2</i>	<i>0.0</i>	<i>7.5</i>	<i>5.5</i>	<i>13.5</i>	<i>3.9</i>	<i>40.7</i>	<i>11.3</i>	<i>0.0</i>	<i>3.3</i>	<i>14.2</i>	<i>0.0</i>	<i>7.5</i>	<i>5.5</i>	<i>13.5</i>
Marital Status																				
Married, or in union	0.3	32.7	7.7	11.1	4.4	17.1	0.5	11.8	1.2	13.3	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	12.3	1.7	5.2	2.3	0.6	2.4	66.3	0.0	9.2	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	35.1	5.8	8.8	1.4	11.0	0.0	22.2	0.8	14.9	0.0	34.9	7.3	7.1	0.0	17.0	0.0	13.0	1.3	19.5
2-3 children	0.0	29.6	8.3	11.9	6.8	16.1	0.0	14.5	0.9	11.9	0.0	30.2	8.3	11.1	6.9	16.8	0.0	13.0	1.0	12.6
4+ children	0.9	36.1	7.2	13.3	3.7	15.8	0.7	9.7	1.3	11.3	1.0	36.3	7.2	12.8	3.2	17.0	0.8	9.1	1.4	11.3
Residence																				
Urban	0.2	25.6	6.6	8.1	3.9	11.4	1.3	29.8	0.9	12.2	0.4	33.1	9.0	8.9	4.9	16.6	0.5	12.0	1.4	13.2
Rural	<i>0.0</i>	<i>28.4</i>	<i>0.0</i>	<i>17.3</i>	<i>0.9</i>	<i>17.7</i>	<i>0.0</i>	<i>23.5</i>	<i>0.0</i>	<i>12.2</i>	<i>0.0</i>	<i>30.1</i>	<i>0.0</i>	<i>23.8</i>	<i>1.4</i>	<i>20.1</i>	<i>0.0</i>	<i>10.3</i>	<i>0.0</i>	<i>14.3</i>
Education																				
Never	1.0	37.4	3.0	13.3	3.5	17.8	0.0	13.0	2.2	8.6	1.2	36.2	3.5	14.1	3.2	20.7	0.0	9.3	2.6	9.3
Primary	0.0	26.8	4.7	13.4	4.8	16.6	1.3	19.7	0.0	12.7	0.0	31.5	4.7	12.4	4.9	22.8	0.0	8.0	0.0	15.7
Secondary 1 Cycle	0.0	24.0	6.8	8.9	3.1	12.0	0.0	32.1	1.0	12.1	0.0	31.1	10.9	11.1	4.4	15.1	0.0	13.0	1.7	12.7
Secondary 2 Cycles	0.0	22.1	4.8	5.3	3.2	2.3	0.0	44.6	0.0	17.8	<i>0.0</i>	<i>39.5</i>	<i>10.8</i>	<i>8.8</i>	<i>7.2</i>	<i>5.2</i>	<i>0.0</i>	<i>11.4</i>	<i>0.0</i>	<i>17.2</i>
Tertiary	0.0	13.4	10.1	1.4	2.3	7.3	6.5	47.0	0.0	12.0	<i>0.0</i>	<i>23.3</i>	<i>13.9</i>	<i>2.5</i>	<i>3.9</i>	<i>11.0</i>	<i>4.2</i>	<i>23.9</i>	<i>0.0</i>	<i>17.3</i>
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Highest	0.2	25.2	5.9	9.2	3.6	12.4	1.1	29.4	0.8	12.2	0.3	31.9	7.9	10.8	4.5	17.5	0.5	11.6	1.3	13.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1698)	Married Women ³ (N = 901)	All Women (N = 1698)	Married Women ³ (N = 901)
Total				
All	19.4	19.4	11.1	17.1
Age Group				
15-19	11.9	2.8	3.2	8.5
20-24	22.2	15.5	7.8	14.1
25-29	26.8	24.7	15.1	20.2
30-34	26.3	24.8	16.2	17.7
35-39	21.5	21.7	13.4	15.2
40-44	14.2	16.4	16.1	18.3
45-49	9.1	11.1	16.6	20.3
Marital Status				
Married, or in union	19.4	na	17.1	na
Unmarried, sexually active	52.3	na	9.6	na
Parity				
0-1 children	19.9	16.5	18.5	18.1
2-3 children	24.8	24.7	18.7	19.5
4+ children	18.2	19.3	18.2	19.4
Residence				
Urban	19.4	19.1	11.4	18.3
Rural	19.2	20.9	9.2	11.3
Education				
Never	14.3	16.9	11.8	13.8
Primary	19.3	19.9	10.9	15.0
Secondary 1 Cycle	20.7	21.6	11.2	20.0
Secondary 2 Cycles	19.6	14.8	9.5	22.9
Tertiary	29.5	27.7	10.8	22.7
Wealth Quintile				
Lowest	--	--	--	--
Middle	11.9	13.0	8.5	9.5
Highest	20.0	20.0	11.0	17.4

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1698)			Married Women ¹ (N = 901)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	7.0	2.9	9.9	10.3	5.2	15.5
Age Group						
15-19	4.3	0.2	4.5	<i>19.6</i>	<i>1.9</i>	<i>21.5</i>
20-24	8.3	0.3	8.5	13.5	0.7	14.2
25-29	11.6	0.8	12.4	15.7	1.2	17.0
30-34	6.6	2.2	8.8	7.6	2.3	9.9
35-39	8.3	6.3	14.5	9.2	7.2	16.4
40-44	7.2	8.9	16.1	9.3	11.5	20.8
45-49	0.0	11.8	11.8	0.0	14.4	14.4
Marital Status						
Married, or in union	10.3	5.2	15.5	na	na	na
Unmarried, sexually active	11.9	0.0	11.9	na	na	na
Parity						
0-1 children	14.3	0.6	14.9	18.9	0.5	19.4
2-3 children	6.7	2.2	8.9	7.3	2.3	9.6
4+ children	9.4	11.6	21.0	10.4	13.3	23.7
Residence						
Urban	6.8	2.8	9.5	9.8	4.9	14.7
Rural	8.3	3.7	12.0	13.2	6.6	19.8
Education						
Never	8.5	6.6	15.1	11.1	9.1	20.3
Primary	7.1	3.4	10.6	10.5	5.3	15.8
Secondary 1 Cycle	7.1	1.1	8.2	10.2	2.4	12.6
Secondary 2 Cycles	5.5	0.4	5.9	11.8	0.0	11.8
Tertiary	4.4	0.8	5.2	4.8	1.8	6.6
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	<i>14.5</i>	<i>10.0</i>	<i>24.5</i>	<i>21.2</i>	<i>16.1</i>	<i>37.3</i>
Highest	6.7	2.6	9.3	9.8	4.6	14.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=1698)

Married Women² (N=901)

	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	34.7	30.5	9.9	44.6	68.3	42.2	36.6	15.5	57.7	63.3
Age Group										
15-19	15.4	15.0	4.5	19.9	75.4	<i>13.4</i>	<i>11.3</i>	<i>21.5</i>	<i>34.9</i>	--
20-24	35.1	30.0	8.5	43.7	68.8	34.3	29.6	14.2	48.5	61.1
25-29	46.6	41.9	12.4	59.0	71.0	48.9	44.9	17.0	65.9	68.2
30-34	48.3	42.4	8.8	57.1	74.3	48.8	42.5	9.9	58.7	72.5
35-39	40.2	34.9	14.5	54.7	63.8	43.4	36.9	16.4	59.7	61.8
40-44	37.6	30.4	16.1	53.7	56.6	43.2	34.7	20.8	64.0	54.3
45-49	29.8	25.7	11.8	41.6	<i>61.9</i>	36.3	31.4	14.4	50.7	<i>61.9</i>
Marital Status										
Married, or in union	42.2	36.6	15.5	57.7	63.3	na	na	na	na	na
Unmarried, sexually active	68.1	61.9	11.9	80.0	77.4	na	na	na	na	na
Parity										
0-1 children	45.1	38.4	14.9	60.0	64.0	42.9	34.5	19.4	62.3	55.5
2-3 children	49.4	43.6	8.9	58.4	74.7	50.6	44.2	9.6	60.2	73.4
4+ children	41.1	36.4	21.0	62.1	58.7	43.7	38.8	23.7	67.4	57.5
Residence										
Urban	35.2	30.9	9.5	44.7	69.1	43.1	37.4	14.7	57.8	64.7
Rural	32.2	28.3	12.0	44.2	64.1	37.6	32.2	19.8	57.4	<i>56.1</i>
Education										
Never	28.6	26.1	15.1	43.6	59.8	33.9	30.7	20.3	54.2	56.8
Primary	34.6	30.2	10.6	45.1	66.9	41.3	34.8	15.8	57.1	61.0
Secondary 1 Cycle	36.3	31.9	8.2	44.5	71.7	47.7	41.6	12.6	60.3	69.0
Secondary 2 Cycles	35.4	29.1	5.9	41.3	70.5	45.5	37.7	11.8	57.3	<i>65.8</i>
Tertiary	45.7	40.2	5.2	50.9	79.0	61.0	50.5	6.6	67.6	74.6
Wealth Quintile										
Lowest	--	--	--	--	--	--	--	--	--	--
Middle	<i>24.0</i>	<i>20.3</i>	<i>24.5</i>	<i>48.5</i>	<i>42.0</i>	<i>22.6</i>	<i>22.6</i>	<i>37.3</i>	<i>59.9</i>	--
Highest	35.3	31.0	9.3	44.6	69.5	43.4	37.4	14.4	57.8	64.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=644)			Married ¹ Women with 1 or More Births (N=564)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	77.1	20.6	2.3	81.5	16.3	2.2
Age Group						
15-19	46.6	50.5	2.9	--	--	--
20-24	71.8	26.8	1.4	86.4	13.6	0.0
25-29	79.5	20.0	0.5	81.8	17.7	0.5
30-34	80.0	19.4	0.6	82.2	17.8	0.0
35-39	82.1	13.8	4.0	82.6	13.2	4.3
40-44	77.1	15.3	7.6	75.3	16.5	8.2
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	81.5	16.3	2.2	na	na	na
Unmarried, sexually active	30.2	64.4	5.3	na	na	na
Parity						
0-1 children	69.5	28.8	1.8	83.5	15.3	1.2
2-3 children	83.6	15.8	0.6	84.6	15.1	0.3
4+ children	74.5	20.0	5.5	75.1	19.0	5.9
Residence						
Urban	76.8	20.7	2.6	81.1	16.5	2.4
Rural	78.7	20.4	0.8	83.7	15.4	0.9
Education						
Never	83.2	14.4	2.4	84.9	12.5	2.6
Primary	77.4	22.1	0.6	80.2	19.8	0.0
Secondary 1 Cycle	71.3	25.1	3.6	78.8	18.0	3.2
Secondary 2 Cycles	66.3	30.9	2.8	75.7	21.1	3.2
Tertiary	84.2	14.1	1.7	86.9	11.1	2.0
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	--	--	--	--	--	--
Highest	77.6	20.0	2.5	82.1	15.6	2.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 521)
Total				
All	53.7	27.8	18.5	
Age Group				
15-19	23.0	42.6	34.4	
20-24	35.6	37.9	26.4	
25-29	57.1	22.8	20.2	
30-34	66.9	24.0	9.1	
35-39	60.8	23.7	15.5	
40-44	<i>73.9</i>	<i>16.4</i>	<i>9.7</i>	
45-49	<i>69.2</i>	<i>23.3</i>	<i>7.5</i>	
Marital Status				
Married, or in union	64.8	23.0	12.2	
Unmarried, sexually active	34.1	34.0	31.9	
Parity				
0-1 children	53.8	27.2	19.0	
2-3 children	66.5	21.6	11.8	
4+ children	71.3	19.7	9.0	
Residence				
Urban	52.8	28.0	19.3	
Rural	<i>59.0</i>	<i>26.8</i>	<i>14.2</i>	
Education				
Never	68.5	20.3	11.2	
Primary	60.6	17.4	21.9	
Secondary 1 Cycle	47.3	32.8	19.9	
Secondary 2 Cycles	38.3	40.0	21.6	
Tertiary	46.3	34.2	19.4	
Wealth Quintile				
Lowest	--	--	--	
Middle	--	--	--	
Highest	52.9	28.3	18.9	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(521)	(335)	(521)	(335)	(242)	(195)	(521)	(335)
All	53.4	68.7	43.8	54.3	86.3	89.1	57.3	71.3
Age Group								
15-19	19.7	--	13.7	--	--	--	28.5	--
20-24	37.3	<i>53.5</i>	35.1	<i>47.4</i>	<i>75.5</i>	--	41.7	<i>60.6</i>
25-29	62.1	74.4	52.3	60.7	83.3	<i>88.2</i>	65.9	80.6
30-34	61.8	70.0	55.0	62.6	84.6	84.2	71.4	78.3
35-39	60.8	62.5	43.9	46.1	<i>97.3</i>	<i>97.0</i>	61.2	61.9
40-44	<i>66.7</i>	<i>69.4</i>	<i>48.2</i>	<i>45.2</i>	<i>88.8</i>	--	<i>61.3</i>	<i>59.9</i>
45-49	<i>77.5</i>	<i>77.5</i>	<i>58.2</i>	<i>58.2</i>	--	--	<i>75.4</i>	<i>75.4</i>
Marital Status								
Married, or in union	68.7	na	54.3	na	89.1	na	71.3	na
Unmarried, sexually active	23.9	na	22.3	na	<i>68.1</i>	na	30.7	na
Parity								
0-1 children	53.9	66.0	51.2	60.3	86.9	<i>89.1</i>	62.1	70.3
2-3 children	67.6	69.5	51.7	53.4	89.8	89.1	67.5	68.9
4+ children	67.9	68.4	52.8	51.6	89.7	88.7	75.5	75.1
Residence								
Urban	55.4	71.4	47.2	60.0	87.9	90.1	58.4	73.6
Rural	<i>41.9</i>	<i>52.2</i>	<i>23.8</i>	<i>20.4</i>	--	--	<i>50.8</i>	<i>57.5</i>
Education								
Never	59.6	65.1	51.9	53.6	87.2	89.5	64.9	68.2
Primary	63.8	73.1	49.3	55.7	88.3	<i>87.1</i>	66.6	76.4
Secondary 1 Cycle	50.9	70.6	37.7	52.5	84.9	84.6	56.8	73.8
Secondary 2 Cycles	45.7	<i>68.4</i>	43.3	<i>60.1</i>	<i>75.3</i>	--	50.1	<i>75.4</i>
Tertiary	38.0	<i>62.8</i>	34.9	<i>52.3</i>	--	--	36.5	<i>60.0</i>
Wealth Quintile								
Lowest	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--
Highest	54.0	69.6	44.1	55.3	85.9	88.9	57.4	71.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 513)	(N = 513)	(N = 513)
All	82.6	82.9	79.1
Age Group			
15-19	64.3	65.3	56.9
20-24	71.5	76.2	70.7
25-29	83.8	84.5	80.4
30-34	90.3	87.9	85.2
35-39	87.4	86.7	84.8
40-44	<i>91.2</i>	<i>90.4</i>	<i>88.3</i>
45-49	<i>100.0</i>	<i>97.1</i>	<i>97.1</i>
Marital Status			
Married, or in union	90.6	89.7	86.8
Unmarried, sexually active	64.8	67.8	61.6
Parity			
0-1 children	81.4	82.2	77.1
2-3 children	87.3	89.4	85.5
4+ children	95.6	92.1	91.2
Residence			
Urban	81.8	81.3	78.0
Rural	<i>86.7</i>	<i>92.4</i>	<i>85.7</i>
Education			
Never	92.1	91.5	89.3
Primary	85.7	85.3	81.7
Secondary 1 Cycle	80.4	80.2	76.3
Secondary 2 Cycles	65.5	70.3	62.7
Tertiary	82.9	83.2	80.1
Wealth Quintile			
Lowest	--	--	--
Middle	--	--	--
Highest	81.9	82.3	78.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1698)	(901)	(1698)	(901)	(1698)	(901)
All	5.2	5.5	14.7	21.9	18.2	25.1
Age Group						
15-19	4.9	<i>0.0</i>	3.5	<i>18.2</i>	8.1	<i>18.2</i>
20-24	3.4	4.0	18.5	30.9	20.5	33.4
25-29	9.6	10.5	21.2	29.4	28.0	35.9
30-34	4.9	4.6	22.9	25.0	23.5	25.5
35-39	5.9	5.7	21.2	22.8	24.5	26.3
40-44	3.4	2.4	10.1	10.8	13.0	13.2
45-49	4.7	5.7	3.8	3.5	8.4	9.2
Marital Status						
Married, or in union	5.5	na	21.9	na	25.1	na
Unmarried, sexually active	5.9	na	12.8	na	17.3	na
Parity						
0-1 children	5.6	7.2	22.3	28.2	24.4	30.6
2-3 children	4.7	4.7	25.3	26.7	27.7	29.1
4+ children	6.9	6.1	16.5	16.2	21.3	20.9
Residence						
Urban	5.1	5.3	15.3	22.8	18.5	25.5
Rural	5.8	6.5	11.2	17.2	16.7	23.2
Education						
Never	3.8	3.9	13.1	16.6	15.0	18.5
Primary	6.5	7.2	17.2	24.6	21.6	29.4
Secondary 1 Cycle	5.3	4.6	15.4	25.1	19.1	27.5
Secondary 2 Cycles	6.0	8.5	11.6	22.9	16.3	30.1
Tertiary	5.6	6.2	15.1	26.8	19.1	29.3
Wealth Quintile						
Lowest	--	--	--	--	--	--
Middle	2.6	<i>0.0</i>	<i>14.1</i>	<i>18.2</i>	<i>15.3</i>	<i>18.2</i>
Highest	5.2	5.3	14.8	22.4	18.3	25.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1400	140	1540
Households Occupied	1377	138	1515
Households Interviewed	1339	138	1477
Household Response Rate ¹	97.24%	100.00%	97.49%
Interviews with Women			
Number of Eligible Women ²	1652	151	1803
Number of Eligible Women Interviewed	1557	141	1698
Eligible Woman Response Rate ³	94.25%	93.38%	94.18%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.305	0.016	0.273	0.339	0.366	0.025	0.318	0.416
Currently using a traditional method	0.042	0.006	0.032	0.055	0.056	0.010	0.039	0.080
Currently using any contraceptive method	0.347	0.016	0.315	0.381	0.422	0.024	0.374	0.471
Currently using DMPA-IM	0.094	0.017	0.065	0.134	0.111	0.023	0.072	0.166
Currently using DMPA-SC	0.035	0.007	0.023	0.051	0.044	0.010	0.027	0.070
Currently using condoms	0.289	0.022	0.246	0.335	0.118	0.017	0.087	0.157
Currently using implants	0.260	0.024	0.214	0.312	0.327	0.033	0.265	0.395
Chose method by self or jointly in past 12 months	0.815	0.021	0.768	0.854	0.878	0.016	0.841	0.907
Informed by provider about other methods	0.534	0.024	0.485	0.583	0.687	0.026	0.631	0.737
Informed by provider about side effects	0.438	0.034	0.371	0.507	0.543	0.037	0.467	0.617
Satisfied with provider: Would return and refer friend/relative to provider	0.791	0.029	0.726	0.844	0.868	0.022	0.818	0.906
Visited by health worker who talked about family planning in past 12 months	0.052	0.009	0.037	0.075	0.055	0.015	0.032	0.093

¹ Married includes married women and those who are living with a man