

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for  
POPULATION and REPRODUCTIVE HEALTH

## Burkina Faso (Hauts Bassins) Snapshot of Indicators Phase 1 (2020) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso (Hauts Bassins) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-Hauts Bassins-P1-CS SOIs. 2020.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	686	1627
<b>Age Group</b>			
15-19	18.6	128	309
20-24	21.0	144	352
25-29	17.0	117	265
30-34	16.2	111	248
35-39	11.7	81	201
40-44	9.2	63	152
45-49	6.3	43	100
<b>Marital Status</b>			
Married, or in union	70.6	485	1101
Unmarried, sexually active	6.6	46	116
<b>Parity</b>			
0-1 children	13.9	95	242
2-3 children	27.5	189	429
4+ children	31.6	217	490
<b>Residence</b>			
Urban	46.9	322	906
Rural	53.1	365	721
<b>Education</b>			
Never	49.1	337	731
Primary	22.0	151	371
Secondary 1 Cycle	20.7	142	372
Secondary 2 Cycles	5.9	41	112
Tertiary	2.2	15	41
<b>Wealth Quintile</b>			
Lowest	15.2	104	211
Middle	23.1	159	321
Highest	61.7	424	1095

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	37.3	41.2	35.8	39.6	1.5	1.6
<b>Age Group</b>						
15-19	18.9	32.5	18.2	32.5	0.7	0.0
20-24	42.8	45.7	40.7	43.4	2.1	2.3
25-29	42.8	41.3	42.0	40.6	0.8	0.6
30-34	47.6	46.6	46.8	45.8	0.7	0.8
35-39	41.6	42.9	38.7	39.7	2.9	3.2
40-44	35.7	36.9	32.2	32.9	3.5	4.1
45-49	26.3	26.8	26.3	26.8	0.0	0.0
<b>Marital Status</b>						
Married, or in union	41.2	na	39.6	na	1.6	na
Unmarried, sexually active	63.8	na	61.1	na	2.7	na
<b>Parity</b>						
0-1 children	47.1	42.6	46.1	42.0	1.0	0.6
2-3 children	47.1	47.1	45.2	45.1	1.9	2.0
4+ children	40.6	40.8	38.9	39.1	1.7	1.7
<b>Residence</b>						
Urban	39.5	47.1	37.5	44.5	1.9	2.6
Rural	35.4	37.8	34.3	36.7	1.1	1.1
<b>Education</b>						
Never	37.2	38.4	35.9	37.1	1.3	1.3
Primary	36.4	41.0	34.9	39.3	1.5	1.7
Secondary 1 Cycle	35.4	51.4	33.6	47.5	1.8	3.9
Secondary 2 Cycles	43.7	<i>64.0</i>	41.5	<i>64.0</i>	2.2	<i>0.0</i>
Tertiary	<i>48.6</i>	--	<i>48.6</i>	--	<i>0.0</i>	--
<b>Wealth Quintile</b>						
Lowest	37.2	40.1	35.5	38.2	1.7	1.9
Middle	36.3	39.4	35.7	38.7	0.6	0.7
Highest	37.7	42.6	35.9	40.6	1.8	2.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

### Background Characteristics

	All Users (N = 618)										Married Users <sup>1</sup> (N = 470)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.5	44.8	4.7	9.7	11.4	13.2	0.2	11.4	0.1	4.0	0.7	48.0	5.0	10.8	13.0	15.8	0.0	2.7	0.1	4.0
<b>Age Group</b>																				
15-19	0.0	45.0	0.0	4.4	12.2	3.3	1.1	30.2	0.0	3.8	--	--	--	--	--	--	--	--	--	--
20-24	0.0	45.2	1.6	5.9	14.0	9.3	0.0	19.2	0.0	4.9	0.0	54.2	1.6	5.4	18.0	12.9	0.0	2.8	0.0	5.1
25-29	0.0	43.7	3.8	12.1	10.0	18.1	0.0	10.5	0.0	1.8	0.0	44.8	2.7	13.8	12.1	21.9	0.0	3.3	0.0	1.5
30-34	0.0	45.1	6.6	10.8	12.7	17.1	0.0	5.7	0.5	1.5	0.0	48.3	5.9	10.3	12.1	17.4	0.0	3.6	0.6	1.7
35-39	0.0	41.8	6.3	15.1	12.5	12.6	0.8	4.0	0.0	6.9	0.0	44.6	5.7	14.4	12.2	13.4	0.0	2.3	0.0	7.4
40-44	3.0	46.3	11.4	7.3	7.3	13.5	0.0	1.6	0.0	9.7	<i>3.4</i>	<i>44.6</i>	<i>12.9</i>	<i>8.3</i>	<i>8.3</i>	<i>11.5</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>11.0</i>
45-49	<i>5.9</i>	<i>51.3</i>	<i>9.9</i>	<i>16.2</i>	<i>0.0</i>	<i>16.7</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>6.5</i>	<i>48.9</i>	<i>11.0</i>	<i>15.2</i>	<i>0.0</i>	<i>18.4</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<b>Marital Status</b>																				
Married, or in union	0.7	48.0	5.0	10.8	13.0	15.8	0.0	2.7	0.1	4.0	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	27.1	1.2	5.4	6.0	1.7	1.9	52.5	0.0	4.2	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	56.2	3.7	5.1	10.3	12.8	0.0	9.2	0.6	2.1	0.0	59.8	2.0	4.1	10.0	14.7	0.0	7.1	0.9	1.3
2-3 children	0.3	42.1	4.1	10.0	16.8	17.8	0.0	5.0	0.0	4.0	0.3	42.7	4.1	9.4	17.2	18.6	0.0	3.4	0.0	4.3
4+ children	1.2	50.1	6.8	14.4	9.9	13.1	0.0	0.4	0.0	4.1	1.3	49.0	7.1	14.4	10.3	13.2	0.0	0.4	0.0	4.3
<b>Residence</b>																				
Urban	0.4	33.6	7.6	7.2	7.6	19.6	0.4	18.5	0.2	4.9	0.7	35.9	8.9	8.2	8.5	27.2	0.0	4.9	0.3	5.4
Rural	0.6	55.9	1.9	12.2	15.1	6.9	0.0	4.4	0.0	3.1	0.7	57.0	2.2	12.7	16.2	7.3	0.0	1.0	0.0	2.9
<b>Education</b>																				
Never	0.8	52.2	2.2	12.4	12.5	14.1	0.0	2.2	0.0	3.6	0.8	53.2	2.4	12.1	12.7	13.7	0.0	1.8	0.0	3.3
Primary	0.7	42.6	7.7	9.7	14.3	12.4	0.0	8.5	0.0	4.1	0.8	44.4	8.8	10.4	14.6	15.2	0.0	1.7	0.0	4.1
Secondary 1 Cycle	0.0	40.9	7.3	6.0	9.3	12.2	0.0	19.3	0.0	4.9	0.0	40.2	11.4	5.7	13.5	19.1	0.0	2.5	0.0	7.6
Secondary 2 Cycles	<i>0.0</i>	<i>27.5</i>	<i>6.3</i>	<i>5.6</i>	<i>4.7</i>	<i>11.8</i>	<i>1.5</i>	<i>35.9</i>	<i>1.5</i>	<i>5.1</i>	--	--	--	--	--	--	--	--	--	--
Tertiary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>																				
Lowest	0.0	71.8	0.0	8.5	11.1	4.0	0.0	0.0	0.0	4.6	0.0	70.5	0.0	8.9	11.6	4.2	0.0	0.0	0.0	4.8
Middle	0.7	51.2	4.1	18.5	15.2	5.9	0.0	2.9	0.0	1.5	0.8	50.0	4.4	18.9	16.4	6.4	0.0	1.6	0.0	1.7
Highest	0.6	35.9	6.1	6.9	10.1	18.0	0.3	17.2	0.2	4.7	0.9	39.5	7.0	7.4	11.7	24.3	0.0	4.1	0.2	4.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 1627)	Married Women <sup>3</sup> (N = 1101)	All Women (N = 1627)	Married Women <sup>3</sup> (N = 1101)
<b>Total</b>				
All	17.1	17.5	18.7	22.1
<b>Age Group</b>				
15-19	9.7	15.6	8.5	16.9
20-24	20.7	17.9	20.1	25.5
25-29	21.7	21.1	20.3	19.6
30-34	22.3	20.5	24.6	25.3
35-39	18.7	18.1	20.0	21.6
40-44	10.6	10.4	21.6	22.5
45-49	8.6	9.0	17.6	17.8
<b>Marital Status</b>				
Married, or in union	17.5	na	22.1	na
Unmarried, sexually active	43.1	na	18.1	na
<b>Parity</b>				
0-1 children	17.9	15.7	28.2	26.4
2-3 children	23.3	22.9	21.9	22.2
4+ children	15.3	15.6	23.6	23.4
<b>Residence</b>				
Urban	21.1	23.1	16.4	21.4
Rural	13.6	14.1	20.7	22.6
<b>Education</b>				
Never	15.3	15.5	20.5	21.6
Primary	16.4	17.2	18.5	22.1
Secondary 1 Cycle	16.6	20.9	17.1	26.6
Secondary 2 Cycles	26.7	45.5	14.8	18.5
Tertiary	44.3	--	4.3	--
<b>Wealth Quintile</b>				
Lowest	8.8	9.9	26.7	28.3
Middle	15.4	17.0	20.3	21.7
Highest	19.9	20.4	16.1	20.2

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1627)			Married Women <sup>1</sup> (N = 1101)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	12.9	2.0	14.9	16.2	2.7	18.9
<b>Age Group</b>						
15-19	9.0	0.4	9.4	21.4	0.0	21.4
20-24	16.2	0.0	16.2	22.0	0.0	22.0
25-29	19.9	0.3	20.2	23.2	0.4	23.6
30-34	12.1	1.0	13.1	13.0	1.0	14.0
35-39	15.1	5.7	20.8	16.1	6.2	22.3
40-44	6.5	7.0	13.5	7.1	7.1	14.2
45-49	1.7	7.3	8.9	1.9	8.2	10.1
<b>Marital Status</b>						
Married, or in union	16.2	2.7	18.9	na	na	na
Unmarried, sexually active	15.3	1.3	16.6	na	na	na
<b>Parity</b>						
0-1 children	16.5	0.0	16.5	19.6	0.0	19.6
2-3 children	17.8	0.7	18.6	18.9	0.4	19.4
4+ children	12.8	5.6	18.4	13.1	5.9	18.9
<b>Residence</b>						
Urban	10.3	2.4	12.7	14.7	3.7	18.4
Rural	15.2	1.7	16.9	17.1	2.1	19.2
<b>Education</b>						
Never	15.9	2.2	18.1	16.7	2.5	19.2
Primary	12.0	3.3	15.4	14.6	4.1	18.7
Secondary 1 Cycle	10.9	1.0	11.9	19.0	1.6	20.6
Secondary 2 Cycles	3.5	0.0	3.5	<i>6.9</i>	<i>0.0</i>	<i>6.9</i>
Tertiary	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	--	--	--
<b>Wealth Quintile</b>						
Lowest	15.2	1.5	16.7	15.1	1.7	16.8
Middle	15.8	1.9	17.7	17.7	1.8	19.5
Highest	11.2	2.2	13.5	15.8	3.4	19.3

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

#### All Women (N=1627)

#### Married Women <sup>2</sup> (N=1101)

	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	37.3	35.8	14.9	52.2	68.6	41.2	39.6	18.9	60.1	65.9
<b>Age Group</b>										
15-19	18.9	18.2	9.4	28.3	64.2	32.5	32.5	21.4	53.9	<i>60.3</i>
20-24	42.8	40.7	16.2	59.0	69.0	45.7	43.4	22.0	67.7	64.1
25-29	42.8	42.0	20.2	63.0	66.7	41.3	40.6	23.6	64.9	62.7
30-34	47.6	46.8	13.1	60.6	77.2	46.6	45.8	14.0	60.6	75.6
35-39	41.6	38.7	20.8	62.4	62.1	42.9	39.7	22.3	65.2	60.9
40-44	35.7	32.2	13.5	49.2	65.6	36.9	32.9	14.2	51.2	64.3
45-49	26.3	26.3	8.9	35.2	<i>74.6</i>	26.8	26.8	10.1	36.9	<i>72.7</i>
<b>Marital Status</b>										
Married, or in union	41.2	39.6	18.9	60.1	65.9	na	na	na	na	na
Unmarried, sexually active	63.8	61.1	16.6	80.5	76.0	na	na	na	na	na
<b>Parity</b>										
0-1 children	47.1	46.1	16.5	63.6	72.5	42.6	42.0	19.6	62.2	67.5
2-3 children	47.1	45.2	18.6	65.7	68.9	47.1	45.1	19.4	66.5	67.8
4+ children	40.6	38.9	18.4	59.0	66.0	40.8	39.1	18.9	59.8	65.4
<b>Residence</b>										
Urban	39.5	37.5	12.7	52.2	72.0	47.1	44.5	18.4	65.5	68.0
Rural	35.4	34.3	16.9	52.3	65.6	37.8	36.7	19.2	56.9	64.4
<b>Education</b>										
Never	37.2	35.9	18.1	55.3	64.8	38.4	37.1	19.2	57.5	64.5
Primary	36.4	34.9	15.4	51.8	67.5	41.0	39.3	18.7	59.7	65.8
Secondary 1 Cycle	35.4	33.6	11.9	47.3	71.1	51.4	47.5	20.6	72.0	66.0
Secondary 2 Cycles	43.7	41.5	3.5	47.2	87.8	<i>64.0</i>	<i>64.0</i>	<i>6.9</i>	<i>70.8</i>	--
Tertiary	<i>48.6</i>	<i>48.6</i>	<i>0.0</i>	<i>48.6</i>	--	--	--	--	--	--
<b>Wealth Quintile</b>										
Lowest	37.2	35.5	16.7	53.9	65.8	40.1	38.2	16.8	57.0	67.0
Middle	36.3	35.7	17.7	54.0	66.1	39.4	38.7	19.5	58.9	65.8
Highest	37.7	35.9	13.5	51.2	70.2	42.6	40.6	19.3	61.9	65.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=836)			Married <sup>1</sup> Women with 1 or More Births (N=773)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	72.1	26.4	1.5	74.2	24.5	1.3
<b>Age Group</b>						
15-19	60.5	39.5	0.0	<i>68.0</i>	<i>32.0</i>	<i>0.0</i>
20-24	65.8	33.1	1.2	69.4	29.3	1.3
25-29	72.8	27.2	0.0	73.7	26.3	0.0
30-34	78.8	20.1	1.2	80.1	18.7	1.2
35-39	74.2	22.7	3.0	75.0	22.8	2.2
40-44	72.5	23.0	4.5	71.7	23.6	4.6
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	74.2	24.5	1.3	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	68.4	30.3	1.3	74.6	23.8	1.6
2-3 children	74.8	25.0	0.3	76.5	23.2	0.3
4+ children	71.3	25.8	2.9	71.6	26.1	2.3
<b>Residence</b>						
Urban	76.2	22.3	1.6	80.8	17.9	1.3
Rural	69.5	29.1	1.4	70.3	28.4	1.3
<b>Education</b>						
Never	73.0	26.0	1.0	73.7	25.6	0.7
Primary	71.9	25.7	2.4	73.1	24.9	2.0
Secondary 1 Cycle	68.3	29.9	1.9	77.5	20.2	2.2
Secondary 2 Cycles	<i>70.1</i>	<i>25.2</i>	<i>4.7</i>	--	--	--
Tertiary	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	64.8	33.3	1.9	66.9	31.8	1.3
Middle	68.6	29.0	2.4	69.6	28.4	2.0
Highest	76.5	22.6	0.9	79.4	19.6	0.9

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 591)
<b>Total</b>				
All	67.3	17.0	15.7	
<b>Age Group</b>				
15-19	43.7	23.5	32.8	
20-24	55.6	24.4	19.9	
25-29	76.5	12.8	10.7	
30-34	75.8	14.8	9.4	
35-39	76.6	11.0	12.3	
40-44	66.6	16.4	17.0	
45-49	<i>72.6</i>	<i>11.4</i>	<i>16.0</i>	
<b>Marital Status</b>				
Married, or in union	72.9	15.6	11.4	
Unmarried, sexually active	43.6	23.3	33.1	
<b>Parity</b>				
0-1 children	62.8	23.6	13.6	
2-3 children	75.1	12.9	12.0	
4+ children	76.9	13.2	9.8	
<b>Residence</b>				
Urban	67.6	16.1	16.3	
Rural	67.0	17.9	15.1	
<b>Education</b>				
Never	72.1	15.6	12.4	
Primary	74.0	13.9	12.1	
Secondary 1 Cycle	64.2	18.2	17.6	
Secondary 2 Cycles	<i>39.4</i>	<i>25.4</i>	<i>35.2</i>	
Tertiary	--	--	--	
<b>Wealth Quintile</b>				
Lowest	59.1	18.4	22.5	
Middle	72.9	13.9	13.2	
Highest	67.2	17.8	15.0	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(591)</b>	<b>(451)</b>	<b>(591)</b>	<b>(451)</b>	<b>(305)</b>	<b>(258)</b>	<b>(591)</b>	<b>(451)</b>
All	60.7	64.4	50.8	55.6	87.5	90.5	64.6	68.5
<b>Age Group</b>								
15-19	53.0	--	41.1	--	--	--	51.8	--
20-24	51.2	55.7	44.6	53.8	82.4	<i>87.1</i>	62.3	71.1
25-29	65.7	67.0	47.1	48.3	92.0	<i>92.3</i>	63.6	65.4
30-34	65.0	65.9	57.5	58.8	87.5	89.2	68.6	67.7
35-39	64.2	66.9	55.0	56.2	<i>92.5</i>	<i>94.0</i>	65.1	66.2
40-44	72.3	<i>74.9</i>	60.2	<i>58.2</i>	<i>86.6</i>	--	70.9	<i>73.6</i>
45-49	<i>54.6</i>	<i>57.6</i>	<i>59.8</i>	<i>59.5</i>	--	--	<i>76.0</i>	<i>77.4</i>
<b>Marital Status</b>								
Married, or in union	64.4	na	55.6	na	90.5	na	68.5	na
Unmarried, sexually active	43.5	na	31.9	na	--	na	44.0	na
<b>Parity</b>								
0-1 children	67.0	66.4	57.7	57.8	92.7	<i>94.0</i>	71.2	75.2
2-3 children	60.9	62.0	54.2	55.3	88.3	88.9	66.2	66.5
4+ children	65.7	66.8	55.2	54.8	88.9	91.2	69.1	69.3
<b>Residence</b>								
Urban	64.1	72.0	50.0	57.7	86.8	89.0	64.3	72.2
Rural	57.5	58.9	51.6	54.0	88.1	91.6	64.9	65.7
<b>Education</b>								
Never	59.9	60.7	56.3	56.3	88.2	89.8	65.0	64.4
Primary	62.3	67.2	51.7	53.7	88.8	93.3	70.6	74.9
Secondary 1 Cycle	65.0	74.4	43.6	58.0	82.0	<i>86.7</i>	64.9	76.9
Secondary 2 Cycles	<i>65.4</i>	--	<i>43.8</i>	--	--	--	<i>56.8</i>	--
Tertiary	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>								
Lowest	56.5	58.0	67.1	66.6	<i>88.0</i>	<i>91.1</i>	67.1	69.4
Middle	55.1	56.6	42.6	44.2	90.1	91.7	58.3	57.4
Highest	63.9	70.5	49.9	57.6	86.5	89.8	66.4	73.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 577)</b>	<b>(N = 577)</b>	<b>(N = 577)</b>
All	90.2	86.0	84.3
<b>Age Group</b>			
15-19	77.5	74.0	70.8
20-24	88.0	85.4	83.6
25-29	91.9	88.1	86.6
30-34	91.3	86.2	85.0
35-39	93.3	86.0	83.8
40-44	<i>95.0</i>	<i>92.2</i>	<i>92.2</i>
45-49	<i>96.2</i>	<i>91.7</i>	<i>87.9</i>
<b>Marital Status</b>			
Married, or in union	94.1	89.9	87.9
Unmarried, sexually active	66.7	65.9	64.3
<b>Parity</b>			
0-1 children	93.1	91.6	88.6
2-3 children	93.7	90.7	89.5
4+ children	94.0	87.3	85.6
<b>Residence</b>			
Urban	87.5	85.7	84.0
Rural	92.6	86.4	84.6
<b>Education</b>			
Never	94.0	87.8	86.7
Primary	90.2	86.0	85.4
Secondary 1 Cycle	86.8	84.6	80.7
Secondary 2 Cycles	<i>82.6</i>	<i>84.2</i>	<i>82.6</i>
Tertiary	--	--	--
<b>Wealth Quintile</b>			
Lowest	93.8	89.7	88.0
Middle	93.0	88.2	86.8
Highest	88.2	84.3	82.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(1627)</b>	<b>(1101)</b>	<b>(1627)</b>	<b>(1101)</b>	<b>(1627)</b>	<b>(1101)</b>
All	11.3	11.5	16.5	19.7	24.3	26.9
<b>Age Group</b>						
15-19	11.0	7.0	7.7	13.4	17.6	18.3
20-24	12.6	13.4	21.1	28.3	29.6	35.9
25-29	10.5	10.9	18.8	19.9	25.5	27.3
30-34	11.3	12.4	17.2	17.6	23.7	24.8
35-39	12.0	12.8	19.4	19.7	27.3	28.0
40-44	9.7	9.7	15.6	17.1	22.0	22.7
45-49	12.0	10.5	15.1	14.2	23.4	21.6
<b>Marital Status</b>						
Married, or in union	11.5	na	19.7	na	26.9	na
Unmarried, sexually active	10.3	na	13.5	na	22.2	na
<b>Parity</b>						
0-1 children	9.1	10.3	20.3	18.9	26.8	26.3
2-3 children	10.1	10.4	21.5	22.0	26.7	27.0
4+ children	13.9	14.3	19.4	19.6	28.7	29.2
<b>Residence</b>						
Urban	6.4	5.3	16.0	21.4	20.5	24.4
Rural	15.7	15.2	17.0	18.8	27.7	28.4
<b>Education</b>						
Never	10.7	11.3	18.6	19.8	25.8	27.2
Primary	8.9	9.9	16.9	18.4	22.4	24.0
Secondary 1 Cycle	14.2	13.5	12.9	20.9	24.1	29.7
Secondary 2 Cycles	19.2	26.0	14.0	30.1	26.8	37.2
Tertiary	2.1	--	6.6	--	6.6	--
<b>Wealth Quintile</b>						
Lowest	16.6	17.0	16.4	17.0	27.0	27.6
Middle	13.8	14.8	17.1	17.6	27.9	29.1
Highest	9.1	7.8	16.3	21.8	22.4	25.4

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	770	699	1469
Households Occupied	759	698	1457
Households Interviewed	752	697	1449
Household Response Rate <sup>1</sup>	99.08%	99.86%	99.45%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	939	758	1697
Number of Eligible Women Interviewed	906	721	1627
Eligible Woman Response Rate <sup>3</sup>	96.49%	95.12%	95.88%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.358	0.019	0.321	0.397	0.396	0.025	0.346	0.448
Currently using a traditional method	0.015	0.004	0.008	0.027	0.016	0.005	0.009	0.031
Currently using any contraceptive method	0.373	0.019	0.336	0.412	0.412	0.026	0.362	0.465
Currently using DMPA-IM	0.097	0.014	0.073	0.130	0.108	0.016	0.079	0.144
Currently using DMPA-SC	0.114	0.017	0.084	0.153	0.130	0.022	0.092	0.179
Currently using condoms	0.114	0.015	0.087	0.147	0.027	0.007	0.016	0.045
Currently using implants	0.448	0.033	0.382	0.516	0.480	0.036	0.408	0.553
Chose method by self or jointly in past 12 months	0.843	0.016	0.809	0.873	0.886	0.016	0.849	0.914
Informed by provider about other methods	0.607	0.031	0.543	0.668	0.644	0.036	0.567	0.714
Informed by provider about side effects	0.508	0.033	0.441	0.575	0.556	0.039	0.477	0.632
Satisfied with provider: Would return and refer friend/relative to provider	0.843	0.026	0.784	0.888	0.879	0.024	0.822	0.920
Visited by health worker who talked about family planning in past 12 months	0.113	0.018	0.082	0.155	0.115	0.022	0.078	0.167

<sup>1</sup> Married includes married women and those who are living with a man